


# Preprocessing


Algorithm that preprocesses  $T$  is *offline*.  
Otherwise, algorithm is *online*.



Online or offline?

- Naïve algorithm
- Boyer-Moore
- Web search engine
- Read alignment

# Offline



# Index

nest site hunting, 482–87	<i>Macrotermes</i> (termites), 59–60
honeypot ants, <i>see Myrmecocystus</i>	male recognition, 298
hormones, 106–9	mass communication, 62–63, 214–18
<i>see also</i> exocrine glands	mating, multiple, 155
house (nest site) hunting, 482–92	maze following, 119
Hymenoptera (general), xvi	<i>Megalomyrmex</i> (ants), 457
haplodiploid sex determination, 20–22	<i>Megaponera</i> (ants), <i>see Pachycondyla</i>
<i>Hypoponera</i> (ants), 194, 262, 324, 388	<i>Melipona</i> (stingless bees), 129
	<i>Melophorus</i> (ants), repletes, 257
inclusive fitness, 20–23, 29–42	memory, 117–19, 213
information measurement, 251–52	<i>Messor</i> (harvester ants), 212, 232
intercastes, 388–89	mind, 117–19
<i>see also</i> ergatogynes; ergatoid queens;	<i>Monomorium</i> , 127, 212, 214, 216–17,
gamergates	292
<i>Iridomyrmex</i> (ants), 266, 280, 288, 321	motor displays, 235–47
Isoptera, <i>see</i> termites	mound-building ants, 2
juvenile hormone, caste, 106–9, 372	multilevel selection, 7, 7–13, 24–29
kin recognition, 293–98	mutilation, ritual, 366–73
kin selection, 18–19, 23–24, 28–42, 299,	mutualism, <i>see</i> symbioses, ants
386	<i>Myanmyrma</i> (fossil ants), 318
	<i>Myopias</i> (ants), 326

Key terms ordered alphabetically, with associated page #s


# Index



Grocery store items grouped into aisles




# Indexing DNA



*T*: C G T G C G T G C T T

# Indexing DNA



*T*: CGTGCGTGCTT

A blue arrow points upwards to the first character 'C' of the underlined sequence 'CGTGC'.

# Indexing DNA

*Index of T*

C G T G C : 0

G T G C G : 1

*T*: C G T G C G T G C T T

# Indexing DNA

*Index of T*

C G T G C : 0


G T G C G : 1

T G C G T : 2

*T*: C G T G C G T G C T T



# Indexing DNA



<i>Index of T</i>	
C G T G C :	0
G C G T G :	3
G T G C C :	1
T G C C T :	2

*T*: C G T G C G T G C T T

# Indexing DNA

*Index of T* 

C G T G C :	<u>0, 4</u>
G C G T G :	3
G T G C C :	1
T G C C T :	2

*T:* C G T G C G T G C T T

# Indexing DNA

## *Index of T*

C G T G C : 0 , 4

G C G T G : 3


G T G C C : 1

G T G C T : 5

T G C C T : 2

*T*: C G T G C G T G C T T

# Indexing DNA



*Index of T*

C G T G C :	0 , 4
G C G T G :	3
G T G C C :	1
G T G C T :	5
T G C C T :	2
T G C T T :	6

*T*: C G T G C G T G C T T

# Indexing DNA

*k*-mer: substring  
of length *k*

*Index of T*

C G T G C	: 0, 4
G C G T G	: 3
G T G C C	: 1
G T G C T	: 5
T G C C T	: 2
T G C T T	: 6

5-mer index

*T*: C G T G C G T G C T T

# Querying the index

## *Index of T*

C G T G C : 0 , 4

G C G T G : 3

G T G C C : 1

G T G C T : 5

T G C C T : 2


T G C T T : 6

?

*T*: C G T G C G T G C T T


*P*: G C G T G C

# Querying the index







# Querying the index



# Querying the index



# Querying the index



# Querying the index

## *Index of T*

C G T G C : 0 , 4

G C G T G : 3

G T G C C : 1

G T G C T : 5

T G C C T : 2


T G C T T : 6

?


*T*: C G T G C G T G C T T

*P*: G C G T G C


# Querying the index



# Querying the index




# Querying the index







# Querying the index




# Querying the index




# Querying the index



# Querying the index



# Querying the index



# Querying the index

## *Index of T*

C G T G C : 0 , 4

G C G T G : 3

G T G C C : 1

G T G C T : 5

T G C C T : 2

T G C T T : 6

*T*: C G T G C G T G C T T

*P*: G C G T A C



# Querying the index

## *Index of T*

C G T G C : 0 , 4  
G C G T G : 3  
G T G C C : 1  
G T G C T : 5  
T G C C T : 2  
T G C T T : 6

*T*: C G T G C G T G C T T

*P*: G C G T A C


*P* does not occur in *T*

X





# Querying the index



# Querying the index

