Toksisuusluokittelija tulokset

Obscene

How many comments get a predicted score of < 0.5 for being obscene?

```
prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Obscene
$ egrep -c '^0\.[0-4]' obscene-with-predictions.tsv
208
```

· How were those labeled by us?

```
prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Obscene

$ egrep '^0\.[0-4]' obscene-with-predictions.tsv | cut -f 3 | sort | uniq -c

1 label

121 not-obscene

86 obscene
```

How many comments get a predicted score of > 0.5 for being obscene?

```
prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Obscene $ egrep -vc '^0\.[0-4]' obscene-with-predictions.tsv 202
```

· How were those labeled by us?

```
prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Obscene
$ egrep -v '^O\.[0-4]' obscene-with-predictions.tsv| cut -f 3 | sort | uniq -c
118 not-obscene
84 obscene
```

yhteensä 170 annotoitu obscene

luokittelija 202 obscene, kun todennäköisyys >0.5

recall: 84/170=0.49411

precision: 84/202=0.4158

Threat

vhteensä 40 annotoitu Threat

luokittelija 238 Threat kun todnäk >0.5

recall: 21/40=0.525

precision: 21/238= 0.088235

Insult

```
prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Insult
$ egrep -c '^0\.[0-4]' insult-with-predictions.tsv
184

prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Insult
$ egrep '^0\.[0-4]' insult-with-predictions.tsv | cut -f 3 | sort | uniq -c
    71 insult
        1 label
        112 not-insult

prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Insult
$ egrep -vc '^0\.[0-4]' insult-with-predictions.tsv
181

prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Insult
$ egrep -v '^0\.[0-4]' insult-with-predictions.tsv| cut -f 3 | sort | uniq -c
        74 insult
        107 not-insult
```

Identity-attack

```
prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Identity-attack
$ egrep -c '^0\.[0-4]' identity-attack-with-predictions.tsv

prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Identity-attack
$ egrep '^0\.[0-4]' identity-attack-with-predictions.tsv | cut -f 3 | sort | uniq -c
60 identity_attack
115 not-identity_attack

prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Identity-attack
$ egrep -vc '^0\.[0-4]' identity-attack-with-predictions.tsv

prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Identity-attack
$ egrep -v '^0\.[0-4]' identity-attack-with-predictions.tsv| cut -f 3 | sort | uniq -c
71 identity_attack
1 label
106 not-identity_attack
```

Toxicity

Severe toxicity

```
prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Severe-toxicity
$ egrep -c '^0\.[0-4]' severe-toxicity-with-predictions.tsv
67

prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Severe-toxicity
$ egrep '^0\.[0-4]' severe-toxicity-with-predictions.tsv | cut -f 3 | sort | uniq -c
65 not-severe_toxicity
2 severe_toxicity
prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Severe-toxicity
$ egrep -vc '^0\.[0-4]' severe-toxicity-with-predictions.tsv
287

prins@TABLET-G784LK7G MINGW64 ~/OneDrive/Asiakirjat/Kandi/Severe-toxicity
$ egrep -v '^0\.[0-4]' severe-toxicity-with-predictions.tsv| cut -f 3 | sort | uniq -c
1 label
263 not-severe_toxicity
23 severe_toxicity
```