\equiv

Documentation Settings

Click

Auth

POST Login

```
{{click}}/auth/login
```

HEADERS

Accept

application/json

Content-type

application/json

BODY raw

```
{
    "email":"asdf@gmail.com",
    "password":"112233"
}
```

Example Request

Error:email or password i... ▼

```
curl --location -g --request POST '{{click}}/auth/login' \
--data-raw '{
    "email":"asdf@gmail.com",
    "password":"12345"
}'
```

Example Response

401 Unauthorized

Body Header (10)

Documentation Settings

{
 "status": false,
 "message": "email or password is incorrect",
 "data": {},
 "append": {},
 "errors": []
}

POST Register

{{click}}/auth/register

HEADERS

Accept

application/json

Content-type

application/json

BODY raw

```
{
    "email":"asdf@gmail.com",
    "phone":"998993576168",
    "full_name":"Nelson Lynch",
    "password":"123456",
    "password_confirmation":"123456"
}
```

Example Request Login Copy ▼

```
curl --location -g --request POST '{{click}}/auth/register' \
--data-raw '{
    "email":"asdf@gmail.com",
    "phone":"998993576168",
    "full_name":"Kimberly Graham",
    "password":"123456",
    "password_confirmation":"123456"
}'
```

Fyample Response https://documenter.getpostman.com/view/9990014/UVByJAY3#a81f2dda-0b4a-4f14-9e9d-c6d832d99d30 01.11.2021, 16:38

Click глантые иеэронэе 200 OK

```
Documentation Settings
\equiv_{\rm Body}
            Header (10)
   {
     "status": true,
     "message": "sms.success",
     "data": {
      "id": 1,
       "full_name": "Michael Ryan",
       "phone": "998993576168",
       "email": "asdf@gmail.com",
       "auth_token": "1|Tkp0oCf0TyQuFmgEm1fMKxJViewiMore9oLNP3"
     },
```

POST Logout

```
{{click}}/logout
```

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

ru

Accept

application/json

Content-type

application/json

Example Request Logout

```
curl --location -g --request POST '{{click}}/logout' \
--header 'lang: ru' \
--header 'Accept: application/json' \
--header 'Content-type: application/json'
```

Example Response 200 OK

Body Header (11)

```
\equiv
```

Documentation Settings

```
{
  "status": true,
  "message": "messages.success",
  "data": {},
  "append": {},
  "errors": []
```

Profile

GET profile

{{click}}/me

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

en

Accept

application/json

Content-type

application/json

Example Request profile

```
curl --location -g --request GET '{{click}}/me' \
--header 'lang: en' \
--header 'Accept: application/json' \
--header 'Content-type: application/json'
```

```
== Example Response
```

```
Documentation Settings •
```

```
Body Header(11)

{
    "status": true,
    "message": "messages.success",
    "data": {
        "id": 1,
        "full_name": "Michael Ryan",
        "phone": "998993576168",
        "email": "asdf@gmail.com"
    },
        View More
    "append": {},
```

POST Profile Update

{{click}}/me

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

ru

Accept

application/json

Content-type

application/json

BODY raw

```
{
    "phone":"998993576168",
    "full_name":"Blake Mayert",
    "current_password":"112233",
    "new_password":"332211",
    "new_password_confirmation":"332211"
}
```

```
\equiv Example Request
```

```
Documentation Settings
Profile Update ▼
```

```
curl --location -g --request POST '{{click}}/me' \
--header 'lang: ru' \
--header 'Accept: application/json' \
--header 'Content-type: application/json' \
--data-raw '{
    "phone":"998993576168",
    "full_name":"Joyce Pagac",
    "current_password":"112233",
    "new_password":"332211",
    View More
    "new_password_confirmation":"332211"
```

Example Response 200 OK

```
Body Header(11)

{
    "status": true,
    "message": "messages.success",
    "data": {
        "id": 1,
        "full_name": "Leticia Beatty",
        "phone": "998993576168",
        "email": "asdf@gmail.com"
    },
        View More
    "append": {},
```

Category

GET index

{{click}}/category

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

en

Accept

=application/json

Documentation Settings

Content-type

application/json

Example Request category

```
curl --location -g --request GET '{{click}}/category' \
--header 'Accept: application/json' \
--header 'Content-type: application/json'
```

Example Response 200 OK

POST create

{{click}}/category

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

ru

Accept

application/json

Content-type

application/json

Documentation Settings

BODY formdata

name

Fantastic Frozen Pizza

position

838

ico

Example Request create

```
curl --location -g --request POST '{{click}}/category' \
--header 'lang: ru' \
--header 'Accept: application/json' \
--header 'Content-type: application/json' \
--form 'name="Sleek Wooden Hat"' \
--form 'position="790"' \
--form 'ico=@"/C:/Users/user/Pictures/Фоновые изображения рабочего стола/25. Ромашки.jpg"'
```

Example Response 200 OK

```
{
  "status": true,
  "message": "messages.success",
  "data": {
    "id": 28,
    "name": "Sleek Granite Pants",
    "ico": "http://click/uploads/category/b4a92ccce449e4a0d988b43325cc81e9.jpg"
},
```

"errors": []

"append": {},

Body

Header (11)

View More

POST update

{{click}}/category/update

AUTHORIZATION

Bearer Token

Token

{{token}} —

Documentation Settings

HEADERS

lang

ru

Accept

application/json

Content-type

application/json

BODY formdata

id

36

name

Ergonomic Granite Cheese

position

69

ico

Example Request update

```
curl --location -g --request POST '{{click}}/category/update' \
--header 'lang: ru' \
--header 'Accept: application/json' \
--header 'Content-type: application/json' \
--form 'id="36"' \
--form 'name="Gorgeous Cotton Sausages"' \
--form 'position="221"' \
--form 'ico=@"/C:/Users/user/Pictures/Фоновые изображения рабочего стола/25. Ромашки.jpg"'
```

Example Response 200 OK

Body Header (11)

 \equiv

Documentation Settings

```
"status": true,
"message": "messages.success",
"data": {
    "id": 36,
    "name": "Refined Plastic Hat",
    "ico": "http://click/uploads/category/df0dd100ca63fb151e63d1e27ca69a02.jpg"
},
"append": {},
    View More
"errors": []
```

DEL Delete

{{click}}/category/36

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

ru

Accept

application/json

Content-type

application/json

BODY formdata

name

Awesome Metal Cheese

position

882

ico

Example Request



Body

Delete Documentation Settings

```
curl --location -g --request DELETE '{{click}}/category/36' \
--header 'lang: ru' \
--header 'Accept: application/json' \
--header 'Content-type: application/json' \
--form 'name="Refined Granite Chair"' \
--form 'position="577"' \
--form 'ico=@"/C:/Users/user/Pictures/Фоновые изображения рабочего стола/25. Ромашки.jpg"'
```

Example Response 200 OK

```
{
  "status": true,
  "message": "messages.success",
  "data": {},
  "append": {},
  "errors": []
```

Header (11)

Product

GET index

{{click}}/category/1/products?max_price=117123&max_price=1000

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

Accept

application/json

Content-type

application/json

PARAMS

```
Documentation Settings
-per_page
2
orderby
price
 sort
ASC
max_price
 117123
max_price
 1000
  Example Request
                                                                                category products with fil... ▼
  curl --location -g --request GET '{{click}}/category/1/products?orderby=price&sort=ASC&min_price=10000
  --header 'Accept: application/json' \
  --header 'Content-type: application/json'
                                                                                                    200 OK
  Example Response
           Header (11)
   Body
  {
    "status": true,
    "message": "messages.success",
    "data": [
         "id": 42,
         "name": "harum",
         "description": "Eligendi et rep...",
```

View More

"main_image": "http://click/uploads/product/163574140530606.jpg"

GET my products

"price": 33098,

{{click}}/my/products

AUTHORIZATION

Bearer Token

_{{token}}

Documentation Settings

HEADERS

lang

en

Accept

application/json

Content-type

Body

application/json

Example Request my products

```
curl --location -g --request GET '{{click}}/my/products' \
--header 'Accept: application/json' \
--header 'Content-type: application/json'
```

Example Response 200 OK

```
{
  "status": true,
  "message": "messages.success",
  "data": [
     {
        "id": 6,
        "name": "eius",
        "description": "Sit ut libero v...",
        "price": "110 469",
        View More
```

"main_image": "http://click/uploads/product/163574127832857.jpg"

GET getOne

{{click}}/product/60

Header (11)

AUTHORIZATION

Bearer Token

Token

{{token}}

.....

HEADERS

= Tang **Documentation Settings**

en

Accept

application/json

Content-type

application/json

Example Request getOne

```
curl --location -g --request GET '{{click}}/product/1' \
--header 'Accept: application/json' \
--header 'Content-type: application/json'
```

Example Response 200 OK

```
Body Header (11)
```

```
"status": true,
"message": "messages.success",
"data": {
   "id": 1,
   "name": "temporibus",
   "description": "Enim dolores libero odio natus minima consequatur. Beatae magnam necessitatibus be
   "price": "279 397",
   "main_image": "http://click/uploads/prodview6Mfofe26016028.jpg",
   "images": [
```

GET one product similars

{{click}}/product/1/similar

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

en =

Documentation Settings

Accept

application/json

Content-type

application/json

Example Request one product similars

```
curl --location -g --request GET '{{click}}/product/1/similar' \
--header 'Accept: application/json' \
--header 'Content-type: application/json'
```

Example Response 200 OK

```
Body Header(11)

{
    "status": true,
    "message": "messages.success",
    "data": [
        {
            "id": 39,
            "name": "eos",
            "description": "Velit alias vol...",
            "price": "216 328",
            "main_image": null
View More
```

POST create

{{click}}/product

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

ru

Accept

application/json

____ Content-type

application/json

BODY formdata

category_id

1

name

Handcrafted Frozen Ball

description

quis nemo praesentium

price

10000.25

position

533

tag

sport, basket boll, basket bol, fudbol, futbol, football

main_image

images[0]

images[1]

images[2]

video

Example Request create

Example Response

200 OK

Documentation Settings

```
Body Header (11)
```

Documentation Settings

```
"status": true,
"message": "messages.success",
"data": {
    "id": 77,
    "name": "Small Plastic Tuna",
    "description": "incidunt consequatur at",
    "price": "10 000,25",
    "main_image": "http://click/uploads/prodviewbMorecd39b40df5e86faf9e17b4fbd.jpg",
    "video": "http://click/uploads/product/videos/d68e943515fffc111f965f4455c4e6ae.mp4",
```

POST update

{{click}}/product/update

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

ru

Accept

application/json

Content-type

application/json

BODY formdata

id

77

category_id

2

name

Practical Fresh Bacon

description

01.11.2021, 16:38

Click qui ratione maiores **Documentation Settings** price 314 position 375 tag sport,basketboll,basketbol,fudbol,futbol,football main_image images[0] images[1] images[2] video **Example Request** update curl --location -g --request POST '{{click}}/product/update' \ --header 'lang: ru' \ --header 'Accept: application/json' \

```
--header 'Content-type: application/json' \
--form 'id="77"' \
--form 'category_id="2"' \
--form 'name="Small Steel Shirt"' \
--form 'description="ut incidunt ut"' \
--form 'price="618"' \
                                             View More
--form 'position="633"' \
                                                                                               200 OK
Example Response
Body
        Header (11)
  "status": true,
  "message": "messages.success",
  "data": {
   "id": 77,
   "name": "Unbranded Cotton Bacon",
   "description": "non expedita quo",
    "price": "561",
```

 $"main_image": "http://click/uploads/prod \verb|View|| \ref{prod} \ref{$ "video": "http://click/uploads/products/videos/ea7ad3056bbc2d8a13b93094bb2e7d2c.mp4",

_DEL Delete

Documentation Settings

{{click}}/product/63

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

ru

Accept

application/json

Content-type

application/json

BODY formdata

name

Incredible Fresh Mouse

position

904

ico

Example Request

Delete 🔻

```
curl --location -g --request DELETE '{{click}}/product/63' \
--header 'lang: ru' \
--header 'Accept: application/json' \
--header 'Content-type: application/json' \
--form 'name="Intelligent Steel Bacon"' \
--form 'position="874"' \
--form 'ico=@"/C:/Users/user/Pictures/Фоновые изображения рабочего стола/25. Ромашки.jpg"'
```

Example Response

200 OK

Body Header (11)

```
Documentation Settings
```

```
{
  "status": true,
  "message": "messages.success",
  "data": {},
  "append": {},
  "errors": []
```

GET Search

{{click}}/search/tem

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

en

Accept

application/json

Content-type

application/json

PARAMS

per_page

15

min_price

62448

max_price

3989

orderby

price



Example Request Search with filters ▼

```
curl --location -g --request GET '{{click}}/search/temporibus?orderby=price&sort=DESC' \
--header 'Accept: application/json' \
--header 'Content-type: application/json'
```

Example Response 200 OK

```
Body Header(11)

{
    "status": true,
    "message": "messages.success",
    "data": [
        {
            "id": 17,
            "name": "eum",
            "description": "Repudiandae vol...",
```