

Mehnat.uz

Auth

POST Login

```
{{mehnat}}/auth/login
```

HEADERS

Accept

application/json

Content-type

application/json

BODY raw

```
{
    "login":"admin",
    "password":"123456",
    "type":"admin-api"
}
```

Example Request Login ▼

```
POST /auth/login HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json
Content-Length: 76

{
    "login":"admin",
    "password":"112233",
    "type":"admin-api"
```

Example Response 200 OK

Documentation Settings

```
{
   "status": true,
   "message": "Success",
   "data": {
      "access_token": "eyJ0eXAi0iJKV1QiLCJhbGci0iJIUzI1NiJ9.eyJpc3Mi0iJodHRw0lwvXC9tZWhuYXRcL2FwaVwvYXV0aFwvbG9naW4i
      "token_type": "bearer",
      "expires_in": 3600
   },
   "append": {},
      View More
   "errors": []
```

POST Logout

{{mehnat}}/logout

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

ru

Accept

application/json

Content-type

application/json

Example Request Logout ▼

```
POST /logout HTTP/1.1
Host: {{mehnat}}
lang: ru
Accept: application/json
Content-type: application/json
```

Example Response 200 OK

```
=
```

```
{
  "status": true,
  "message": "Success",
  "data": {},
  "append": {},
  "errors": []
}
```

POST Refresh

{{mehnat}}/refresh/admin-api

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

ru

Accept

application/json

Content-type

application/json

Example Request Refresh:employee ▼

```
POST /refresh/employee-api HTTP/1.1
Host: {{mehnat}}
lang: ru
Accept: application/json
Content-type: application/json
```

Example Response 200 OK

```
=
```

Admin

Profile

GET profile

{{mehnat}}/admin/me

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

en

Accept

application/json

Content-type

application/json

Example Request profile

```
=
```

```
GET /admin/me HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json
```

Example Response 200 OK

Body Header (14)

PUT Profile Update

{{mehnat}}/admin/me

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

lang

ru

Accept

application/json

Content-type

application/json

BODY raw

```
{
    "name":"Anne Strosin DDS",
    "current_password":"123456",
    "new_password":"112233",
    "new_password_confirmation":"112233"
```

Example Request Profile Update ▼

```
PUT /admin/me HTTP/1.1
Host: {{mehnat}}
lang: ru
Accept: application/json
Content-Type: application/json
Content-Length: 154

{
    "name": "Dr. Candice Christiansen", View More
    "current_password": "332211",
```

Example Response 200 OK

Body Header (14)

Admins

GET All

{{mehnat}}/admin/admins?role=superadmin

AUTHORIZATION

Bearer Token

Token

{{token}}

PARAMS

per_page

10

role

Example Request role filter

```
GET /admin/admins?role=superadmin HTTP/1.1
Host: {{mehnat}}
```

Example Response 200 OK

Body Header (14)

GET Get One

{{mehnat}}/admin/admins/5

AUTHORIZATION

Bearer Token

Token

{{token}}

Example Request Get One

```
GET /admin/admins/5 HTTP/1.1
Host: {{mehnat}}
```

Example Response 200 OK

```
=
```

```
{
  "status": true,
  "message": "Success",
  "data": {
    "id": 5,
    "name": "Allen Mayert",
    "roles": [
    {
       "name": "admin",
       "permissions": 16
View More
```

POST Create

{{mehnat}}/admin/admins

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

Accept

application/json

Content-type

application/json

BODY raw

```
{
   "name":"Mrs. Roberta Roob",
   "login":"qwertyus",
   "password":"123456",
   "roles":["admin"]
}
```

Example Request Create

```
=
```

```
POST /admin/admins HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-Type: application/json
Content-Length: 127

{
    "name": "Marian Bradtke",
    "login": "qwertyu",
    "password": "123456",
```

Example Response 200 OK

Body Header (14)

PUT Update

{{mehnat}}/admin/admins

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

Accept

application/json

Content-type

application/json

BODY raw

```
"id":5,
   "name":"Harry White",
   "login":"qwertyu",
   "password":"123456",
   "roles":["developer_role"]
}
```

Example Request Update

Example Response 200 OK

Body Header (14)

DEL delete

{{mehnat}}/admin/admins/6

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

```
Accept
```

=pplication/json

Documentation Settings

Content-type

application/json

Example Request delete

```
DELETE /admin/admins/6 HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json
```

Example Response 200 OK

Body Header (14)

```
{
   "status": true,
   "message": "'Bennie Denesik' Admin removed",
   "data": {},
   "append": {},
   "errors": []
}
```

Role

GET All

{{mehnat}}/admin/roles

AUTHORIZATION

Bearer Token

Token

{{token}}

Example Request All

```
GET /admin/roles HTTP/1.1
Host: {{mehnat}}
lang: uz
```

Body Header (14)

GET Get One

{{mehnat}}/admin/role/directorzxc

AUTHORIZATION

Bearer Token

Token

{{token}}

Example Request Get One

```
GET /admin/role/director HTTP/1.1
Host: {{mehnat}}
```

Example Response 200 OK

```
{
  "status": true,
  "message": "Success",
  "data": {
    "name": "director",
    "permissions": [
        "read company",
        "create company",
        "update company",
        "delete company",
        "delete company",
        "delete company",
        "delete company",
        "delete company",
```

AUTHORIZATION
Bearer Token

Token
{token}}

HEADERS

Accept
application/json

Content-type
application/json

BODY raw

{
 "name":"developer role",
 "permissions":["read admin","create admin","update admin","read role","create role","update role","delete role
}

Indeptition

Indeptition**

Indeptition

Example Request Create ▼

Example Response 200 OK

```
{
  "status": true,
  "message": "Success",
  "data": {
    "name": "developer_role",
    "permissions": [
        "read admin",
        "create admin",
        "update admin",
        "update admin",
        "read role",
View More
```

PUT Update

{{mehnat}}/admin/role/developer_role

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

Accept

application/json

Content-type

application/json

BODY raw

```
{
    "permissions":["read admin","create admin","update admin","read role","create role","update role","delete rol
}
```

Example Request Update

```
PUT /admin/role/developer_role HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-Type: application/json
Content-Length: 224

{
    "permissions": [
        "read admin",
        "create admin",
    View More
```

Example Response 200 OK

```
{
  "status": true,
  "message": "Success",
  "data": {
    "name": "developer_role",
    "permissions": [
        "read company",
        "read admin",
        "create admin",
        "create admin",
        View More
```

"update admin",

Documentation Settings



DEL Delete

{{mehnat}}/admin/role/superadmin

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

Accept

application/json

Content-type

application/json

BODY formdata

name

calvsdv

permissions

["create employee", "read employee"]

Example Request

Delete 🔻

```
DELETE /admin/role/developer_role HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json
Content-Length: 37
Content-Type: multipart/form-data; boundary=----WebKitFormBoundary7MA4YWxkTrZu0gW
----WebKitFormBoundary7MA4YWxkTrZu0gW
```

Example Response 200 OK

```
{
   "status": true,
   "message": "Success",
   "data": {},
   "append": {},
   "errors": []
}
```

GET Permissions

{{mehnat}}/admin/permissions

role create updateda foydalanish uchun premissionlar ro'yhati

AUTHORIZATION

Bearer Token

Token

{{token}}

Example Request Permissions

```
GET /admin/permissions HTTP/1.1
Host: {{mehnat}}
```

Example Response 200 OK

Body Header (14)

```
{
    "status": true,
    "message": "Success",
    "data": [
        "read company",
        "create company",
        "update company",
        "delete company",
        "read employee",
        "create employee",
        "create employee",
        "create employee",
```

Position

GET All

{{mehnat}}/admin/position

AUTHORIZATION

Bearer Token

Example Request All

```
GET /admin/position HTTP/1.1
Host: {{mehnat}}
```

Example Response 200 OK

Body Header (14)

POST Create

{{mehnat}}/admin/position

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

Accept

application/json

Content-type

application/json

BODY formdata

name

Analyst

```
POST /admin/position HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json
Content-Length: 129
Content-Type: multipart/form-data; boundary=----WebKitFormBoundary7MA4YWxkTrZu0gW
----WebKitFormBoundary7MA4YWxkTrZu0gW
Content-Disposition: form-data; name="name" View More
```

Example Response 200 OK

Body Header (14)

```
{
    "status": true,
    "message": "Success",
    "data": {
        "id": 10,
        "name": "Director"
    },
    "append": {},
    "errors": []
        View More
}
```

PUT Update

{{mehnat}}/admin/position/10

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

Accept

application/json

Content-type

application/json

BODY raw

```
{
    "name":"Engineer"
}
```



Example Request Update

```
PUT /admin/position/10 HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-Type: application/json
Content-Length: 29
{
    "name": "Associate"
}
```

Example Response 200 OK

Body Header (14)

```
{
    "status": true,
    "message": "Success",
    "data": {
        "id": 10,
        "name": "Developer"
    },
    "append": {},
    "errors": []
        View More
}
```

DEL delete

{{mehnat}}/admin/position/10

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

Accept

application/json

Content-type

application/json

Example Request delete

```
=
```

```
DELETE /admin/position/10 HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json

Example Response

Body Header(14)
```

```
{
   "status": true,
   "message": "'Director' position removed",
   "data": {},
   "append": {},
   "errors": []
}
```

Company

GET All

{{mehnat}}/admin/company

AUTHORIZATION

Bearer Token

Token

{{token}}

PARAMS

per_page

10

position_id

1

Example Request All

GET /admin/company HTTP/1.1
Host: {{mehnat}}

Body Header (16)

GET Get One

{{mehnat}}/admin/company/14

AUTHORIZATION

Bearer Token

Token

{{token}}

Example Request Get One

```
GET /admin/company/1 HTTP/1.1
Host: {{mehnat}}
```

Example Response 200 OK

{{mehnat}}/admin/company

Documentation Settings

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

Accept

application/json

Content-type

application/json

BODY raw

```
"chief_id": 3,
    "name": "Purdy Group",
    "email": "Kallie87@yahoo.com",
    "site": "http://placeimg.com/640/480",
    "phone": "9989279112123",
    "address": "32887 Gardner Springs"
}
```

Example Request Create ▼

Example Response 200 OK

```
"status": true,
  "message": "Success",
  "data": {
    "id": 13,
    "name": "Bartoletti, Rempel and Torphy",
    "director": "Jessy Daugherty Boyer",
    "creator": "Super Admin ",
    "email": "Chris45@gmail.com",
```

PUT Update

{{mehnat}}/admin/company

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

Accept

application/json

Content-type

application/json

BODY raw

```
"id": 14,
    "chief_id": 3,
    "name": "Leffler, Lubowitz and Dietrich",
    "email": "Emilie82@hotmail.com",
    "site": "http://placeimg.com/640/480",
    "phone": "9989279112123",
    "address": "084 Huels Bridge"
}
```

Example Request Update

```
PUT /admin/company HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-Type: application/json
Content-Length: 232
{
    "id": 13,
    "chief_id": 2,
    "name": "Kemmer, Wunsch and Pouros",
View More
```

Example Response 200 OK

```
=
```

DEL delete

{{mehnat}}/admin/company/13

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

Accept

application/json

Content-type

application/json

Example Request delete

```
DELETE /admin/company/13 HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json
```

Example Response 200 OK

```
{
  "status": true,
  "message": "'Labadie - Reilly' company removed",
  "data": {},
  "append": {},
  "errors": []
```

Employee

GET get company employees

{{mehnat}}/admin/company/1/employee

AUTHORIZATION

Bearer Token

Token

{{token}}

PARAMS

role

employe

Example Request Get

```
GET /admin/company/1/employee HTTP/1.1
Host: {{mehnat}}
```


Example Response 200 OK

Body Header (16)

```
{
    "status": true,
    "message": "Success",
    "data": [
        {
            "id": 2,
            "full_name": "Oren Welch Heathcote",
            "position": "Водитель",
            "company": "Gorczany Ltd",
            "phone": "998429976671"
```

GET All

{{mehnat}}/admin/all/employee



GET Get One

{{mehnat}}/admin/employee/15

AUTHORIZATION

Bearer Token

Token

{{token}}

Example Request Get One

```
GET /admin/employee/15 HTTP/1.1
Host: {{mehnat}}
```

Documentation Settings

Example Response 200 OK

Body Header (14)

```
{
    "status": true,
    "message": "Success",
    "data": {
        "id": 15,
        "first_name": "Thea",
        "last_name": "Macejkovic",
        "fathers_name": "Veum",
        "position": "Специалист по программированию", View More
        "company": {
```

POST Create

{{mehnat}}/admin/employee

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

Accept

application/json

Content-type

application/json

BODY formdata

phone

998996547481

first_name

Lawson

last_name

Haag

fathers_name

Ursula

position_id

,

Documentation Settings

3

login

login

password

123456

passport

AA1236545

address

18602 Rau Rapids

Example Request Create ▼

```
POST /admin/employee HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json
Content-Length: 988
Content-Type: multipart/form-data; boundary=----WebKitFormBoundary7MA4YWxkTrZu0gW
----WebKitFormBoundary7MA4YWxkTrZu0gW
Content-Disposition: form-data; name="phone" View More
```

Example Response 200 OK

Body Header (14)

```
{
    "status": true,
    "message": "Success",
    "data": {
        "id": 112,
        "first_name": "Nichole",
        "last_name": "Schaden",
        "fathers_name": "Delores",
        "position": "Водитель",
        "company": {
```

POST Update

{{mehnat}}/admin/employee

AUTHORIZATION

Bearer Token

⊒oken

{{toker	ıı.
ntokei	ווו

HEADERS

Accept

application/json

Content-type

application/json

BODY formdata

id

112

phone

998996547481

first_name

Kristopher

last_name

Rutherford

fathers_name

Lizzie

position_id

0

company_id

3

login

login

password

123456

passport

AA1236545

address

61072 Coby Valleys

_method

put

Example Request Update

```
=
```

```
POST /admin/employee HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json
Content-Length: 1167
Content-Type: multipart/form-data; boundary=----WebKitFormBoundary7MA4YWxkTrZu0gW
----WebKitFormBoundary7MA4YWxkTrZu0gW
Content-Disposition: form-data; name="id" View More
```

Example Response 200 OK

Body Header (14)

```
{
    "status": true,
    "message": "Success",
    "data": {
        "id": 112,
        "first_name": "Aurelia",
        "last_name": "Fritsch",
        "fathers_name": "Cecelia",
        "position": "Водитель",
        "сомраny": {
```

DEL delete

{{mehnat}}/admin/employee/112

AUTHORIZATION

Bearer Token

Token

{{token}}

HEADERS

Accept

application/json

Content-type

application/json

Example Request delete

```
=
```

```
DELETE /admin/employee/112 HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json
```

Example Response 200 OK

Body Header (14)

```
{
    "status": true,
    "message": "Employee 'Aurelia' removed",
    "data": {},
    "append": {},
    "errors": []
}
```

Employee

Profile

GET profile

{{mehnat}}/employee/me

AUTHORIZATION

Bearer Token

Token

{{employee}}

HEADERS

lang

en

Accept

application/json

Content-type

application/json

=

Example Request profile

```
GET /employee/me HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json
```

Example Response 200 OK

Body Header (14)

```
{
    "status": true,
    "message": "Success",
    "data": {
        "id": 1,
        "first_name": "Yangiboyev",
        "last_name": "Alisher",
        "fathers_name": "Yangiboy o'g'li",
        "position": "Директор",
        "company": {
```

PUT Profile Update

{{mehnat}}/employee/me

AUTHORIZATION

Bearer Token

Token

{{employee}}

HEADERS

lang

ru

Accept

application/json

Content-type

application/json

BODY raw

```
=
```

```
"first_name": "Yangiboyev",
    "last_name": "Alisher",
    "fathers_name": "Yangiboy o'g'li",
    "phone": "998900906168",
    "address": "chilanzor 19",
    "passport": "AA5133512",
    "current_password":"123456",
    "new_password":"112233",
    View More
    "new_password_confirmation":"112233"
```

Example Request Profile Update

Example Response 200 OK

Body Header (14)

```
{
    "status": true,
    "message": "Success",
    "data": {
        "id": 1,
        "first_name": "Yangiboyev",
        "last_name": "Alisher",
        "fathers_name": "Yangiboy o'g'li",
        "position": "Директор",
        "company": {
```

director

Employee



{{mehnat}}/employee/company/employee

AUTHORIZATION

Bearer Token

Token

{{employee}}

PARAMS

role

employe

Example Request get company employees

```
GET /employee/company/employee HTTP/1.1
Host: {{mehnat}}
```

Example Response 200 OK

Body Header (16)

```
{
    "status": true,
    "message": "Success",
    "data": [
    {
        "id": 2,
        "full_name": "Coleman Conn Kuvalis",
        "position": "Водитель",
        "company": "Graham-Parisian",
        "phone": "998224537757"
```

GET Get One

{{mehnat}}/employee//company/employee/4

AUTHORIZATION

Bearer Token

Token

{{employee}}

```
GET /employee/company/employee/4 HTTP/1.1
Host: {{mehnat}}
```

Example Response 200 OK

Body Header (14)

```
{
    "status": true,
    "message": "Success",
    "data": {
        "id": 4,
        "first_name": "Cleo",
        "last_name": "Will",
        "fathers_name": "McCullough",
        "position": "Водитель",
        "company": {
```

POST Create

{{mehnat}}/employee/company/employee

AUTHORIZATION

Bearer Token

Token

{{employee}}

HEADERS

Accept

application/json

Content-type

application/json

BODY formdata

phone

998996547481

first_name

Karine

last_name

Beer

fathers_name

position_id

8

login

loginm

password

123456

passport

AA1236545

address

144 Hubert Union

Example Request Create

```
POST /employee/company/employee HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json
Content-Length: 906
Content-Type: multipart/form-data; boundary=----WebKitFormBoundary7MA4YWxkTrZu0gW
----WebKitFormBoundary7MA4YWxkTrZu0gW
Content-Disposition: form-data; name="phone" View More
```

Example Response 200 OK

Body Header (14)

PUT Update

AUTHORIZATION

Documentation Settings

Bearer Token

Token

{{employee}}

HEADERS

Accept

application/json

Content-type

application/json

BODY raw

Example Request Update ▼

```
PUT /employee/company/employee HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-Type: application/json
Content-Length: 280

{
    "id": 112,
    "first_name": "Jamey",
    "last_name": "Pagac",
View More
```

Example Response 200 OK

```
{
    "status": true,
    "message": "Success",
    "data": {
        "id": 112,
        "first_name": "Jamey",
        "last_name": "Pagac",
        "fathers_name": "Minerva",
        "position": "Специалист по программированию", View More
        "company": {
```



DEL delete

{{mehnat}}/employee/company/employee/112

AUTHORIZATION

Bearer Token

Token

{{employee}}

HEADERS

Accept

application/json

Content-type

application/json

Example Request delete ▼

```
DELETE /employee/company/employee/112 HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json
```

Example Response 200 OK

Body Header (14)

```
{
   "status": true,
   "message": "Director 'Jamey' removed",
   "data": {},
   "append": {},
   "errors": []
}
```

PUT Update

{{mehnat}}/employee/company

AUTHORIZATION

Bearer Token

Documentation Settings

___ Token

{{employee}}

HEADERS

Accept

application/json

Content-type

application/json

BODY raw

```
{
   "name": "Towne, Moore and Witting",
   "email": "Caesar_Schoen@yahoo.com",
   "site": "http://placeimg.com/640/480",
   "phone": "998537241902",
   "address": "02093 Douglas Street"
}
```

Example Request Update

```
PUT /employee/company HTTP/1.1
Host: {{mehnat}}
Accept: application/json
Content-type: application/json
Content-Length: 207

{
        "name": "Skiles Inc",
        "email": "Gregoria_Romaguera@yahoo.com", View More
        "site": "http://placeimg.com/640/480",
```

Example Response 200 OK

AUTHORIZATION

Bearer Token

Token

{{employee}}

PARAMS

per_page

10

position_id

1

Example Request Conpany

```
GET /employee/company HTTP/1.1
Host: {{mehnat}}
```

Example Response 200 OK

```
{
    "status": true,
    "message": "Success",
    "data": {
        "id": 5,
        "name": "Beer-Armstrong",
        "director": "Yangiboyev Alisher Yangiboy o'g'li",
        "creator": "Super Admin ",
```