

Body size trends in Neogene tortoises

30.05.2017

TO DO:

- figure out if Checklist data is of any use (means? medians? sample size?) or see if authors can provide necessary data
- do paleoTS analyses with FFB data set
- read Hunt papers (see citations in Catalina's paper 2006, 2008, 2008, 2010; also 2015)
- figure out how to implement phylogeny... well, figure out how to do paleoTS analyses with more than one taxon without pooling everything together (as in Test2)

06.06.2017

```
tidyCL<-read.csv("tortoises_tidy.csv", sep=";", header=TRUE)

colnames(tidyCL)[6] <- "MAmin"
colnames(tidyCL)[7] <- "Mamax"
colnames(tidyCL)[17] <- "CL"
colnames(tidyCL)[18] <- "PL"

statsCL <- tidyCL %>%
  dplyr::filter(!is.na(CL)) %>%
  summarise(min = min(CL), max = max(CL), var= var(CL), mean= mean(CL), median= median(CL))#, skew(CL), kurt


Map <- tidyCL %>%
  dplyr::select(Genus, Taxon, Latitude, Longitude, Country, CL, PL) %>%
  group_by(Latitude) %>%
  mutate(count= n())

mapWorld <- borders("world", colour="azure3", fill="azure3") # create a layer of borders

mp <- Map %>%
  ggplot(aes(Longitude, Latitude)) + mapWorld +
  # geom_point(fill="red", colour="red", size=0.5) +
  geom_point(aes(Longitude, Latitude,colour=CL, size=count))

mp
```

```
## Warning: Removed 1 rows containing missing values (geom_point).
```



```
library(plotly)
```

```
##
## Attaching package: 'plotly'
## The following object is masked from 'package:ggplot2':
##
##   last_plot
## The following object is masked from 'package:stats':
##
##   filter
## The following object is masked from 'package:graphics':
##
##   layout
```

```
ggplotly(mp)
```


```
## We recommend that you use the dev version of ggplot2 with `ggplotly()`
## Install it with: `devtools::install_github('hadley/ggplot2')`
```

Get an overview over body size data

```
tidyCL <- tidyCL %>%
  mutate(Age= (MAmin+Mamax)/2)
```


```
hist(tidyCL$CL)
```

Histogram of tidyCL\$CL



```
hist(tidyCL$Age)
```

Histogram of tidyCL\$Age



TO DO:

- map localities with differing colors for: CL available, CL extrapolated (from PL or figures), CL missing
- complete data set!
- get missing references/make list of missing references

08.06.17

Map all localities with sample size and age indicated (regardless of whether CL information is available):

```
test<-read.csv("tortoises13-04.csv", sep=";", header=TRUE)

colnames(test)[6] <- "Mamin"
colnames(test)[7] <- "Mamax"


Test <- test %>%
  dplyr::select(Locality, Country, Latitude, Longitude, Mamin, Mamax, Epoch, Genus, Species, Taxon, CL)
  mutate(Age= (Mamin+Mamax)/2) %>%    # create mean age
  group_by(Latitude) %>%
  mutate(count= n())

#mapWorld <- borders("world", colour="azure3", fill="azure3") # create a layer of borders

map <- Test %>%
```

```
ggplot(aes(Longitude, Latitude)) + mapWorld +
  #geom_point(fill="red", colour="red", size=0.5) +
  geom_point(aes(Longitude, Latitude, colour=Age, size=count))
```

map



```
ggplotly(map)
```

```
## We recommend that you use the dev version of ggplot2 with `ggplotly()`
## Install it with: `devtools::install_github('hadley/ggplot2')`
```

TO DO:

- get general statistical overview over data (stru, normal distribution?, mean/mode/median/min/max, hist plot etc. -> see Catalina's paper)

Try paleoTS with some first real data. Here is the underlying data:

```
tidyCL
```

```
##
## 1          UCMP V71137, Turlock Lake 10, Stanislaus County, California
## 2          UCMP V-3952, Ingram Creek site 8, Stanislaus County, California
## 3          UCMP V81248, Turlock Lake 11, Stanislaus County, California
## 4          Randle Cliff, Calvert County, Maryland
## 5          Cragin Quarry Local Fauna, Meade County, Kansas
## 6          Santee, Knox County, Nebraska
```

7 North Cita Canyon (Middle Stratum), Randall County, Texas
 ## 8 Leisey Shell Pit 1A, Hillsborough County, Florida
 ## 9 Sand Draw local fauna, Brown County, Nebraska
 ## 10 McGehee Farm near Newberry, Alachua County, Florida
 ## 11 Arredondo IIA, Alachua County, Florida
 ## 12 Epanomi (EPN I), western Chalkidiki Peninsula, Thessaloniki area
 ## 13 Epanomi (EPN II), western Chalkidiki Peninsula, Thessaloniki area
 ## 14 Hohenhöwen, Engen, Hegau, southwestern Germany
 ## 15 Hohenhöwen, Engen, Hegau, southwestern Germany
 ## 16 Hohenhöwen, Engen, Hegau, southwestern Germany
 ## 17 Hohenhöwen, Engen, Hegau, southwestern Germany
 ## 18 Hohenhöwen, Engen, Hegau, southwestern Germany
 ## 19 Hohenhöwen, Engen, Hegau, southwestern Germany
 ## 20 Hohenhöwen, Engen, Hegau, southwestern Germany
 ## 21 Hohenhöwen, Engen, Hegau, southwestern Germany
 ## 22 Hohenhöwen, Engen, Hegau, southwestern Germany
 ## 23 Altan-Teli main fossiliferous bed (Dzereg valley)
 ## 24 Altan-Teli main fossiliferous bed (Dzereg valley)
 ## 25 Sawrock Canyon local fauna, Seward County, Kansas
 ## 26 Sawrock Canyon local fauna, Seward County, Kansas
 ## 27 Baby 2, Saint-André-et-Appelles, Gironde
 ## 28 Toulouse Puits Borderouge niveau inférieur, Haute-Garonne
 ## 29 Dmanisi
 ## 30 Lee Creek Mine, Yorktown Sample, Beaufort County, North Carolina
 ## 31 Iron Canyon Fauna, Mojave Desert, Kern County, California
 ## 32 Ricardo Fauna, Mojave Desert, Kern County, California
 ## 33 Ricardo Fauna, Mojave Desert, Kern County, California
 ## 34 Thomas Farm Local Fauna, Gilchrist County, Florida
 ## 35 Thomas Farm Local Fauna, Gilchrist County, Florida
 ## 36 San Nicolas, UCMP locality V4536
 ## 37 Lesbos Island, F-Site
 ## 38 Kirchdorf an der Iller
 ## 39 Belomechetskaya
 ## 40 Elisabethfeld (= Elisabeth Bay) area, northern Sperrgebiet
 ## 41 Elisabethfeld (= Elisabeth Bay) area, northern Sperrgebiet
 ## 42 Auchas
 ## 43 Auchas
 ## 44 Auchas
 ## 45 Auchas
 ## 46 Arrisdrift
 ## 47 Arrisdrift
 ## 48 Arrisdrift
 ## 49 Arrisdrift
 ## 50 Arrisdrift
 ## 51 Arrisdrift
 ## 52 Arrisdrift
 ## 53 Arrisdrift
 ## 54 Samos 1
 ## 55 Serrat-d'en-Vacquer near Perpignan, Pyrénées-Orientales
 ## 56 Zebbug and Gahr Dalam Cave deposits
 ## 57 El Lugarejo (Arévalo), Ávila, Castilla
 ## 58 Fonelas P-1, Guadix Basin
 ## 59 White Rock local fauna, Republic County, Kansas
 ## 60 White Rock local fauna, Republic County, Kansas

```

## 61 Tha Chang area, Chaloem Pra Kiat district, Nakhon Ratchasima Province
## 62 Tha Chang area, Chaloem Pra Kiat district, Nakhon Ratchasima Province
## 63      Nea Kallikratia, western Chalkidiki Peninsula, Thessaloniki area
## 64      Nea Michaniona, western Chalkidiki Peninsula, Thessaloniki area
## 65                                     Sandelzhausen
## 66                                     Sandelzhausen unterer Geröllmergel (B)
## 67                                     Gammelsdorf
## 68                                     Gammelsdorf
## 69                                     Altenstadt, 7 km S Illertissen
## 70                                     Hohenhöwen, Engen, Hegau, southwestern Germany
## 71                                     Hohenhöwen, Engen, Hegau, southwestern Germany
## 72                                     Steinheim a. Albuch
## 73                                     W??e 1
## 74
##      Country Latitude Longitude
## 1      USA 37.6000 -120.6000
## 2      USA 37.6000 -120.8000
## 3      USA 37.6000 -120.6000
## 4      USA 38.6665 -76.5298
## 5      USA 37.2242 -100.4176
## 6      USA 42.0000 -97.0000
## 7      USA 34.9000 -101.6000
## 8      USA 27.7000 -82.5000
## 9      USA 42.7000 -100.0000
## 10     USA 29.7000 -82.6000
## 11     USA 29.6000 -82.4000
## 12     Greece 40.4046 22.8980
## 13     Greece 40.4046 22.8980
## 14     Germany 47.8356 8.7490
## 15     Germany 47.8356 8.7490
## 16     Germany 47.8356 8.7490
## 17     Germany 47.8356 8.7490
## 18     Germany 47.8356 8.7490
## 19     Germany 47.8356 8.7490
## 20     Germany 47.8356 8.7490
## 21     Germany 47.8356 8.7490
## 22     Germany 47.8356 8.7490
## 23     Mongolia 47.1000 93.1667
## 24     Mongolia 47.1000 93.1667
## 25     USA 37.0000 -100.0000
## 26     USA 37.0000 -100.0000
## 27     France 44.8120 0.2133
## 28     France 43.6000 1.4333
## 29     Georgia 41.3200 44.3500
## 30     USA 35.4000 -76.8000
## 31     USA 35.3000 -118.5000
## 32     USA 35.3000 -118.5000
## 33     USA 35.3000 -118.5000
## 34     USA 29.7000 -82.6000
## 35     USA 29.7000 -82.6000
## 36     Colombia 3.2000 -75.2000
## 37     Greece 39.5000 26.5000
## 38     Germany 48.0728 10.1424
## 39     Russia 44.4000 41.9333

```

## 40	Namibia	-26.9161	15.1838
## 41	Namibia	-26.9161	15.1838
## 42	Namibia	-28.5500	16.5000
## 43	Namibia	-28.5500	16.5000
## 44	Namibia	-28.5500	16.5000
## 45	Namibia	-28.5500	16.5000
## 46	Namibia	-28.5500	16.5000
## 47	Namibia	-28.5500	16.5000
## 48	Namibia	-28.5500	16.5000
## 49	Namibia	-28.5500	16.5000
## 50	Namibia	-28.5500	16.5000
## 51	Namibia	-28.5500	16.5000
## 52	Namibia	-28.5500	16.5000
## 53	Namibia	-28.5500	16.5000
## 54	Greece	37.8000	26.9000
## 55	France	42.8800	2.8800
## 56	Malta	35.8897	14.4425
## 57	Spain	41.0560	-4.7169
## 58	Spain	37.4170	-3.1670
## 59	USA	39.9000	-97.7000
## 60	USA	39.9000	-97.7000
## 61	Thailand	14.9874	102.3352
## 62	Thailand	14.9874	102.3352
## 63	Greece	40.3146	23.0462
## 64	Greece	40.4731	22.8385
## 65	Germany	48.6283	11.7960
## 66	Germany	48.6283	11.7960
## 67	Germany	48.5495	11.9382
## 68	Germany	48.5495	11.9382
## 69	Germany	48.1542	10.1178
## 70	Germany	47.8356	8.7490
## 71	Germany	47.8356	8.7490
## 72	Germany	48.6939	10.0678
## 73	Poland	52.3500	22.1500
## 74		NA	NA
##			
## 1			
## 2			
## 3			
## 4			
## 5			
## 6			
## 7			
## 8			
## 9			
## 10			
## 11			
## 12			
## 13			
## 14			
## 15			
## 16			
## 17			
## 18			

19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34 a sinkhole lake that then collapsed into a larger underground chamber earliest Hemmingfordian Nor
35 a sinkhole lake that then collapsed into a larger underground chamber earliest Hemmingfordian Nor
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72

## 73				
## 74				
##	MAmin	Mamax	Epoch	upper.stage
## 1	5.000	6.000	Pliocene/Miocene	Zanclean
## 2	9.000	10.000	Miocene	Tortonian
## 3	5.000	6.000	Pliocene/Miocene	Zanclean
## 4	15.000	15.800	Miocene	Langhian
## 5	0.300	0.300	Pleistocene	Middle Pleistocene
## 6	4.800	5.200	Pliocene	Zanclean
## 7	1.800	3.600	Pleistocene/Pliocene	Gelasian
## 8	1.000	1.500	Pleistocene	Lower Pleistocene
## 9	3.000	3.000	Pliocene	Piacencian
## 10	10.900	11.000	Miocene	Tortonian
## 11	0.012	0.126	Pleistocene	Upper Pleistocene
## 12	2.600	5.300	Pliocene	Piacencian
## 13	2.600	5.300	Pliocene	Piacencian
## 14	13.000	13.000	Miocene	Serravallian
## 15	13.000	13.000	Miocene	Serravallian
## 16	13.000	13.000	Miocene	Serravallian
## 17	13.000	13.000	Miocene	Serravallian
## 18	13.000	13.000	Miocene	Serravallian
## 19	13.000	13.000	Miocene	Serravallian
## 20	13.000	13.000	Miocene	Serravallian
## 21	13.000	13.000	Miocene	Serravallian
## 22	13.000	13.000	Miocene	Serravallian
## 23	2.600	5.300	Pliocene	Piacencian
## 24	2.600	5.300	Pliocene	Piacencian
## 25	3.000	3.000	Pliocene	Piacencian
## 26	3.000	3.000	Pliocene	Piacencian
## 27	33.900	34.000	Eocene	Priabonian
## 28	23.030	23.200	Oligocene	Chattian
## 29	1.770	1.770	Pleistocene	Lower Pleistocene
## 30	4.000	5.000	Pliocene	Zanclean
## 31	11.200	12.500	Miocene	Tortonian
## 32	9.000	11.200	Miocene	Tortonian
## 33	9.000	11.200	Miocene	Tortonian
## 34	18.000	19.000	Miocene	Burdigalian
## 35	18.000	19.000	Miocene	Burdigalian
## 36	6.000	11.000	Miocene	Messinian
## 37	2.000	2.000	Pleistocene	Gelasian
## 38	16.500	16.800	Miocene	Burdigalian
## 39	13.500	14.500	Miocene	Serravallian
## 40	19.000	20.000	Miocene	Burdigalian
## 41	19.000	20.000	Miocene	Burdigalian
## 42	18.000	18.000	Miocene	Burdigalian
## 43	18.000	18.000	Miocene	Burdigalian
## 44	18.000	18.000	Miocene	Burdigalian
## 45	18.000	18.000	Miocene	Burdigalian
## 46	17.000	17.500	Miocene	Burdigalian
## 47	17.000	17.500	Miocene	Burdigalian
## 48	17.000	17.500	Miocene	Burdigalian
## 49	17.000	17.500	Miocene	Burdigalian
## 50	17.000	17.500	Miocene	Burdigalian
## 51	17.000	17.500	Miocene	Burdigalian

## 52	17.000	17.500	Miocene	Burdigalian
## 53	17.000	17.500	Miocene	Burdigalian
## 54	5.300	7.200	Miocene	Messinian
## 55	3.600	4.200	Pliocene	Zanclean
## 56	0.005	0.127	Holocene/Pleistocene	Holocene
## 57	9.500	11.000	Miocene	Tortonian
## 58	1.800	1.900	Pleistocene	Lower Pleistocene
## 59	1.800	2.200	Pleistocene	Gelasian
## 60	1.800	2.200	Pleistocene	Gelasian
## 61	1.000	5.000	Pleistocene/Pliocene	Lower Pleistocene
## 62	1.000	5.000	Pleistocene/Pliocene	Lower Pleistocene
## 63	2.600	5.300	Pliocene	Piacencian
## 64	2.600	5.300	Pliocene	Piacencian
## 65	16.270	16.470	Miocene	Burdigalian
## 66	16.270	16.470	Miocene	Burdigalian
## 67	11.600	12.700	Miocene	Serravallian
## 68	11.600	12.700	Miocene	Serravallian
## 69	11.600	12.700	Miocene	Serravallian
## 70	13.000	13.000	Miocene	Serravallian
## 71	13.000	13.000	Miocene	Serravallian
## 72	12.500	13.500	Miocene	Serravallian
## 73	3.600	4.200	Pliocene	Zanclean
## 74	NA	NA		
##		lower.stage	Genus	Species
## 1		Messinian	Hesperotestudo	orthopygia
## 2		Tortonian	Hesperotestudo	sp.
## 3		Messinian	Hesperotestudo	orthopygia
## 4		Langhian	Floridemys	hurdi
## 5	Middle	Pleistocene	Hesperotestudo	equicomes
## 6		Zanclean	Geochelone	sp.
## 7		Piacencian	Gopherus	canyonensis
## 8	Lower	Pleistocene	Hesperotestudo	crassiscutata
## 9		Piacencian	Hesperotestudo	oelrichi
## 10		Tortonian	Hesperotestudo	alleni
## 11	Upper	Pleistocene	Hesperotestudo	incisa
## 12		Zanclean	Titanochelon	bacharidisi
## 13		Zanclean	Titanochelon	bacharidisi
## 14		Serravallian	Paleotestudo	antiqua
## 15		Serravallian	Paleotestudo	antiqua
## 16		Serravallian	Paleotestudo	antiqua
## 17		Serravallian	Paleotestudo	antiqua
## 18		Serravallian	Paleotestudo	antiqua
## 19		Serravallian	Paleotestudo	antiqua
## 20		Serravallian	Paleotestudo	antiqua
## 21		Serravallian	Paleotestudo	antiqua
## 22		Serravallian	Paleotestudo	antiqua
## 23		Zanclean	Ergilemys	oskarkuhni
## 24		Zanclean	Ergilemys	oskarkuhni
## 25		Piacencian	Hesperotestudo	riggsi
## 26		Piacencian	Hesperotestudo	riggsi
## 27		Priabonian	Cheirogaster	maurini
## 28		Chattian	Ergilemys	bruneti
## 29	Lower	Pleistocene	Testudo	graeca
## 30		Zanclean	Geochelone	sp.

## 31	Serravallian	Gopherus	? sp.
## 32	Tortonian	Geochelone	sp.
## 33	Tortonian	Gopherus	? sp.
## 34	Burdigalian	Geochelone	tedwhitei
## 35	Burdigalian	Geochelone	tedwhitei
## 36	Tortonian	Geochelone	hesterna
## 37	Gelasian	Titanochelon	aff. schafferi
## 38	Burdigalian	Geochelone	sp.
## 39	Langhian	Ergilemys	sp.
## 40	Burdigalian	Namibchersus	namaquensis
## 41	Burdigalian	Namibchersus	namaquensis
## 42	Burdigalian	Namibchersus	namaquensis
## 43	Burdigalian	Namibchersus	namaquensis
## 44	Burdigalian	Namibchersus	namaquensis
## 45	Burdigalian	Namibchersus	namaquensis
## 46	Burdigalian	Mesocherus	orangeus
## 47	Burdigalian	Mesocherus	orangeus
## 48	Burdigalian	Mesocherus	orangeus
## 49	Burdigalian	Mesocherus	orangeus
## 50	Burdigalian	Mesocherus	orangeus
## 51	Burdigalian	Namibchersus	aff. namaquensis
## 52	Burdigalian	Namibchersus	aff. namaquensis
## 53	Burdigalian	Namibchersus	aff. namaquensis
## 54	Messinian	Titanochelon	schafferi
## 55	Zanclean	Titanochelon	perpiniana
## 56	Upper Pleistocene	Testudo	graeca
## 57	Tortonian	Cheirogaster	sp.
## 58	Lower Pleistocene	Titanochelon	sp.
## 59	Gelasian	Geochelone	sp.
## 60	Gelasian	Geochelone	sp.
## 61	Zanclean	Aldabrachelys	? sp.
## 62	Zanclean	Aldabrachelys	? sp.
## 63	Zanclean	Titanochelon	bacharidisi
## 64	Zanclean	Titanochelon	bacharidisi
## 65	Burdigalian	Testudo	rectogularis
## 66	Burdigalian	Titanochelon	cf. perpiniana
## 67	Serravallian	Paleotestudo	antiqua
## 68	Serravallian	Paleotestudo	antiqua
## 69	Serravallian	Testudo	steinheimensis
## 70	Serravallian	Paleotestudo	antiqua
## 71	Serravallian	Paleotestudo	antiqua
## 72	Serravallian	Testudo	steinheimensis
## 73	Zanclean	Testudo	sp.
## 74			
##		Taxon	Author
## 1	Hesperotestudo	orthopygia	(Cope, 1878)
## 2	Hesperotestudo	sp.	Williams, 1950
## 3	Hesperotestudo	orthopygia	(Cope, 1878)
## 4	Floridemy	hurdi	Weems & George, 2013
## 5	Hesperotestudo	equicomes	(Hay, 1917)
## 6	Geochelone	sp.	Fitzinger, 1835
## 7	Gopherus	canyonensis	(Johnston, 1937)
## 8	Hesperotestudo	crassiscutata	(Leidy, 1889)
## 9	Hesperotestudo	oelrichi	Holman, 1972

## 10	Hesperotestudo alleni	(Auffenberg, 1996)
## 11	Hesperotestudo incisa	(Hay, 1916)
## 12	Titanochelon bacharidisi	(Vlachos, Tsoukala & Corsini, 2014)
## 13	Titanochelon bacharidisi	(Vlachos, Tsoukala & Corsini, 2014)
## 14	Paleotestudo antiqua	(Bronn, 1831)
## 15	Paleotestudo antiqua	(Bronn, 1831)
## 16	Paleotestudo antiqua	(Bronn, 1831)
## 17	Paleotestudo antiqua	(Bronn, 1831)
## 18	Paleotestudo antiqua	(Bronn, 1831)
## 19	Paleotestudo antiqua	(Bronn, 1831)
## 20	Paleotestudo antiqua	(Bronn, 1831)
## 21	Paleotestudo antiqua	(Bronn, 1831)
## 22	Paleotestudo antiqua	(Bronn, 1831)
## 23	Ergilemys oskarkuhni	M?ynarski(, 1968)
## 24	Ergilemys oskarkuhni	M?ynarski(, 1968)
## 25	Hesperotestudo riggsi	(Hibbard, 1944)
## 26	Hesperotestudo riggsi	(Hibbard, 1944)
## 27	Cheirogaster maurini	Bergounioux, 1935
## 28	Ergilemys bruneti	Broin, 1977
## 29	Testudo graeca	Linnaeus, 1758
## 30	Geochelone sp.	Fitzinger, 1835
## 31	Gopherus ? sp.	Rafinesque, 1832
## 32	Geochelone sp.	Fitzinger, 1835
## 33	Gopherus ? sp.	Rafinesque, 1832
## 34	Geochelone tedwhitei	(Williams, 1953)
## 35	Geochelone tedwhitei	(Williams, 1953)
## 36	Geochelone hesterna	Auffenberg, 1971
## 37	Titanochelon aff. schafferi	(Szalai, 1931)
## 38	Geochelone sp.	Fitzinger, 1835
## 39	Ergilemys sp.	Ckhikvadze, 1972
## 40	Namibchersus namaquensis	(Stromer, 1926)
## 41	Namibchersus namaquensis	(Stromer, 1926)
## 42	Namibchersus namaquensis	(Stromer, 1926)
## 43	Namibchersus namaquensis	(Stromer, 1926)
## 44	Namibchersus namaquensis	(Stromer, 1926)
## 45	Namibchersus namaquensis	(Stromer, 1926)
## 46	Mesocherus orangeus	Lapparent de Broin, 2003
## 47	Mesocherus orangeus	Lapparent de Broin, 2003
## 48	Mesocherus orangeus	Lapparent de Broin, 2003
## 49	Mesocherus orangeus	Lapparent de Broin, 2003
## 50	Mesocherus orangeus	Lapparent de Broin, 2003
## 51	Namibchersus aff. namaquensis	(Stromer, 1926)
## 52	Namibchersus aff. namaquensis	(Stromer, 1926)
## 53	Namibchersus aff. namaquensis	(Stromer, 1926)
## 54	Titanochelon schafferi	(Szalai, 1931)
## 55	Titanochelon perpiniiana	(Depéret, 1885)
## 56	Testudo graeca	Linnaeus, 1758
## 57	Cheirogaster sp.	Bergounioux, 1935
## 58	Titanochelon sp.	Pérez-García and Vlachos, 2014
## 59	Geochelone sp.	Fitzinger, 1835
## 60	Geochelone sp.	Fitzinger, 1835
## 61	Aldabrachelys ? sp.	Loveridge & Williams, 1975
## 62	Aldabrachelys ? sp.	Loveridge & Williams, 1975
## 63	Titanochelon bacharidisi	(Vlachos, Tsoukala & Corsini, 2014)

## 64	<i>Titanochelon bacharidisi</i>	(Vlachos, Tsoukala & Corsini, 2014)	
## 65	<i>Testudo rectogularis</i>	Schleich, 1981	
## 66	<i>Titanochelon cf. perpiniana</i>	(Depéret, 1885)	
## 67	<i>Paleotestudo antiqua</i>	(Bronn, 1831)	
## 68	<i>Paleotestudo antiqua</i>	(Bronn, 1831)	
## 69	<i>Testudo steinheimensis</i>	(Staesche, 1931)	
## 70	<i>Paleotestudo antiqua</i>	(Bronn, 1831)	
## 71	<i>Paleotestudo antiqua</i>	(Bronn, 1831)	
## 72	<i>Testudo steinheimensis</i>	Staesche, 1931	
## 73	<i>Testudo sp.</i>	Linnaeus, 1758	
## 74			
##			
## 1			
## 2			
## 3			
## 4			
## 5		Holotypus: NMNH 10944 (cast UMMP V31427) right epiplastron, left hyoplastral fr	
## 6			
## 7			
## 8			UF 64395, 65005, 80593, 84300, 0
## 9		Holotypus: UMMP V56298 almost complete specimen, Paratypes: UMMP V59919 one fragmentary nuchal, 5	
## 10			
## 11			
## 12			
## 13			
## 14			Neotypus: MT PAL 2012.0.10 r
## 15			Neotypus: MT PAL 2012.0.10 r
## 16			Neotypus: MT PAL 2012.0.10 r
## 17			Neotypus: MT PAL 2012.0.10 r
## 18			Neotypus: MT PAL 2012.0.10 r
## 19			Neotypus: MT PAL 2012.0.10 r
## 20			Neotypus: MT PAL 2012.0.10 r
## 21			Neotypus: MT PAL 2012.0.10 r
## 22			Neotypus: MT PAL 2012.0.10 r
## 23			Holotypus: ZI
## 24			Holotypus: ZI
## 25			Holotypus: KUMVP 6789 nearly
## 26			
## 27			
## 28			
## 29			DM-H-14 nearly complete shell, asso
## 30			
## 31			
## 32			
## 33			
## 34			
## 35			
## 36			
## 37			
## 38			
## 39			
## 40			
## 41			
## 42			MSGN

43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

MSGN
MSGN
MSGN

MSGN old collections: PQ AD 73, PQ AD 1293, PQ AD 2789
MSGN old collections: PQ AD 73, PQ AD 1293, PQ AD 2789
MSGN old collections: PQ AD 73, PQ AD 1293, PQ AD 2789

UMMP V60631 distal phalange (UM-I)
UMMP V60631 distal phalange (UM-I)

	CollNo	CL
	UCMP 95918	1200
	UCMP 36080	1200
	UCMP 131794	NA
	CMM-V-4666	NA
	NMNH 10944	NA
	Santee Type B	NA
	TPPHM 1534	NA
	80593	NA
	UMMP V56298	NA
	UF 9370	NA
7 specimens: 192.0-264.0 mm (mean=211.6 mm)		NA
	LGPUT EPN I 100-199	1196
	LGPUT EPN II 200-287	1164
	MT PAL 2012.0.10	185
	FFSM3446.1	229
	FFSM 3446.2	220
	FFSM 3446.3	195
	FFSM 3446.4	206
	SMNS 4450 (incomplete)	195
	SMNS 51467	NA
	SMNS 51469	180

## 22		UFGC 9	145
## 23		MgCH/15	NA
## 24		MgCH/17	220
## 25		KUMVP 6789	176
## 26		KUMVP 6790	185
## 27		-	400
## 28		MP 29	400
## 29		DM-H-14	195
## 30		CL: 88 cm, PL: 70 cm	880
## 31	several specimens, no exact number given		500
## 32	several specimens, no exact number given		500
## 33	several specimens, no exact number given		500
## 34		MCZ 2020	370
## 35		MCZ 2021	NA
## 36		UCMP 40200	278
## 37		-	1860
## 38		-	1000
## 39		-	1000
## 40	Holotype (Stromer, 1926) --> was destroyed during World War II		NA
## 41		ca. 30 cm (wsl CL)	300
## 42		AM 1'99	254
## 43		AM 9'93	470
## 44		OMS x1	470
## 45		Am xf	815
## 46		Holotypus	180
## 47		Holotypus	160
## 48		Holotypus	180
## 49		Holotypus	200
## 50		Holotypus	180
## 51		-	NA
## 52		-	NA
## 53		-	110
## 54		NHMW 2009z0103/0001	1850
## 55		type locality	1140
## 56		-	850
## 57		-	1170
## 58		-	1420
## 59		-	NA
## 60		-	NA
## 61		-	1500
## 62		-	1500
## 63		LGPUT KLK 501-528	900
## 64		LGPUT MIC 300-303	900
## 65	Holotypus: BSP 1959 II	1172	213
## 66		1959 II 2033	NA
## 67		BSP 1954 I 539a	203
## 68		BSP 1954 I 539b	NA
## 69		BSP 1932 I 50	111
## 70		-	152
## 71		-	240
## 72		Tüb. 1	NA
## 73		264	500
## 74			NA
##	PL	size	

## 1	NA	<NA>
## 2	NA	<NA>
## 3	620.0	<NA>
## 4	NA	<NA>
## 5	NA medium to large	
## 6	160.0	<NA>
## 7	805.0	<NA>
## 8	510.0	small
## 9	258.0	large
## 10	219.0	<NA>
## 11	211.6	<NA>
## 12	1150.0	<NA>
## 13	1120.0	<NA>
## 14	NA	<NA>
## 15	NA	<NA>
## 16	NA	<NA>
## 17	NA	<NA>
## 18	NA	<NA>
## 19	186.0	<NA>
## 20	145.0	<NA>
## 21	NA	<NA>
## 22	NA	<NA>
## 23	180.0	<NA>
## 24	NA	<NA>
## 25	189.0	<NA>
## 26	NA	<NA>
## 27	NA	<NA>
## 28	NA	<NA>
## 29	NA	<NA>
## 30	700.0	large
## 31	NA	<NA>
## 32	NA	<NA>
## 33	NA	<NA>
## 34	NA	<NA>
## 35	400.0	<NA>
## 36	NA	<NA>
## 37	NA	<NA>
## 38	NA	<NA>
## 39	NA	<NA>
## 40	240.0	<NA>
## 41	244.0	<NA>
## 42	225.0	<NA>
## 43	406.0	<NA>
## 44	NA	<NA>
## 45	NA	<NA>
## 46	155.0	medium
## 47	NA	medium
## 48	NA	medium
## 49	NA	medium
## 50	NA	medium
## 51	400.0	large
## 52	500.0	large
## 53	NA	large
## 54	NA	giant

## 55	NA	giant
## 56	NA	large
## 57	NA	giant
## 58	NA	giant
## 59	NA	larrge
## 60	NA	small
## 61	NA	<NA>
## 62	NA	<NA>
## 63	NA	<NA>
## 64	NA	<NA>
## 65	180.0	<NA>
## 66	910.0	<NA>
## 67	178.0	<NA>
## 68	167.0	<NA>
## 69	110.0	<NA>
## 70	134.0	<NA>
## 71	NA	<NA>
## 72	207.0	<NA>
## 73	450.0	<NA>
## 74	NA	
##		
## 1		
## 2		
## 3		
## 4		
## 5		
## 6		
## 7		
## 8		
## 9		
## 10		
## 11		
## 12		
## 13		
## 14		
## 15		
## 16		
## 17		
## 18		
## 19		
## 20		
## 21		
## 22		
## 23		
## 24		
## 25		
## 26		
## 27		
## 28		
## 29		
## 30		
## 31		
## 32		
## 33		

Holotype KUMVP (

Tortoises (Geochelone sp. and
Tortoises (Geochelone sp. and
Tortoises (Geochelone sp. and

```

## 34
## 35
## 36
## 37
## 38
## 39
## 40
## 41
## 42
## 43
## 44
## 45
## 46
## 47
## 48
## 49
## 50
## 51
## 52
## 53
## 54
## 55
## 56
## 57
## 58
## 59
## 60
## 61
## 62
## 63
## 64
## 65 der leider nur fragmentär überlieferte Panzer des Typusexemplares misst eine rekonstruierbare Länge
## 66
## 67
## 68
## 69
## 70
## 71
## 72
## 73
## 74
## estimated..e..from.verbal.description..ev..from.plastron..ep..or.measured..m..measured.from.figure
## 1
## 2
## 3
## 4
## 5
## 6
## 7
## 8
## 9
## 10
## 11
## 12

```

13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66

67
68
69
70
71
72
73
74

1
2
3
4
5
6
7
8 Meylan P.A., 1995: Pleistocene amphibians and reptiles from the Leisey Shell Pit, Hillsborough Co
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45

```

## 46
## 47
## 48
## 49
## 50
## 51
## 52
## 53
## 54
## 55
## 56
## 57
## 58
## 59
## 60
## 61
## 62
## 63
## 64
## 65
## 66
## 67
## 68
## 69
## 70
## 71
## 72
## 73
## 74
##      in.fossil.checklist.      Age
## 1              NA    5.500
## 2              NA    9.500
## 3              NA    5.500
## 4              NA   15.400
## 5              NA    0.300
## 6              NA    5.000
## 7              NA    2.700
## 8              NA    1.250
## 9              NA    3.000
## 10             NA   10.950
## 11             NA    0.069
## 12             NA    3.950
## 13             NA    3.950
## 14             NA   13.000
## 15             NA   13.000
## 16             NA   13.000
## 17             NA   13.000
## 18             NA   13.000
## 19             NA   13.000
## 20             NA   13.000
## 21             NA   13.000
## 22             NA   13.000
## 23             NA    3.950
## 24             NA    3.950

```

```
## 25      NA  3.000
## 26      NA  3.000
## 27      NA 33.950
## 28      NA 23.115
## 29      NA  1.770
## 30      NA  4.500
## 31      NA 11.850
## 32      NA 10.100
## 33      NA 10.100
## 34      NA 18.500
## 35      NA 18.500
## 36      NA  8.500
## 37      NA  2.000
## 38      NA 16.650
## 39      NA 14.000
## 40      NA 19.500
## 41      NA 19.500
## 42      NA 18.000
## 43      NA 18.000
## 44      NA 18.000
## 45      NA 18.000
## 46      NA 17.250
## 47      NA 17.250
## 48      NA 17.250
## 49      NA 17.250
## 50      NA 17.250
## 51      NA 17.250
## 52      NA 17.250
## 53      NA 17.250
## 54      NA  6.250
## 55      NA  3.900
## 56      NA  0.066
## 57      NA 10.250
## 58      NA  1.850
## 59      NA  2.000
## 60      NA  2.000
## 61      NA  3.000
## 62      NA  3.000
## 63      NA  3.950
## 64      NA  3.950
## 65      NA 16.370
## 66      NA 16.370
## 67      NA 12.150
## 68      NA 12.150
## 69      NA 12.150
## 70      NA 13.000
## 71      NA 13.000
## 72      NA 13.000
## 73      NA  3.900
## 74      NA    NA
```

Prepare data for conversion to paleoTS-object:

```
SampleSize <- tidyCL %>%
  dplyr::select(MAmin, Mamax, CL) %>%
```

```

filter(CL != "NA")

length(SampleSize$CL)

## [1] 53

TidyCL <- tidyCL %>%
  dplyr::select(MAmin, Mamax, CL) %>%
  dplyr::filter(CL != "NA") %>%
  mutate(tt= (MAmin+Mamax)/2) %>% # create mean age
  group_by(tt) %>% #create time bins
  summarise(mm=mean(CL), vv=var(CL), nn=n()) #create means etc. for each time bin

TidyCL[is.na(TidyCL)]<-0 #subset NAs with 0 for

TidyCL

## # A tibble: 26 × 4
##       tt      mm      vv      nn
##   <dbl>   <dbl>   <dbl> <int>
## 1  0.066  850.00     0.0     1
## 2  1.770  195.00     0.0     1
## 3  1.850 1420.00     0.0     1
## 4  2.000 1860.00     0.0     1
## 5  3.000  840.25 580373.6     4
## 6  3.900  820.00 204800.0     2
## 7  3.950  876.00 154208.0     5
## 8  4.500  880.00     0.0     1
## 9  5.500 1200.00     0.0     1
## 10 6.250 1850.00     0.0     1
## # ... with 16 more rows

bins <- tidyCL %>%
# select(MAmin, Mamax, CL) %>%
  filter(CL != "NA") %>%
  mutate(tt= (MAmin+Mamax)/2) %>% # create mean age
  group_by(tt)

bins

## Source: local data frame [53 x 25]
## Groups: tt [26]
##
##                                     Locality
##                                     <fctr>
## 1      UCMP V71137, Turlock Lake 10, Stanislaus County, California
## 2      UCMP V-3952, Ingram Creek site 8, Stanislaus County, California
## 3      Epanomi (EPN I), western Chalkidiki Peninsula, Thessaloniki area
## 4      Epanomi (EPN II), western Chalkidiki Peninsula, Thessaloniki area
## 5      Hohenhöwen, Engen, Hegau, southwestern Germany
## 6      Hohenhöwen, Engen, Hegau, southwestern Germany
## 7      Hohenhöwen, Engen, Hegau, southwestern Germany
## 8      Hohenhöwen, Engen, Hegau, southwestern Germany
## 9      Hohenhöwen, Engen, Hegau, southwestern Germany
## 10     Hohenhöwen, Engen, Hegau, southwestern Germany

```




```
## # ... with 43 more rows, and 24 more variables: Country <fctr>,
## #   Latitude <dbl>, Longitude <dbl>, Formation.Location.comment <fctr>,
## #   MAmin <dbl>, Mamax <dbl>, Epoch <fctr>, upper.stage <fctr>,
## #   lower.stage <fctr>, Genus <fctr>, Species <fctr>, Taxon <fctr>,
## #   Author <fctr>, comment <fctr>, CollNo <fctr>, CL <int>, PL <dbl>,
## #   size <fctr>, verbal.description <fctr>,
## #   estimated..e..from.verbal.description..ev..from.plastron..ep..or.measured..m..measured.from.figure <fctr>,
## #   Reference <fctr>, in.fossil.checklist. <lgl>, Age <dbl>, tt <dbl>
```

```
library(paleoTS)
```

```
paleoTidyCL <-as.paleoTS(TidyCL$mm, TidyCL$vv, TidyCL$nn, TidyCL$tt, MM = NULL, genpars = NULL, label =
paleoTidyCL
```

```
## $mm
## [1] 850.0000 195.0000 1420.0000 1860.0000 840.2500 820.0000 876.0000
## [8] 880.0000 1200.0000 1850.0000 278.0000 1200.0000 500.0000 1170.0000
## [15] 500.0000 157.0000 194.7000 1000.0000 213.0000 1000.0000 168.3333
## [22] 502.2500 370.0000 300.0000 400.0000 400.0000
##
## $vv
## [1] 0.0000 0.0000 0.0000 0.0000 580373.5833
## [6] 204800.0000 154208.0000 0.0000 0.0000 0.0000
## [11] 0.0000 0.0000 0.0000 0.0000 0.0000
## [16] 4232.0000 955.5667 0.0000 0.0000 0.0000
## [21] 976.6667 53840.2500 0.0000 0.0000 0.0000
## [26] 0.0000
##
## $nn
## [1] 1 1 1 1 4 2 5 1 1 1 1 1 2 1 1 2 10 1 1 1 6 4 1
## [24] 1 1 1
##
## $tt
## [1] 0.000 1.704 1.784 1.934 2.934 3.834 3.884 4.434 5.434 6.184
## [11] 8.434 9.434 10.034 10.184 11.784 12.084 12.934 13.934 16.304 16.584
## [21] 17.184 17.934 18.434 19.434 23.049 33.884
##
## $MM
## NULL
##
## $genpars
## NULL
##
## $label
## [1] "Testudinidae body size evolution mode"
##
## $start.age
## [1] 0.066
##
## $timeDir
## [1] "increasing"
##
## attr(,"class")
## [1] "paleoTS"
```

```
plot(paleoTidyCL)
```



```
fit3models(paleoTidyCL, silent=FALSE, method="AD", pool=FALSE) #not working with Test1, because no va
```

```
##
## Comparing 3 models [n = 25, method = AD]
##
##          logL K      AICc Akaike.wt
## GRW      -207.9992 2 420.5439         0
## URW      -261.5456 1 525.2652         0
## Stasis   -192.9638 2 390.4730         1
```

15.06.2017

Use paleoTS with data from the past 10 Mya (today - Pliocene, beginning of Miocene)

```
unique(tidyCL$Epoch)
```

```
## [1] Pliocene/Miocene      Miocene                Pleistocene
## [4] Pliocene              Pleistocene/Pliocene  Eocene
## [7] Oligocene             Holocene/Pleistocene
## 9 Levels: Eocene Holocene/Pleistocene Miocene Oligocene ... Pliocene/Miocene
```

```
PleiPlioCL <- tidyCL %>%
  filter(Age < 10.000)
```

```

length(PleiPlioCL$CL)

## [1] 30
PPCL <- PleiPlioCL %>%
  select(MAmin, Mamax, CL) %>%
  filter(CL != "NA") %>%
  mutate(tt= (MAmin+Mamax)/2) %>% # create mean age
  group_by(tt) %>% #create time bins
  summarise(mm=mean(CL), vv=var(CL), nn=n()) #create means etc. for each time bin

PPCL[is.na(PPCL)]<-0 #subset NAs with 0 for

PPCL

## # A tibble: 12 × 4
##       tt      mm      vv      nn
##   <dbl> <dbl> <dbl> <int>
## 1  0.066  850.00    0.0     1
## 2  1.770  195.00    0.0     1
## 3  1.850 1420.00    0.0     1
## 4  2.000 1860.00    0.0     1
## 5  3.000  840.25 580373.6     4
## 6  3.900  820.00 204800.0     2
## 7  3.950  876.00 154208.0     5
## 8  4.500  880.00    0.0     1
## 9  5.500 1200.00    0.0     1
## 10 6.250 1850.00    0.0     1
## 11 8.500  278.00    0.0     1
## 12 9.500 1200.00    0.0     1

bins <- PleiPlioCL %>%
  # select(MAmin, Mamax, CL) %>%
  filter(CL != "NA") %>%
  mutate(tt= (MAmin+Mamax)/2) %>% # create mean age
  group_by(tt)

bins

## Source: local data frame [20 x 25]
## Groups: tt [12]
##
##                                     Locality
##                                     <fctr>
## 1          UCMP V71137, Turlock Lake 10, Stanislaus County, California
## 2          UCMP V-3952, Ingram Creek site 8, Stanislaus County, California
## 3          Epanomi (EPN I), western Chalkidiki Peninsula, Thessaloniki area
## 4          Epanomi (EPN II), western Chalkidiki Peninsula, Thessaloniki area
## 5          Altan-Teli main fossiliferous bed (Dzereg valley)
## 6          Sawrock Canyon local fauna, Seward County, Kansas
## 7          Sawrock Canyon local fauna, Seward County, Kansas
## 8                                     Dmanisi
## 9          Lee Creek Mine, Yorktown Sample, Beaufort County, North Carolina
## 10         San Nicolas, UCMP locality V4536
## 11         Lesbos Island, F-Site

```

```


## 12 Samos 1
## 13 Serrat-d'en-Vacquer near Perpignan, Pyrénées-Orientales
## 14 Zebbug and Gahr Dalam Cave deposits
## 15 Fonelas P-1, Guadix Basin
## 16 Tha Chang area, Chaloem Pra Kiat district, Nakhon Ratchasima Province
## 17 Tha Chang area, Chaloem Pra Kiat district, Nakhon Ratchasima Province
## 18 Nea Kallikratia, western Chalkidiki Peninsula, Thessaloniki area
## 19 Nea Michaniona, western Chalkidiki Peninsula, Thessaloniki area
## 20 W??e 1
## # ... with 24 more variables: Country <fctr>, Latitude <dbl>,
## # Longitude <dbl>, Formation.Location.comment <fctr>, MAmin <dbl>,
## # Mamax <dbl>, Epoch <fctr>, upper.stage <fctr>, lower.stage <fctr>,
## # Genus <fctr>, Species <fctr>, Taxon <fctr>, Author <fctr>,
## # comment <fctr>, CollNo <fctr>, CL <int>, PL <dbl>, size <fctr>,
## # verbal.description <fctr>,
## # estimated..e..from.verbal.description..ev..from.plastron..ep..or.measured..m..measured.from.figur
## # Reference <fctr>, in.fossil.checklist. <lgl>, Age <dbl>, tt <dbl>

paleoPPCL <-as.paleoTS(PPCL$mm, PPCL$vv, PPCL$nn, PPCL$tt, MM = NULL, genpars = NULL, label = "Testudin
paleoPPCL

## $mm
## [1] 850.00 195.00 1420.00 1860.00 840.25 820.00 876.00 880.00
## [9] 1200.00 1850.00 278.00 1200.00
##
## $vv
## [1] 0.0 0.0 0.0 0.0 580373.6 204800.0 154208.0
## [8] 0.0 0.0 0.0 0.0 0.0
##
## $nn
## [1] 1 1 1 1 4 2 5 1 1 1 1 1
##
## $tt
## [1] 0.000 1.704 1.784 1.934 2.934 3.834 3.884 4.434 5.434 6.184 8.434
## [12] 9.434
##
## $MM
## NULL
##
## $genpars
## NULL
##
## $label
## [1] "Testudinidae body size evolution mode"
##
## $start.age
## [1] 0.066
##
## $timeDir
## [1] "increasing"
##
## attr(,"class")
## [1] "paleoTS"

```

```
plot(paleoPPCL)
```




```
fit3models(paleoPPCL, silent=FALSE, method="AD", pool=FALSE) #not working with Test1, because no vari
```

```
##
## Comparing 3 models [n = 11, method = AD]
##
##           logL K      AICc Akaike.wt
## GRW      -140.0303 2 285.5606         0
## URW      -151.9229 1 306.2902         0
## Stasis   -102.1288 2 209.7576         1

PPmap <- PleiPlioCL %>%
  select(Genus, Taxon, Latitude, Longitude, Country, CL, PL, Age) %>%
  group_by(Latitude) %>%
  mutate(count= n()) %>%
  ggplot(aes(Longitude, Latitude)) + mapWorld +
  geom_point(aes(Longitude, Latitude, colour=Age, size=count))

PPmap
```



```
ggplotly(PPmap)
```

```
## We recommend that you use the dev version of ggplot2 with `ggplotly()`
## Install it with: `devtools::install_github('hadley/ggplot2')`
```

TO DO:

- finish data set
-

This is an R Markdown Notebook. When you execute code within the notebook, the results appear beneath the code.

Try executing this chunk by clicking the *Run* button within the chunk or by placing your cursor inside it and pressing *Ctrl+Shift+Enter*.

Add a new chunk by clicking the *Insert Chunk* button on the toolbar or by pressing *Ctrl+Alt+I*.

When you save the notebook, an HTML file containing the code and output will be saved alongside it (click the *Preview* button or press *Ctrl+Shift+K* to preview the HTML file).