

~\Downloads\Day 22.sql

```
1  -- Task 1: Dynamic Table - Employee Salary Dashboard
2  CREATE OR REPLACE DATABASE DYNAMIC_TABLE_DB;
3
4  USE DATABASE DYNAMIC_TABLE_DB;
5  USE SCHEMA PUBLIC;
6
7  CREATE OR REPLACE TABLE DEPARTMENTS
8  (
9      DEPT_ID NUMBER,
10     DEPT_NAME STRING
11 );
12
13
14 INSERT INTO DEPARTMENTS VALUES
15 (1, 'HR'),
16 (2, 'IT'),
17 (3, 'Finance'),
18 (4, 'Sales'),
19 (5, 'Marketing');
20
21
22 CREATE OR REPLACE TABLE EMPLOYEES
23 (
24     EMP_ID NUMBER,
25     EMP_NAME STRING,
26     DEPT_ID NUMBER,
27     SALARY NUMBER
28 );
29
30 INSERT INTO EMPLOYEES VALUES
31 (101, 'John', 2, 50000),
32 (102, 'Alice', 1, 60000),
33 (103, 'David', 3, 70000),
34 (104, 'Neha', 4, 55000),
35 (105, 'Ravi', 2, 65000);
36
37 CREATE OR REPLACE DYNAMIC TABLE DT_EMPLOYEE_SALARY
38 TARGET_LAG = '1 minute'
39 WAREHOUSE = COMPUTE_WH
40 AS
41
42 SELECT
43     E.EMP_ID,
44     E.EMP_NAME,
45     D.DEPT_NAME,
46     E.SALARY
47 FROM EMPLOYEES E
48 INNER JOIN DEPARTMENTS D
```

```
49  ON E.DEPT_ID = D.DEPT_ID;
50
51
52  SELECT *
53  FROM DT_EMPLOYEE_SALARY;
54
55  INSERT INTO EMPLOYEES VALUES
56  (106,'Priya',5,62000);
57
58  UPDATE EMPLOYEES
59  SET SALARY = 79000
60  WHERE EMP_ID = 101;
61
62  UPDATE EMPLOYEES
63  SET DEPT_ID = 1
64  WHERE EMP_ID = 105;
65
66
67  ALTER DYNAMIC TABLE DT_EMPLOYEE_SALARY REFRESH;
68
69  SELECT *
70  FROM DT_EMPLOYEE_SALARY;
71
72
73
74  -- Task 2: Dynamic Table - Product Inventory Summary
75  CREATE OR REPLACE TABLE PRODUCTS
76  (
77      PRODUCT_ID NUMBER,
78      PRODUCT_NAME STRING
79  );
80
81  INSERT INTO PRODUCTS VALUES
82  (1,'Laptop'),
83  (2,'Mouse'),
84  (3,'Keyboard'),
85  (4,'Monitor'),
86  (5,'Printer');
87
88  CREATE OR REPLACE TABLE INVENTORY
89  (
90      PRODUCT_ID NUMBER,
91      QUANTITY NUMBER
92  );
93
94  INSERT INTO INVENTORY VALUES
95  (1,10),
96  (2,20),
97  (3,15),
98  (4,8),
```

```
99  (5,12);
100
101  CREATE OR REPLACE DYNAMIC TABLE DT_PRODUCT_STOCK
102  TARGET_LAG='1 minute'
103  WAREHOUSE=COMPUTE_WH
104  AS
105
106  SELECT
107      P.PRODUCT_ID,
108      P.PRODUCT_NAME,
109      SUM(I.QUANTITY) AS TOTAL_QUANTITY
110  FROM PRODUCTS P
111  JOIN INVENTORY I
112  ON P.PRODUCT_ID=I.PRODUCT_ID
113  GROUP BY
114      P.PRODUCT_ID,
115      P.PRODUCT_NAME;
116
117  SELECT *
118  FROM DT_PRODUCT_STOCK;
119
120  INSERT INTO INVENTORY VALUES
121  (1,5);
122
123  UPDATE INVENTORY
124  SET QUANTITY=30
125  WHERE PRODUCT_ID=2;
126
127  DELETE
128  FROM INVENTORY
129  WHERE PRODUCT_ID=4;
130
131  ALTER DYNAMIC TABLE DT_PRODUCT_STOCK REFRESH;
132
133  SELECT *
134  FROM DT_PRODUCT_STOCK;
135
136
137
138
139  -- Task 3: MERGE - Employee Master Synchronization
140  CREATE OR REPLACE TABLE EMPLOYEE_SOURCE
141  (
142      EMP_ID NUMBER,
143      EMP_NAME STRING,
144      DEPARTMENT STRING,
145      SALARY NUMBER
146  );
147
148  CREATE OR REPLACE TABLE EMPLOYEE_MASTER
```

```
149 (
150     EMP_ID NUMBER,
151     EMP_NAME STRING,
152     DEPARTMENT STRING,
153     SALARY NUMBER
154 );
155
156 INSERT INTO EMPLOYEE_MASTER VALUES
157 (101, 'John', 'IT', 50000),
158 (102, 'Alice', 'HR', 60000),
159 (103, 'David', 'Finance', 70000);
160
161 INSERT INTO EMPLOYEE_SOURCE VALUES
162 (101, 'John', 'IT', 55000),
163 (102, 'Alice', 'HR', 65000),
164 (104, 'Priya', 'Sales', 50000);
165
166 MERGE INTO EMPLOYEE_MASTER T
167 USING EMPLOYEE_SOURCE S
168 ON T.EMP_ID = S.EMP_ID
169 WHEN MATCHED THEN
170 UPDATE SET
171 T.EMP_NAME=S.EMP_NAME,
172 T.DEPARTMENT=S.DEPARTMENT,
173 T.SALARY=S.SALARY
174 WHEN NOT MATCHED THEN
175 INSERT
176 (
177 EMP_ID,
178 EMP_NAME,
179 DEPARTMENT,
180 SALARY
181 )
182 VALUES
183 (
184 S.EMP_ID,
185 S.EMP_NAME,
186 S.DEPARTMENT,
187 S.SALARY
188 );
189
190 SELECT *
191 FROM EMPLOYEE_MASTER;
192
193
194
195 -- Task 4: Customer MERGE (Update + Delete + Insert
196 CREATE OR REPLACE TABLE CUSTOMER_SOURCE
197 (
198     CUSTOMER_ID NUMBER,
```

```
199     CUSTOMER_NAME STRING,
200     CITY STRING,
201     STATUS STRING
202 );
203
204 CREATE OR REPLACE TABLE CUSTOMER_MASTER
205 (
206     CUSTOMER_ID NUMBER,
207     CUSTOMER_NAME STRING,
208     CITY STRING
209 );
210
211 INSERT INTO CUSTOMER_MASTER VALUES
212 (1, 'Rahul', 'Mumbai'),
213 (2, 'Priya', 'Pune'),
214 (3, 'John', 'Delhi');
215
216 INSERT INTO CUSTOMER_SOURCE VALUES
217 (1, 'Rahul', 'Mumbai', 'ACTIVE'),
218 (2, 'Priya', 'Bangalore', 'ACTIVE'),
219 (3, 'John', 'Delhi', 'INACTIVE'),
220 (4, 'David', 'Hyderabad', 'ACTIVE');
221
222 MERGE INTO CUSTOMER_MASTER T
223
224 USING CUSTOMER_SOURCE S
225
226 ON T.CUSTOMER_ID=S.CUSTOMER_ID
227
228 WHEN MATCHED
229 AND S.STATUS='INACTIVE'
230
231 THEN DELETE
232
233 WHEN MATCHED
234
235 THEN UPDATE SET
236
237 T.CUSTOMER_NAME=S.CUSTOMER_NAME,
238 T.CITY=S.CITY
239
240 WHEN NOT MATCHED
241
242 THEN INSERT
243
244 (
245     CUSTOMER_ID,
246     CUSTOMER_NAME,
247     CITY
248 )
```

```
249  
250 VALUES  
251  
252 (  
253 S.CUSTOMER_ID,  
254 S.CUSTOMER_NAME,  
255 S.CITY  
256 );  
257  
258 SELECT *  
259 FROM CUSTOMER_MASTER;
```