

Name: Tushar Panchal En.No: 21162101014 Sub: CS(Cloud Security)

Branch: CBA


Batch:71


-----PRACTICAL 11-----

You are developing a Node.js web application that requires user authentication and management. You want to implement the following features:


- **1. Password Policies:** Enforce strong password requirements and password policies for users signing up.
- 2. **Custom Email Templates:** Send customized email notifications for actions such as signup, password reset, and email verification.
- **3.** User Signup: Allow users to sign up via the Cloud Directory in App ID and manage their authentication.

1. Create AppID instance with graduate tier







2. Create service credentials with manager role




3. Ensure the below settings match



4. Copy and paste the credentials to node application







App.js:

```
const express = require('express');
const session = require('express-session');
const passport = require('passport');
const WebAppStrategy = require('ibmcloud-appid').WebAppStrategy;
const app = express();
var port = 3000;
app.use(session({
    secret: '123456',
    resave: true,
    saveUninitialized: true
}));
app.use(passport.initialize());
app.use(passport.session());
```

```
passport.serializeUser((user, cb) => cb(null, user));
passport.deserializeUser((user, cb) => cb(null, user));
passport.use(new WebAppStrategy({
    tenantId: "dc4c86a6-5729-4ec4-ae36-28d76456a9ee",
    clientId: "57efb197-7f31-4313-bae1-e9234a1d9c76",
    secret: "M2M0MDMyMDQtYWU4NC00NjExLWJiZWEtMzgxNGJiNDEyZWRm",
    oauthServerUrl: "https://au-syd.appid.cloud.ibm.com/oauth/v4/dc4c86a6-5729-4ec4-ae36-
28d76456a9ee",
    redirectUri: "http://localhost:3000/appid/callback"
}));
app.get('/appid/login', passport.authenticate(WebAppStrategy.STRATEGY_NAME, {
    successRedirect: '/',
    forceLogin: true
}));
app.get('/appid/callback', passport.authenticate(WebAppStrategy_STRATEGY_NAME, {
keepSessionInfo: true }));
//app.use(passport.authenticate(WebAppStrategy.STRATEGY_NAME));
app.use('/api', (req, res, next) => {
    if (req.user){
       next();
       res.status(401).send("Unauthorized");
});
app.get('/api/user', (req, res) => {
console.log(req.session[WebAppStrategy.AUTH_CONTEXT]);
    res.json({
        user: {
           name: req.user.name
    });
});
app.get("/appid/logout", function(req, res) {
    req.logout(function(err) {
      if (err) { console.log(err); }
      res.redirect("/");
   });
// Serve static resources
app.use(express.static('./public'));
app.listen(port);
```


5. Add localhost redirect URI for local app to work








6. Run and check the signup feature if it's working


```
> node .\app.js
[2024-12-01T20:23:25.577] [INFO] appid-sdk - Initialized
[2024-12-01T20:23:25.770] [INFO] appid-WebAppStrategy-config - tenantId dc4c86a6-5729-4ec4-ae36-28d76456a9ee
[2024-12-01T20:23:25.771] [INFO] appid-WebAppStrategy-config - secret [CANNOT LOG SECRET]
[2024-12-01T20:23:25.771] [INFO] appid-WebAppStrategy-config - oauthServerUrl https://au-syd.appid.cloud.ibm.com/oauth/v4/dc4c86a6-572
[2024-12-01T20:23:25.771] [INFO] appid-WebAppStrategy-config - oauthServerUrl https://au-syd.appid.cloud.ibm.com/oauth/v4/dc4c86a6-572
[2024-12-01T20:23:25.771] [INFO] appid-WebAppStrategy-config - redirectUri http://localhost:3000/appid/callback
```






















7. Now try changing the appearance of verification mail via changing template





HTML:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"</pre>
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
   <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
   <title>Neon Themed Verification Email</title>
<body style="background-color: #1a1a1a; color: #00ffcc; font-family: Gotham, 'Helvetica Neue',</pre>
Helvetica, Arial, sans-serif; font-size: 16px;">
   <span style="text-align: center;"></span>
   family: Gotham, 'Helvetica Neue', Helvetica, Arial, sans-serif; font-size: 16px; color:
#00ffcc;">
          <img src="%{display.logo}" style="object-fit: contain;" height="77"</pre>
alt="logo">
              <strong style="font-size: 20px;">Hi %{user.firstName},<br><br>Thanks for
signing-up!</strong><br><br>
                  Please verify your email address by clicking the button below.<br><br>>
                  <a href="%{verify.link}" style="text-decoration: none;">
                     <span style="background-color: #00ffcc; padding: 10px 20px; color:</pre>
#1a1a1a; font-weight: bold; border-radius: 5px; display: inline-block; cursor: pointer;">
                         Verify
                  </a>
                  <br><br><br>><br>></pr>
                  <span style="font-size: 14px; color: #cccccc;">
                     Note: The link is only active for %{linkExpiration.hours} hours. If you
are unable to use the verify button, click the link below or copy and paste it into the address
bar of your web browser.
```


Now sign up in another email to check email verification








8. Now, change password policy and add regex for restrictions




^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)(?=.*[@\$!%*?&])[A-Za-z\d@\$!%*?&]{8,}\$


The above regular expression validates a password that meets the following criteria:

- 1. At least one lowercase letter: (?=.*[a-z])
- 2. At least one uppercase letter: (?=.*[A-Z])
- 3. At least one digit: (?=.*\d)
- 4. At least one special character (from @\$!%*?&): (?=.*[@\$!%*?&])
- 5. Minimum length of 8 characters: [A-Za-z\d@\$!%*?&]{8,}




9. Also try changing advanced policies and test respectively






10.Now test the policies if they work

a) Regex requirement





b) User will be locked if repeatedly presses same password which is wrong

Make it with Creative Cloud.



c)Resetting password is permitted once but not twice till minimum duration(here I hour)

