Ganpat University
॥ विद्यया समाजोत्कर्षः ॥

Institute of Computer Technology

**Name: Tushar Panchal**

**En.No: 21162101014**

**Sub: EADC (Enterprise Application Development for Cloud)**

**Branch: CBA**

**Batch:61**

# ----------PRACTICAL 18----------

**Assume you are working in a company where you need to extract useful insights from the data collected by organization. Demonstrate how to analyze large datasets with Python data science packages. We'll provide an example use case of analysing hourly air quality data provided by the EPA.**

Perform the following Tasks:
1. Create a Juypter notebook in Watson Studio.
2. Extract patterns from datasets using pandas.
3. Visualize data trends via matplotlib graphs.

## » Task 1 : Create a Juypter notebook in Watson Studio.

Navigate watson studio that we created in practical - 16 than click on launch in IBM cloud Pak for Data




Now click on new project and click next



Give name of the new project and click on create




Its open this interface



Select assets then click on new asset




Now search jupyter than click on “jupyter notebook editor”



Now add name and select “URL” give below URl Then click on create

https://github.com/IBM/smart-city-analytics/blob/master/air_quality_notebook.ipynb




After create its loading the interface



As we can see in below screenshot all query




Now run one by one all codes

## Task 2 : Extract patterns from datasets using pandas.




IBM Cloud Pak for Data
Search in your workspaces
Upgrade
Tushar Panchal's Account
London
Projects / tushar_practical_18 / Tushar_Practical18
File Edit View Insert Cell Kernel Help
Not Trusted | Python 3.10
Run Format Code
Memory:359.1 MB / 8 GB
LICENSE hourly_42602_2017.csv
README.md hourly_42602_2017.zip
air_quality_notebook.ipynb images
In [77]:
# Load dataset
aq_data = pd.read_csv('./hourly_42602_2017.csv')
# aq_data = pd.read_csv('/Users/kkbankol@us.ibm.com/Downloads/hourly_42602_2017.csv')
/usr/local/lib/python3.7/site-packages/IPython/core/interactiveshell.py:2785: DtypeWarning: Columns (17) have mixed types. Specify dtype option on import or set low_memory=False.
interactivity=interactivity, compiler=compiler, result=result)
In [78]:
# View first 5 rows
aq_data.head()
Out[78]:
State Code County Code Site Num Parameter Code POC Latitude Longitude Datum Parameter Name Date Local ... Units of Measure MDL Uncertainty Qualifier Method Type Method Code Method Name State Name County Name Date of Last Change
0 1 73 23 42602 1 33.553056 -86.815 WGS84 Nitrogen dioxide (NO2) 2017-01-01 ... Parts per billion 0.1 NaN NaN FEM 200 Teledyne-API Model 200EUP or T200UP - Photolyt... Alabama Jefferson 2017-04-19
1 1 73 23 42602 1 33.553056 -86.815 WGS84 Nitrogen dioxide (NO2) 2017-01-01 ... Parts per billion 0.1 NaN NaN FEM 200 Teledyne-API Model 200EUP or T200UP - Photolyt... Alabama Jefferson 2017-04-19
2 1 73 23 42602 1 33.553056 -86.815 WGS84 Nitrogen dioxide (NO2) 2017-01-01 ... Parts per billion 0.1 NaN NaN FEM 200 Teledyne-API Model 200EUP or T200UP - Photolyt... Alabama Jefferson 2017-04-19
3 1 73 23 42602 1 33.553056 -86.815 WGS84 Nitrogen dioxide (NO2) 2017-01-01 ... Parts per billion 0.1 NaN NaN FEM 200 Teledyne-API Model 200EUP or T200UP - Photolyt... Alabama Jefferson 2017-04-19
4 1 73 23 42602 1 33.553056 -86.815 WGS84 Nitrogen dioxide (NO2) 2017-01-01 ... Parts per billion 0.1 NaN NaN FEM 200 Teledyne-API Model 200EUP or T200UP - Photolyt... Alabama Jefferson 2017-04-19
5 rows × 24 columns
In [79]:
# View titles of all columns
aq_data.columns
Out[79]:
Index(['State Code', 'County Code', 'Site Num', 'Parameter Code', 'POC',
'Latitude', 'Longitude', 'Datum', 'Parameter Name', 'Date Local',


IBM Cloud Pak for Data
Search in your workspaces
Upgrade
Tushar Panchal's Account
London
Projects / tushar_practical_18 / Tushar_Practical18
File Edit View Insert Cell Kernel Help
Not Trusted | Python 3.10
Run Format Code
Memory:359.2 MB / 8 GB
In [80]:
aq_data['Sample Measurement'].describe()
Out[80]:
count 3.558683e+06
mean 8.250732e+00
std 9.166534e+00
min -5.000000e+00
25% 2.000000e+00
50% 5.000000e+00
75% 1.130000e+01
max 1.296000e+02
Name: Sample Measurement, dtype: float64
In [81]:
# print list of all unique monitoring site numbers
aq_data['Site Num'].unique()
Out[81]:
array([ 23, 2059, 34, 19, 3002, 4011, 4019, 4020, 9997, 1011, 1028,
5, 7, 9, 11, 12, 13, 2005, 8, 2, 1002, 1004,
2007, 242, 2016, 4001, 5001, 1005, 1003, 14, 2012, 6001, 16,
113, 1103, 1201, 1302, 1602, 1701, 4006, 4008, 5005, 6012, 9033,
4, 1, 3, 6, 1016, 8001, 8005, 9001, 10, 15, 26,
27, 306, 1234, 2002, 9004, 1006, 1008, 1014, 1017, 1022, 3005,
4002, 8002, 1001, 1013, 1018, 1021, 1025, 2004, 2011, 4003, 3001,
7004, 28, 7001, 7003, 9003, 25, 41, 43, 50, 51, 35,
32, 108, 1065, 21, 18, 56, 63, 76, 3103, 22, 78,
87, 30, 17, 67, 75, 1024, 1100, 29, 40, 2006, 4005,
3003, 42, 44, 93, 94, 95, 1010, 20, 423, 480, 962,
85, 86, 760, 761, 762, 540, 561, 1501, 1502, 1233, 110,
133, 124, 125, 45, 60, 73, 37, 38, 48, 101, 65,
33, 97, 9021, 1127, 80, 1376, 100, 4000, 5200, 46, 59,
1069, 69, 1067, 1044, 55, 1034, 24, 47, 416, 1015, 1035,
1039, 1050, 1052, 1066, 1037, 1051, 1053, 3009, 3011, 1068, 7011,
3006, 3013, 2003, 7022, 31, 123, 456, 892, 99, 232, 2601,
700, 200, 300])
In [82]:
# get number of aq sites in a single state, "California"
aq_data.loc[aq_data['State Name'] == "California"]['Site Num'].unique().shape

## » Task 3 : Visualize data trends via matplotlib graphs.







IBM Cloud Pak for Data
Search in your workspaces
Upgrade
Tushar Panchal's Account
London
Projects / tushar_practical_18 / Tushar_Practical18
File Edit View Insert Cell Kernel Help
Not Trusted | Python 3.10
Run Format Code
Memory:359.2 MB / 8 GB
494046 Sunday
Name: Weekday, Length: 101524, dtype: object
In [99]:
# Print aq changes throughout the day from 0:00 - 24:00. Break into seperate plots by weekday
nrows = 4
ncols = 2
plt.subplots(nrows, ncols, figsize=(15,15))
weekdays = [ 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday', 'Saturday', 'Sunday' ]
idx = 1
values_by_weekday = {}
for day in weekdays:
plt.subplot(nrows, ncols, idx)
# for Loop 0:00 - 24:00
# sum measurements where weekday == and time ==
times = []
for hour in range(0, 23):
if hour <= 9:
time = "0" + str(hour) + ":00"
else:
time = str(hour) + ":00"
# select subset matching given weekday and hour
subset = los_angeles_aq.loc[ (los_angeles_aq['Weekday'] == day) & (los_angeles_aq['Time Local'] == time) ]['Sample Measurement']
# print(subset.mean())
times.append(subset.sum())
values_by_weekday[day] = times
plt.plot( times )
plt.title(day)
idx = idx + 1
Monday
Tuesday
Wednesday
Thursday


IBM Cloud Pak for Data
Search in your workspaces
Upgrade
Tushar Panchal's Account
London
Projects / tushar_practical_18 / Tushar_Practical18
File Edit View Insert Cell Kernel Help
Not Trusted | Python 3.10
Run Format Code
Memory:359.2 MB / 8 GB
Wednesday
Thursday
Friday
Saturday
Sunday
In [ ]: