

Rakshak LogGuard

Desktop Security Log Analysis and Incident Response Platform

Project 04 - Blue Team: Security Monitoring and Incident Response

Investigation: Webserver01 Security Incident Investigation

Analyst: Tushar

Hostname: authlogs

Log year: 2026

Executive Summary

Processed 260 events, generated 14 alerts, and correlated 1 incidents.

Scope

Offline file-based Linux authentication log analysis.

Evidence File Metadata

```
{'evidence_file_id': 'file-82f07ce6a1e7', 'original_filename': 'auth.log', 'normalized_filename': 'auth.log',  
'path': 'E:\\CyberSecurity\\temp\\logs\\Logs Data\\auth.log', 'extension': '.log', 'size_bytes': 25638,  
'mime_type': 'application/octet-stream', 'detected_type': 'Text/Unknown', 'sha256':  
'32616becd91144ded79bcbdf399fc515f307efda6692dbccdd56b238a706d6e5', 'sha1':  
'1ecdc890fd659e14504a6c7b003cb634e7dee424', 'md5': 'b4a30d7d2a9e57e92234b3bdcba4958f',  
'entropy': 5.13, 'double_extension': False, 'executable_signature': None, 'archive': False,  
'archive_member_count': 0, 'archive_members': [], 'yara_status': 'Unavailable', 'clamav_status':  
'Unavailable', 'suspicious_text_indicators': ['curl\\s+.*\\|\\s*(bash|sh)', 'history\\s+-c', '\\.bash_history',  
'crontab', '/etc/sudoers'], 'risk': 'Low Risk', 'decision': 'Allow with warning', 'reasons': ['Suspicious  
command text appears to be log evidence; analysis is allowed with warning.'], 'created_at':  
'2026-08-03T16:44:07.779128'}
```

File Security Scan Summary

Suspicious command text appears to be log evidence; analysis is allowed with warning.

SHA-256 Evidence Integrity

32616becd91144ded79bcbdf399fc515f307efda6692dbccdd56b238a706d6e5

Log Analysis Methodology

Evidence ingestion -> hash generation -> file pre-scan -> parsing -> normalization -> detection -> alert
-> correlation -> scoring -> response -> recovery -> closure.

Parsing Results

Parsed: 177; Unparsed: 83.

Normal Activity Summary

Normal events: 81.

Suspicious Activity Summary

Suspicious/Critical events: 96.

Risk Score Breakdown

SSH Brute-Force Compromise, Privilege Escalation, and Persistence: 100 (Critical)

Possible Impact

Unauthorized access, privilege escalation, persistence, and evidence tampering are possible.

Response Recommendations

Apply least privilege and monitor privileged account changes.; Block malicious source IPs after approval.; Create alerts for shell-history deletion.; Enable MFA and restrict SSH access.; Inspect downloaded scripts in an isolated forensic workflow.; Preserve forensic evidence and export the incident report.; Remove malicious cron jobs.; Remove unauthorized sudo access.; Reset affected account passwords.; Restore /etc/sudoers from a trusted baseline.; Review authentication logs around the incident window.; Rotate SSH keys for affected accounts.

Conclusion

All findings are derived from uploaded evidence and local detection rules. Recommendations are advisory only.

Alerts Table

Rule	Name	Severity	Events	Source IP
AUTH-001	Repeated SSH failures	Medium	5	198.51.100.23
AUTH-002	Username enumeration	Medium	34	198.51.100.23
AUTH-003	Successful login after repeated failures	High	81	198.51.100.23
AUTH-004	Unusual-hours password login	Medium	1	198.51.100.23
PRIV-003	Sudoers modification	High	1	
PRIV-001	Root shell obtained	High	1	
ACCOUNT-001	Local account created	Medium	1	
PRIV-003	Sudoers modification	High	1	
PERSIST-001	Suspicious cron persistence	High	1	
PERSIST-002	Remote script piped to shell	High	1	
PERSIST-001	Suspicious cron persistence	High	1	
EVASION-001	Shell history cleared	Medium	1	
EVASION-001	Shell history cleared	Medium	1	
AUTH-005	Newly created account login	High	1	198.51.100.23