

AUTHORIZED SECURITY RECONNAISSANCE

ReconForge

Web Reconnaissance Report

ASSESSED TARGET

example.com

Generated: 2026-08-07T16:21:15.834801+00:00

1. Scope & Authorization


This report contains reconnaissance information collected by ReconForge against an explicitly authorized target.

ReconForge performs low-impact reconnaissance and configuration analysis. Findings in this report should not automatically be interpreted as confirmed exploitable vulnerabilities.

2. Executive Summary

ReconForge collected publicly available domain, DNS, network, HTTP, TLS, robots.txt and sitemap information for the assessed target.

Security configuration observations were generated where applicable and should be manually validated before remediation decisions are made.



3. Target Information

FIELD	VALUE
Original Input	example.com
Hostname	example.com
HTTPS URL	https://example.com
HTTP URL	http://example.com

4. Reconnaissance Module Status

MODULE	STATUS	ERRORS / WARNINGS
whois	SUCCESS	None
dns	SUCCESS	None
ip	SUCCESS	None
http	SUCCESS	None
robots	SUCCESS	None
sitemap	SUCCESS	None
tls	SUCCESS	None
security_headers	SUCCESS	None

5. WHOIS Information

FIELD	VALUE
Domain	EXAMPLE.COM
Registrar	RESERVED-Internet Assigned Numbers Authority
Creation Date	1995-08-14T04:00:00+00:00
Expiration Date	2026-08-13T04:00:00+00:00
DNSSEC	signedDelegation
Registrant Country	Unavailable

6. DNS Records

RECORD TYPE	VALUES
-------------	--------

A	172.66.147.243 104.20.23.154
AAAA	2606:4700:90c5:72db:f2ca:0:ef6b:ff98
MX	0
NS	elliott.ns.cloudflare.com hera.ns.cloudflare.com
TXT	_k2n1y4vw3qtb4skdx9e7dxt97qrmmq9 v=spf1 -all
CNAME	No records detected
SOA	elliott.ns.cloudflare.com. dns.cloudflare.com. 2410849323 10000 2400 604800 1800

7. IP & Network Information

172.66.147.243

Version	IPv4
Public	True
Reverse DNS	Unavailable
Country	United States
Region	California
City	San Francisco
ASN	13335
Organization	Cloudflare, Inc.

104.20.23.154

Version	IPv4
---------	------

Public	True
Reverse DNS	Unavailable
Country	United States
Region	California
City	San Francisco
ASN	13335
Organization	Cloudflare, Inc.

2606:4700:90c5:72db:f2ca:0:ef6b:ff98

Version	IPv6
Public	True
Reverse DNS	Unavailable
Country	United States
Region	California
City	San Francisco
ASN	13335
Organization	Cloudflare, Inc.

8. HTTP Analysis

Status	200 OK
Final URL	https://example.com/
Response Time	376.67 ms
Server	cloudflare

X-Powered-By	Not disclosed
--------------	---------------

Response Headers

```
Date: Fri, 07 Aug 2026 16:21:16 GMT
Content-Type: text/html
Transfer-Encoding: chunked
Connection: keep-alive
Server: cloudflare
last-modified: Sat, 01 Aug 2026 09:39:03 GMT
allow: GET, HEAD
Age: 12217
cf-cache-status: HIT
Content-Encoding: br
CF-RAY: a2779d070b3d3a18-BOM
```

9. TLS Certificate

TLS Version	TLSv1.3
Common Name	example.com
Valid From	2026-07-29T22:10:08+00:00
Valid Until	2026-10-27T22:17:21+00:00
Days Remaining	81
Certificate Status	Valid
Cipher	TLS_AES_256_GCM_SHA384 / 256 bits

Subject Alternative Names

- example.com
- *.example.com

10. robots.txt

Exists: False

Status Code: 404

11. Sitemap Analysis

Sitemap Available: False

URLs Discovered: 0

12. Security Observations

RF-001 — Content-Security-Policy header not detected Medium

Source Module: security_headers

Evidence: Missing HTTP response header: Content-Security-Policy

Description: Helps restrict which scripts, styles, images, and other resources the browser is allowed to load.

Recommendation: Implement and test a restrictive Content-Security-Policy.

RF-002 — Strict-Transport-Security header not detected Medium

Source Module: security_headers

Evidence: Missing HTTP response header: Strict-Transport-Security

Description: Forces supported browsers to use HTTPS for future requests.

Recommendation: Configure Strict-Transport-Security after confirming that the application fully supports HTTPS.

RF-003 — X-Frame-Options header not detected

Medium

Source Module: security_headers

Evidence: Missing HTTP response header: X-Frame-Options

Description: Helps prevent the website from being embedded inside unauthorized frames.

Recommendation: Set X-Frame-Options to DENY or SAMEORIGIN, or use the CSP frame-ancestors directive.

RF-004 — X-Content-Type-Options header not detected

Low

Source Module: security_headers

Evidence: Missing HTTP response header: X-Content-Type-Options

Description: Prevents browsers from MIME-sniffing content into unexpected file types.

Recommendation: Set X-Content-Type-Options to nosniff.

RF-005 — Referrer-Policy header not detected

Low

Source Module: security_headers

Evidence: Missing HTTP response header: Referrer-Policy

Description: Controls how much referrer information is sent with requests.

Recommendation: Configure an appropriate Referrer-Policy such as strict-origin-when-cross-origin.

RF-006 — Permissions-Policy header not detected

Low

Source Module: security_headers

Evidence: Missing HTTP response header: Permissions-Policy

Description: Controls access to selected browser capabilities and APIs.

Recommendation: Define a Permissions-Policy appropriate for the application.

RF-007 — Cross-Origin-Opener-Policy header not detected Low

Source Module: security_headers

Evidence: Missing HTTP response header: Cross-Origin-Opener-Policy

Description: Helps isolate the browsing context from cross-origin documents.

Recommendation: Consider configuring Cross-Origin-Opener-Policy.

RF-008 — Cross-Origin-Resource-Policy header not detected Low

Source Module: security_headers

Evidence: Missing HTTP response header: Cross-Origin-Resource-Policy

Description: Controls whether cross-origin websites can load resources.

Recommendation: Consider configuring Cross-Origin-Resource-Policy.

RF-009 — Server banner exposed Low

Source Module: security_headers

Evidence: Server: cloudflare

Description: The HTTP response exposes information about the web server technology.

Recommendation: Minimize unnecessary server product or version information in HTTP response headers.

13. Limitations

- ReconForge performs reconnaissance and configuration observations only.
- Results should be manually validated before being treated as confirmed vulnerabilities.
- IP geolocation represents approximate network location and not a precise physical location.
- WHOIS information may be incomplete or redacted by domain registries.

14. Conclusion

ReconForge completed automated reconnaissance against the authorized target and consolidated the collected information into this report.

Security observations should be manually reviewed before they are classified as confirmed vulnerabilities or used to make remediation decisions.