

## GRAPH

$G(V, E)$

$V = \{V_1, V_2, V_3, \dots, V_n\}$

&


$E = \{e_1, e_2, e_3, \dots, e_m\}$

$e = (V_1, V_2)$

A graph is the diagram formed by the vertices joined by lines called edges.  
It is denoted by  $G$  where set of vertex

$e = (V_1, V_2)$

Ex



$V = \{V_1, V_2, V_3, V_4, V_5, V_6\}$

$E = \{e_1, e_2, e_3, e_4, e_5, e_6\}$

Parallel edges ( $e_2$  and  $e_4$ )

Edges that have two same vertices are called parallel edges

loop ( $e_6$ )

Empty graphs

Null graphs (graph with no edges)

### Null graph

No vertices in this graph

### Trivial

Graph with only one vertex is trivial

### Adjacent Vertices and Edges

Number of edges connected with vertices  
V is called degree of V. ( $d(V)$ )

Every contributes two degree

Degree of graph = sum of degrees of all vertices

→ Two types of degrees

i) Indegree      ii) Outdegree (discrete graph)

### Walk

A walk is alternating sequence b/w vertices and edges

No of edges involve in walk is called length of walk.

If initial and terminal vertices coincide then walk is close otherwise open

Teacher's Signature .....

Walk may be vertices as well as edges.

### Trail:

A walk is trail if all edges are different  
Trail may be open or closed

### Circuit

Closed trail is called circuit.

### Path

Walk is called path if all vertices and edges are distinct

### Cycle


A path in which initial and terminal vertices coincide.

	Repeted	Vertices	Edges	Terminal
Walk (open)	✓	✓	✓	✗
(close)	✓	✓	✓	✓
Trail	✗✓	✗	✗	✗
circuit	✓	✓	✗	✗
Path	✗	✗	✗	✓
Cycle	int = terminal		✗	✓

Teacher's Signature .....


Date .....

Page No. ....




### \* Eulerian Graph

→ A connected graph  $G$  is Eulerian if there exist a <sup>Closed</sup> trail containing every edge only once.



$v_1 e_1 v_2 e_2 v_3 e_3 v_4 e_4 v_5 e_5 v_3 e_6 v_6 e_7 v_1$

(ii)



Not eulerian graph.


→ A connected graph  $G$  is Eulerian if and only if all the vertices of  $G$  are of even degree.

→ A connected graph  $G$  is Eulerian if and only if its edges can be decompose into cycles

→ If  $w$  is a walk from vertex  $u$  to vertex  $v$   
then  $w$  contain an odd no. of paths.


\* Euler's Circuit

→ A Circuit is Euler if it travels each edge exactly once.



\* Bridge



→ Edge in graph that disconnects the graph is called Bridge.





\* Hamiltonian Path



→ A path which contains every vertex exactly once

→ A graph  $G$  is called Hamiltonian if it contains Hamiltonian Circuit.



→ Let  $G$  be an  $\alpha$  linear graph with  $n$  vertices  
if sum of degree of each pair of vertices  
is  $(n-1)$  or greater then their exist a Hamiltonian  
path in  $G$ .





### \* Graph Colouring

→ Process of ~~attaching~~ colour to the vertices in a graph. Such that no two adjacent vertices receives same colour. is known as graph colouring.


### \* Chromatic Number

→ Minimum no. of colours required to colour a graph is called Chromatic Number.

Adjacency

Adjacency

Adjacency:




	V1	V2	V3	V4
V1	2	1	0	2
V2	1	0	0	1
V3	0	0	0	1
V4	2	1	1	0

Incidence:


	e1	e2	e3	e4	e5	e6
V1	1	1	1	1	0	0
V2	0	0	0	1	1	0
V3	0	0	0	0	0	1
V4	1	1	0	0	1	1

Chromatic no. ( $\chi$ ):

Complete graph ( $K_n$ ):




Bipartite Graph:



Teacher's Signature .....

Complete Bipartite Graph ( $K_{m,n}$ ), (3,2)



Properties : ( $n = \text{vertices}$ )

1)  $\chi(K_n) = n$

4)  $\chi(W_{n+1}) :$



~~= 3, n is even~~  
~~= 4, n is odd~~

2)  $\chi(K_{m,n}) = 2$

3)  $\chi(C_n) = 2, n \text{ is even}$   
 $= 3, n \text{ is odd}$

Cyclic

Wheel Graph :



Teacher's Signature .....

Chromatic Polynomial:  $\forall \lambda \in P(\lambda) > P(G, 1)$


$P(\lambda)$  which gives no. of different ways to colour a graph.

Properties:

- 1) If graph  $G$  has  $G_1, G_2, G_3, \dots, G_n$  component then  $P(G, \lambda) = P(G_1, \lambda_1) P(G_2, \lambda_2), P(G_3, \lambda_3) \dots P(G, \lambda_n)$ .
- 2) Chromatic polynomial of  $K_n$  is  $P_n(\lambda) = \lambda(\lambda-1)(\lambda-2) \dots (\lambda-n+1)$ .

- Embedding of a planar graph:

The graph which can be drawn on plane without intersecting is known as planar graph.



- Euler's Formula:

$$\boxed{n - e + r = 2}$$

$n$  = no. of vertices

$e$  = no. of edges

$r$  = no. of regions


TREE:

→ Tree is a connected graph having a no cycling neither loop.

→ Its edges are called branches.

Properties of Tree:

- 1) One and only one path b/w every pair of vertices.  
 $\Leftrightarrow$  graph is tree.



- 2) If  $G$  is a tree with  $n$  vertices then there is exactly a connected with  $n$  vertices and  $(n-1)$  edges then  $G$  is tree.

- 3) A graph  $G$  is tree if and only if it is minimally connected.