



MongoDB Physical Model

Schema for:

Model name: Resume_Saathi

Author:

Version:

File name: MongoDB model Resume_Saathi.hck.json

File path: C:\Users\tusha\OneDrive\Desktop\Databases\MongoDB model Resume_Saathi.hck.json

Printed On: Wed Feb 25 2026 19:12:38 GMT+0530 (India Standard Time)

Created with: [Hackolade](#) - Polyglot data modeling for SQL and NoSQL databases, APIs, and storage formats in RDBMS

1. Model

2. Databases

2.1 Resume_Saathi

2.1.2. Collections

- 2.1.2.1 token
- 2.1.2.2 users
- 2.1.2.3 resumes_collection
- 2.1.2.4 resume_analysis
- 2.1.2.5 layout_analysis
- 2.1.2.6 job_descriptions
- 2.1.2.7 job_match_analysis
- 2.1.2.8 chat_sessions
- 2.1.2.9 chat_messages
- 2.1.2.10 sessions

3. Relationships


- 3.1 fk_users.id_to_token.user_id
- 3.2 fk_users.id_to_resumes_collection.user_id
- 3.3 fk_resumes_collection._id_to_resume_analysis.resume_id
- 3.4 fk_users._id_to_resume_analysis.user_id
- 3.5 fk_resumes_collection._id_to_resume_analysis.resume_id
- 3.6 fk_users._id_to_resume_analysis.user_id
- 3.7 fk_users._id_to_job_descriptions.user_id
- 3.8 fk_resumes_collection._id_to_job_match_analysis.resume_id
- 3.9 fk_job_descriptions._id_to_job_match_analysis.job_id
- 3.10 fk_users._id_to_chat_sessions.user_id
- 3.11 fk_users._id_to_chat_sessions.user_id
- 3.12 fk_chat_sessions._id_to_chat_sessions1.session_id
- 3.13 fk_users._id_to_sessions.user_id

1. MODEL

1.1 Model Resume_Saathi

1.1.1 Resume_Saathi Entity Relationship Diagram

Resume_Saathi



1.1.2 Resume_Saathi Properties

1.1.2.1 Details tab

PROPERTY	VALUE
Model name	Resume_Saathi
Target	MongoDB
DB version	v7.x
Lineage capture	false

1.1.2.2 Options tab

PROPERTY	VALUE
----------	-------

1.1.3 Resume_Saathi DB Definitions

1.1.3.1 Field **^[a-zA-Z0-9_.-]+\$**

1.1.3.1.1 **^[a-zA-Z0-9_-.]+\$ properties**

PROPERTY	VALUE
Name	^[a-zA-Z0-9_-.]+\$
Type	document
Additional properties	false

2. DATABASES

2.1 Database **Resume_Saathi**

2.1.1 **Resume_Saathi** Properties

PROPERTY	VALUE
Database name	Resume_Saathi
Activated	true

2.1.2 **Resume_Saathi** Collections

2.1.2.1 Collection **token**

2.1.2.1.1 **token** Properties

PROPERTY	VALUE
Collection name	token
Activated	true
Database	Resume_Saathi
Storage engine	WiredTiger
Validation level	Off
Validation action	Warn
Additional properties	true

2.1.2.1.2 **token** Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
_id	objectId	true	pk		
user_id	objectId	true	fk		
token	string	true			
type	string	true			
email_verified	boolean	true			
expires_at	date	true			
created_at	date	true			

2.1.2.1.2.1 Field **_id**

2.1.2.1.2.1.1 **_id** properties

PROPERTY	VALUE
Name	_id
Activated	true
Type	objectId
Required	true
Primary key	true

2.1.2.1.2.2 Field **user_id**

2.1.2.1.2.2.1 user_id properties

PROPERTY	VALUE
Name	user_id
Activated	true
Type	objectId
Required	true
Foreign collection	users
Foreign field	_id
Relationship type	Foreign Key

2.1.2.1.2.3 Field token**2.1.2.1.2.3.1 token properties**

PROPERTY	VALUE
Name	token
Activated	true
Field-level encryption	false
Type	string
Required	true

2.1.2.1.2.4 Field type**2.1.2.1.2.4.1 type properties**

PROPERTY	VALUE
Name	type
Activated	true
Field-level encryption	false
Type	string
Required	true

2.1.2.1.2.5 Field email_verified**2.1.2.1.2.5.1 email_verified properties**

PROPERTY	VALUE
Name	email_verified
Activated	true
Type	boolean
Required	true

2.1.2.1.2.6 Field expires_at**2.1.2.1.2.6.1 expires_at properties**

PROPERTY	VALUE
Name	expires_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.1.2.7 Field created_at

2.1.2.1.2.7.1 created_at properties

PROPERTY	VALUE
Name	created_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.1.3 token Indexes

PROPERTY	TOKEN
Name	token
Activated	true
Key	token('ascending')
Unique	true
Drop duplicates	false
Sparse	false
Background indexing	false
Storage engine	WiredTiger

2.1.2.1.4 token Definitions**2.1.2.1.4.1 Field New Field1****2.1.2.1.4.1.1 New Field1 properties**

PROPERTY	VALUE
Name	New Field1
Type	regex

2.1.2.1.5 token Target Script

```
use Resume_Saathi;

db.createCollection("token", {
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
      "title": "token",
      "properties": {
        "_id": {
          "bsonType": "objectId"
        },
        "user_id": {
          "bsonType": "objectId"
        },
        "token": {
          "bsonType": "string"
        },
        "type": {
          "bsonType": "string"
        },
        "email_verified": {
          "bsonType": "bool"
        },
        "expires_at": {
          "bsonType": "date"
        },
        "created_at": {
          "bsonType": "date"
        }
      }
    },
    "additionalProperties": true,
    "required": [
      "_id",
      "user_id",
      "token",
      "type",
      "email_verified",
      "expires_at",
      "created_at"
    ]
  },
  "validationLevel": "off"
});

db.token.createIndex({
  "token": 1
},
{
  "name": "token",
  "unique": true
});
```

2.1.2.2 Collection users

2.1.2.2.1 users Properties

PROPERTY	VALUE
Collection name	users
Activated	true
Database	Resume_Saathi
Storage engine	WiredTiger
Validation level	Off
Validation action	Warn
Additional properties	true

2.1.2.2.2 users Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
_id	objectId	true	pk, dk		
name	string	true			
email	string	true			
password	string	false			
email_verified	boolean	true			
auth_service	array	false			
[0]	document	false			
auth_provider	string	true			
provider_id	string	true			
linked_at	date	true			
[1]	document	false			
auth_provider	string	true			
provider_id	string	true			
linked_at	date	true			
resume_id	objectId	false			
updated_at	date	true			
created_at	date	true			

2.1.2.2.2.1 Field _id

2.1.2.2.2.1.1 _id properties

PROPERTY	VALUE
Name	_id
Activated	true
Type	objectId
Required	true
Primary key	true

2.1.2.2.2.2 Field name

2.1.2.2.2.2.1 name properties

PROPERTY	VALUE
Name	name
Activated	true
Type	string
Required	true

2.1.2.2.2.3 Field email

2.1.2.2.2.3.1 email properties

PROPERTY	VALUE
Name	email
Activated	true
Field-level encryption	false
Type	string
Required	true

2.1.2.2.2.4 Field password

2.1.2.2.2.4.1 password properties

PROPERTY	VALUE
Name	password
Activated	true
Field-level encryption	false
Type	string
Required	false


2.1.2.2.2.5 Field email_verified

2.1.2.2.2.5.1 email_verified properties

PROPERTY	VALUE
Name	email_verified
Activated	true
Type	boolean
Required	true

2.1.2.2.2.6 Field auth_service

2.1.2.2.2.6.1 auth_service Tree Diagram



2.1.2.2.2.6.2 auth_service Hierarchy

Parent field: **users**
Child field(s):


FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
[0]	document	false			
[1]	document	false			

2.1.2.2.2.6.3 auth_service properties

PROPERTY	VALUE
Name	auth_service
Activated	true
Type	array
Additional items	true

2.1.2.2.2.7 Field [0]

2.1.2.2.2.7.1 [0] Tree Diagram



2.1.2.2.2.7.2 [0] Hierarchy

Parent field: auth_service
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
auth_provider	string	true			
provider_id	string	true			
linked_at	date	true			

2.1.2.2.2.7.3 [0] properties

PROPERTY	VALUE
Activated	true
Type	document
Additional properties	false

2.1.2.2.2.8 Field auth_provider

2.1.2.2.2.8.1 auth_provider properties

PROPERTY	VALUE
Name	auth_provider
Activated	true
Type	string
Enum	GOOGLE, LINKEDIN
Required	true

2.1.2.2.2.9 Field provider_id

2.1.2.2.2.9.1 provider_id properties

PROPERTY	VALUE
Name	provider_id
Activated	true
Type	string
Required	true


2.1.2.2.2.10 Field linked_at

2.1.2.2.2.10.1 linked_at properties

PROPERTY	VALUE
Name	linked_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.2.2.11 Field [1]

2.1.2.2.2.11.1 [1] Tree Diagram



2.1.2.2.2.11.2 [1] Hierarchy

Parent field: **auth_service**
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
auth_provider	string	true			
provider_id	string	true			
linked_at	date	true			

2.1.2.2.2.11.3 [1] properties

PROPERTY	VALUE
Activated	true
Type	document
Additional properties	false

2.1.2.2.2.12 Field **auth_provider**

2.1.2.2.2.12.1 **auth_provider** properties

PROPERTY	VALUE
Name	auth_provider
Activated	true
Type	string
Enum	GOOGLE, LINKEDIN
Required	true

2.1.2.2.2.13 Field **provider_id**

2.1.2.2.2.13.1 provider_id properties

PROPERTY	VALUE
Name	provider_id
Activated	true
Type	string
Required	true

2.1.2.2.2.14 Field linked_at**2.1.2.2.2.14.1 linked_at properties**

PROPERTY	VALUE
Name	linked_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.2.2.15 Field resume_id**2.1.2.2.2.15.1 resume_id properties**

PROPERTY	VALUE
Name	resume_id
Activated	true
Type	objectId
Foreign collection	resumes_collection

2.1.2.2.2.16 Field updated_at**2.1.2.2.2.16.1 updated_at properties**

PROPERTY	VALUE
Name	updated_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.2.2.17 Field created_at**2.1.2.2.2.17.1 created_at properties**

PROPERTY	VALUE
Name	created_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.2.3 users Indexes

PROPERTY	EMAIL
Name	email
Activated	true
Key	email('ascending')
Unique	true
Drop duplicates	false
Sparse	false
Background indexing	false
Storage engine	WiredTiger

2.1.2.2.4 users Definitions

2.1.2.2.4.1 Field New Field1

2.1.2.2.4.1.1 New Field1 properties

PROPERTY	VALUE
Name	New Field1
Type	regex

2.1.2.2.5 users Target Script

```
use Resume_Saathi;

db.createCollection("users", {
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
      "title": "users",
      "properties": {
        "_id": {
          "bsonType": "objectId"
        },
        "name": {
          "bsonType": "string"
        },
        "email": {
          "bsonType": "string"
        },
        "password": {
          "bsonType": "string"
        },
        "email_verified": {
          "bsonType": "bool"
        },
        "auth_service": {
          "bsonType": "array",
          "additionalItems": true,
          "items": [
            {
              "bsonType": "object",
              "properties": {
                "auth_provider": {
                  "bsonType": "string",
                  "enum": [
                    "GOOGLE",
                    "LINKEDIN"
                  ]
                },
                "provider_id": {
                  "bsonType": "string"
                },
                "linked_at": {
                  "bsonType": "date"
                }
              }
            }
          ],
          "additionalProperties": false,
          "required": [
            "auth_provider",
            "provider_id",
            "linked_at"
          ]
        },
        {
          "bsonType": "object",
          "properties": {
            "auth_provider": {
              "bsonType": "string",
              "enum": [
                "GOOGLE",
                "LINKEDIN"
              ]
            }
          }
        }
      }
    }
  }
})
```

```

        ]
      },
      "provider_id": {
        "bsonType": "string"
      },
      "linked_at": {
        "bsonType": "date"
      }
    },
    "additionalProperties": false,
    "required": [
      "auth_provider",
      "provider_id",
      "linked_at"
    ]
  }
]
},
"resume_id": {
  "bsonType": "objectId"
},
"updated_at": {
  "bsonType": "date"
},
"created_at": {
  "bsonType": "date"
}
},
"additionalProperties": true,
"required": [
  "_id",
  "name",
  "email",
  "email_verified",
  "updated_at",
  "created_at"
]
}
},
"validationLevel": "off"
});

db.users.createIndex({
  "email": 1
},
{
  "name": "email",
  "unique": true
});

```

2.1.2.3 Collection **resumes_collection**

2.1.2.3.1 **resumes_collection** Properties

PROPERTY	VALUE
Collection name	resumes_collection
Activated	true
Database	Resume_Saathi
Storage engine	WiredTiger
Validation level	Off
Validation action	Warn
Additional properties	false

2.1.2.3.2 resumes_collection Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
_id	objectId	true	pk, dk		
user_id	objectId	true	fk		
resume_url	string	true			
parsed_data	string	true			
raw_pdf_response	string	true			
updated_at	date	true			
created_at	date	true			

2.1.2.3.2.1 Field _id

2.1.2.3.2.1.1 _id properties

PROPERTY	VALUE
Name	_id
Activated	true
Type	objectId
Required	true
Primary key	true

2.1.2.3.2.2 Field user_id

2.1.2.3.2.2.1 user_id properties

PROPERTY	VALUE
Name	user_id
Activated	true
Type	objectId
Required	true
Foreign collection	users
Foreign field	_id
Relationship type	Foreign Key

2.1.2.3.2.3 Field resume_url

2.1.2.3.2.3.1 resume_url properties

PROPERTY	VALUE
Name	resume_url
Activated	true
Type	string
Required	true

2.1.2.3.2.4 Field parsed_data

2.1.2.3.2.4.1 parsed_data properties

PROPERTY	VALUE
Name	parsed_data
Activated	true
Type	string
Required	true

2.1.2.3.2.5 Field raw_pdf_response**2.1.2.3.2.5.1 raw_pdf_response properties**

PROPERTY	VALUE
Name	raw_pdf_response
Activated	true
Type	string
Required	true

2.1.2.3.2.6 Field updated_at**2.1.2.3.2.6.1 updated_at properties**

PROPERTY	VALUE
Name	updated_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.3.2.7 Field created_at**2.1.2.3.2.7.1 created_at properties**

PROPERTY	VALUE
Name	created_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.3.3 resumes_collection Indexes

PROPERTY	UNIQUE
Name	unique
Activated	true
Key	user_id('ascending')
Unique	true
Drop duplicates	false
Sparse	false
Background indexing	false
Storage engine	WiredTiger

2.1.2.3.4 resumes_collection Target Script

```
use Resume_Saathi;

db.createCollection("resumes_collection", {
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
      "title": "resumes_collection",
      "properties": {
        "_id": {
          "bsonType": "objectId"
        },
        "user_id": {
          "bsonType": "objectId"
        },
        "resume_url": {
          "bsonType": "string"
        },
        "parsed_data": {
          "bsonType": "string"
        },
        "raw_pdf_response": {
          "bsonType": "string"
        },
        "updated_at": {
          "bsonType": "date"
        },
        "created_at": {
          "bsonType": "date"
        }
      }
    },
    "additionalProperties": false,
    "required": [
      "_id",
      "user_id",
      "resume_url",
      "parsed_data",
      "raw_pdf_response",
      "updated_at",
      "created_at"
    ]
  },
  "validationLevel": "off",
  "validationAction": "warn"
});

db.resumes_collection.createIndex({
  "user_id": 1
},
{
  "name": "unique",
  "unique": true
});
```

2.1.2.4 Collection **resume_analysis**

2.1.2.4.1 **resume_analysis** Properties

PROPERTY	VALUE
Collection name	resume_analysis
Activated	true
Database	Resume_Saathi
Storage engine	WiredTiger
Validation level	Off
Validation action	Warn
Additional properties	false

2.1.2.4.2 resume_analysis Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
_id	objectId	true	pk		
resume_id	objectId	true	fk		
user_id	objectId	true	fk		
sections_present	array	true			
missing_sections	array	true			
format_issues	array	true			
ats_compatibility	string	true			
format_score	numeric	true			
keyword_score	numeric	true			
ats_score	numeric	true			
suggestions	string	true			
english_problem	array	true			
[0]	document	false			
sentence	string	true			
problem_type	string	true			
issue_description	string	true			
suggested_fix	string	true			
[1]	document	false			
sentence	string	true			
problem_type	string	true			
issue_description	string	true			
suggested_fix	string	true			
updated_at	date	true			
created_at	date	true			

2.1.2.4.2.1 Field _id

2.1.2.4.2.1.1 _id properties

PROPERTY	VALUE
Name	_id
Activated	true
Type	objectId
Required	true
Primary key	true

2.1.2.4.2.2 Field resume_id

2.1.2.4.2.2.1 resume_id properties

PROPERTY	VALUE
Name	resume_id
Activated	true
Type	objectId
Required	true
Foreign collection	resumes_collection
Foreign field	_id
Relationship type	Foreign Key

2.1.2.4.2.3 Field user_id**2.1.2.4.2.3.1 user_id properties**

PROPERTY	VALUE
Name	user_id
Activated	true
Type	objectId
Required	true
Foreign collection	users
Foreign field	_id
Relationship type	Foreign Key

2.1.2.4.2.4 Field sections_present**2.1.2.4.2.4.1 sections_present properties**

PROPERTY	VALUE
Name	sections_present
Activated	true
Type	array
Required	true
Additional items	true

2.1.2.4.2.5 Field missing_sections**2.1.2.4.2.5.1 missing_sections properties**

PROPERTY	VALUE
Name	missing_sections
Activated	true
Type	array
Required	true
Unique items	false
Additional items	true

2.1.2.4.2.6 Field format_issues

2.1.2.4.2.6.1 format_issues properties

PROPERTY	VALUE
Name	format_issues
Activated	true
Type	array
Required	true
Primary key	false
Additional items	true

2.1.2.4.2.7 Field ats_compatibility**2.1.2.4.2.7.1 ats_compatibility properties**

PROPERTY	VALUE
Name	ats_compatibility
Activated	true
Type	string
Enum	Low,Medium,High
Required	true
Primary key	false

2.1.2.4.2.8 Field format_score**2.1.2.4.2.8.1 format_score properties**

PROPERTY	VALUE
Name	format_score
Activated	true
Type	numeric
Required	true
Primary key	false
Min value	0
Max value	100

2.1.2.4.2.9 Field keyword_score**2.1.2.4.2.9.1 keyword_score properties**

PROPERTY	VALUE
Name	keyword_score
Activated	true
Type	numeric
Required	true
Primary key	false
Min value	0
Max value	100

2.1.2.4.2.10 Field ats_score

2.1.2.4.2.10.1 ats_score properties

PROPERTY	VALUE
Name	ats_score
Activated	true
Type	numeric
Required	true
Primary key	false
Min value	0
Max value	100


2.1.2.4.2.11 Field suggestions

2.1.2.4.2.11.1 suggestions properties

PROPERTY	VALUE
Name	suggestions
Activated	true
Type	string
Required	true
Primary key	false

2.1.2.4.2.12 Field english_problem

2.1.2.4.2.12.1 english_problem Tree Diagram



2.1.2.4.2.12.2 english_problem Hierarchy

Parent field: resume_analysis
Child field(s):


FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
[0]	document	false			
[1]	document	false			

2.1.2.4.2.12.3 english_problem properties

PROPERTY	VALUE
Name	english_problem
Activated	true
Type	array
Required	true
Additional items	true

2.1.2.4.2.13 Field [0]

2.1.2.4.2.13.1 [0] Tree Diagram



2.1.2.4.2.13.2 [0] Hierarchy

Parent field: **english_problem**
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
sentence	string	true			
problem_type	string	true			
issue_description	string	true			
suggested_fix	string	true			

2.1.2.4.2.13.3 [0] properties

PROPERTY	VALUE
Activated	true
Type	document
Additional properties	false

2.1.2.4.2.14 Field **sentence**

2.1.2.4.2.14.1 sentence properties

PROPERTY	VALUE
Name	sentence
Activated	true
Type	string
Required	true

2.1.2.4.2.15 Field problem_type**2.1.2.4.2.15.1 problem_type properties**

PROPERTY	VALUE
Name	problem_type
Activated	true
Type	string
Required	true

2.1.2.4.2.16 Field issue_description**2.1.2.4.2.16.1 issue_description properties**


PROPERTY	VALUE
Name	issue_description
Activated	true
Type	string
Required	true

2.1.2.4.2.17 Field suggested_fix**2.1.2.4.2.17.1 suggested_fix properties**

PROPERTY	VALUE
Name	suggested_fix
Activated	true
Type	string
Required	true

2.1.2.4.2.18 Field [1]

2.1.2.4.2.18.1 [1] Tree Diagram



2.1.2.4.2.18.2 [1] Hierarchy

Parent field: **english_problem**
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
sentence	string	true			
problem_type	string	true			
issue_description	string	true			
suggested_fix	string	true			

2.1.2.4.2.18.3 [1] properties

PROPERTY	VALUE
Activated	true
Type	document
Additional properties	false

2.1.2.4.2.19 Field **sentence**

2.1.2.4.2.19.1 **sentence** properties

PROPERTY	VALUE
Name	sentence
Activated	true
Type	string
Required	true

2.1.2.4.2.20 Field `problem_type`**2.1.2.4.2.20.1 `problem_type` properties**

PROPERTY	VALUE
Name	problem_type
Activated	true
Type	string
Required	true

2.1.2.4.2.21 Field `issue_description`**2.1.2.4.2.21.1 `issue_description` properties**

PROPERTY	VALUE
Name	issue_description
Activated	true
Type	string
Required	true

2.1.2.4.2.22 Field `suggested_fix`**2.1.2.4.2.22.1 `suggested_fix` properties**

PROPERTY	VALUE
Name	suggested_fix
Activated	true
Type	string
Required	true

2.1.2.4.2.23 Field `updated_at`**2.1.2.4.2.23.1 `updated_at` properties**

PROPERTY	VALUE
Name	updated_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.4.2.24 Field `created_at`**2.1.2.4.2.24.1 `created_at` properties**

PROPERTY	VALUE
Name	created_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.4.3 `resume_analysis` Indexes

PROPERTY	UNIQUE
Name	unique
Activated	true
Key	user_id('ascending'), resume_id('ascending')
Unique	true
Drop duplicates	false
Sparse	false
Background indexing	false
Storage engine	WiredTiger

2.1.2.4.4 resume_analysis Target Script

```
use Resume_Saathi;

db.createCollection("resume_analysis", {
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
      "title": "resume_analysis",
      "properties": {
        "_id": {
          "bsonType": "objectId"
        },
        "resume_id": {
          "bsonType": "objectId"
        },
        "user_id": {
          "bsonType": "objectId"
        },
        "sections_present": {
          "bsonType": "array",
          "additionalItems": true
        },
        "missing_sections": {
          "bsonType": "array",
          "additionalItems": true,
          "uniqueItems": false
        },
        "format_issues": {
          "bsonType": "array",
          "additionalItems": true
        },
        "ats_compatibility": {
          "bsonType": "string",
          "enum": [
            "Low",
            "Medium",
            "High"
          ]
        },
        "format_score": {
          "bsonType": "number",
          "maximum": 100,
          "minimum": 0
        },
        "keyword_score": {
          "bsonType": "number",
          "maximum": 100,
          "minimum": 0
        },
        "ats_score": {
          "bsonType": "number",
          "maximum": 100,
          "minimum": 0
        },
        "suggestions": {
          "bsonType": "string"
        },
        "english_problem": {
          "bsonType": "array",
          "additionalItems": true,

```

```
"items": [
  {
    "bsonType": "object",
    "properties": {
      "sentence": {
        "bsonType": "string"
      },
      "problem_type": {
        "bsonType": "string"
      },
      "issue_description": {
        "bsonType": "string"
      },
      "suggested_fix": {
        "bsonType": "string"
      }
    },
    "additionalProperties": false,
    "required": [
      "sentence",
      "problem_type",
      "issue_description",
      "suggested_fix"
    ]
  },
  {
    "bsonType": "object",
    "properties": {
      "sentence": {
        "bsonType": "string"
      },
      "problem_type": {
        "bsonType": "string"
      },
      "issue_description": {
        "bsonType": "string"
      },
      "suggested_fix": {
        "bsonType": "string"
      }
    },
    "additionalProperties": false,
    "required": [
      "sentence",
      "problem_type",
      "issue_description",
      "suggested_fix"
    ]
  }
],
"updated_at": {
  "bsonType": "date"
},
"created_at": {
  "bsonType": "date"
}
},
"additionalProperties": false,
"required": [
  "_id",
```

```
        "resume_id",
        "user_id",
        "sections_present",
        "missing_sections",
        "format_issues",
        "ats_compatibility",
        "format_score",
        "keyword_score",
        "ats_score",
        "suggestions",
        "english_problem",
        "updated_at",
        "created_at"
    ]
}
},
"validationLevel": "off",
"validationAction": "warn"
});

db.resume_analysis.createIndex({
    "user_id": 1,
    "resume_id": 1
},
{
    "name": "unique",
    "unique": true
});
```

2.1.2.5 Collection layout_analysis

2.1.2.5.1 layout_analysis Properties

PROPERTY	VALUE
Collection name	layout_analysis
Activated	true
Database	Resume_Saathi
Storage engine	WiredTiger
Validation level	Off
Validation action	Warn
Additional properties	false

2.1.2.5.2 layout_analysis Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
_id	objectId	true	pk		
resume_id	objectId	true	fk		
user_id	objectId	true	fk		
font_analysis	document	true			
avg_font_size	numeric	true			
min_font_size	numeric	true			
max_font_size	numeric	true			
font_variations	numeric	true			
inconsistent_fonts	boolean	true			
spacing_analysis	document	true			
avg_line_height	numeric	true			
min_line_height	numeric	true			
max_line_height	numeric	true			
excessive_spacing_detected	boolean	true			
compressed_spacing_detected	boolean	true			
column_analysis	document	true			
multi_column_detected	numeric	true			
column_count	numeric	true			
margin_analysis	document	true			
left_margin	numeric	true			
right_margin	numeric	true			
top_margin	numeric	true			
bottom_margin	numeric	true			
margin_issue_detected	boolean	true			
alignment_analysis	document	true			
centered_text_detected	boolean	true			
inconsistent_alignment	boolean	true			
layout_score	numeric	true			
ats_risk_level	string	true			
suggestions	string	true			
updated_at	date	true			
created_at	date	true			

2.1.2.5.2.1 Field _id

2.1.2.5.2.1.1 _id properties

PROPERTY	VALUE
Name	_id
Activated	true
Type	objectId
Required	true
Primary key	true

2.1.2.5.2.2 Field resume_id

2.1.2.5.2.2.1 resume_id properties


PROPERTY	VALUE
Name	resume_id
Activated	true
Type	objectId
Required	true
Foreign collection	resumes_collection
Foreign field	_id
Relationship type	Foreign Key

2.1.2.5.2.3 Field user_id**2.1.2.5.2.3.1 user_id properties**

PROPERTY	VALUE
Name	user_id
Activated	true
Type	objectId
Required	true
Foreign collection	users
Foreign field	_id
Relationship type	Foreign Key

2.1.2.5.2.4 Field font_analysis

2.1.2.5.2.4.1 font_analysis Tree Diagram



2.1.2.5.2.4.2 font_analysis Hierarchy

Parent field: layout_analysis
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
avg_font_size	numeric	true			
min_font_size	numeric	true			
max_font_size	numeric	true			
font_variations	numeric	true			
inconsistent_fonts	boolean	true			

2.1.2.5.2.4.3 font_analysis properties

PROPERTY	VALUE
Name	font_analysis
Activated	true
Type	document
Required	true
Additional properties	false

2.1.2.5.2.5 Field avg_font_size

2.1.2.5.2.5.1 avg_font_size properties

PROPERTY	VALUE
Name	avg_font_size
Activated	true
Type	numeric
Required	true

2.1.2.5.2.6 Field min_font_size

2.1.2.5.2.6.1 min_font_size properties

PROPERTY	VALUE
Name	min_font_size
Activated	true
Type	numeric
Required	true

2.1.2.5.2.7 Field max_font_size

2.1.2.5.2.7.1 max_font_size properties

PROPERTY	VALUE
Name	max_font_size
Activated	true
Type	numeric
Required	true

2.1.2.5.2.8 Field font_variations

2.1.2.5.2.8.1 font_variations properties

PROPERTY	VALUE
Name	font_variations
Activated	true
Type	numeric
Required	true


2.1.2.5.2.9 Field inconsistent_fonts

2.1.2.5.2.9.1 inconsistent_fonts properties

PROPERTY	VALUE
Name	inconsistent_fonts
Activated	true
Type	boolean
Required	true

2.1.2.5.2.10 Field **spacing_analysis**

2.1.2.5.2.10.1 **spacing_analysis** Tree Diagram



2.1.2.5.2.10.2 **spacing_analysis** Hierarchy

Parent field: **layout_analysis**
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
avg_line_height	numeric	true			
min_line_height	numeric	true			
max_line_height	numeric	true			
excessive_spacing_detected	boolean	true			
compressed_spacing_detected	boolean	true			

2.1.2.5.2.10.3 **spacing_analysis** properties

PROPERTY	VALUE
Name	spacing_analysis
Activated	true
Type	document
Required	true
Additional properties	false

2.1.2.5.2.11 Field avg_line_height**2.1.2.5.2.11.1 avg_line_height properties**

PROPERTY	VALUE
Name	avg_line_height
Activated	true
Type	numeric
Required	true

2.1.2.5.2.12 Field min_line_height**2.1.2.5.2.12.1 min_line_height properties**

PROPERTY	VALUE
Name	min_line_height
Activated	true
Type	numeric
Required	true

2.1.2.5.2.13 Field max_line_height**2.1.2.5.2.13.1 max_line_height properties**

PROPERTY	VALUE
Name	max_line_height
Activated	true
Type	numeric
Required	true

2.1.2.5.2.14 Field excessive_spacing_detected**2.1.2.5.2.14.1 excessive_spacing_detected properties**


PROPERTY	VALUE
Name	excessive_spacing_detected
Activated	true
Type	boolean
Required	true

2.1.2.5.2.15 Field compressed_spacing_detected**2.1.2.5.2.15.1 compressed_spacing_detected properties**

PROPERTY	VALUE
Name	compressed_spacing_detected
Activated	true
Type	boolean
Required	true

2.1.2.5.2.16 Field column_analysis

2.1.2.5.2.16.1 column_analysis Tree Diagram



2.1.2.5.2.16.2 column_analysis Hierarchy

Parent field: layout_analysis
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
multi_column_detected	numeric	true			
column_count	numeric	true			

2.1.2.5.2.16.3 column_analysis properties

PROPERTY	VALUE
Name	column_analysis
Activated	true
Type	document
Required	true
Primary key	false
Additional properties	false

2.1.2.5.2.17 Field multi_column_detected

2.1.2.5.2.17.1 multi_column_detected properties

PROPERTY	VALUE
Name	multi_column_detected
Activated	true
Type	numeric
Required	true


2.1.2.5.2.18 Field column_count

2.1.2.5.2.18.1 column_count properties

PROPERTY	VALUE
Name	column_count
Activated	true
Type	numeric
Required	true

2.1.2.5.2.19 Field margin_analysis

2.1.2.5.2.19.1 margin_analysis Tree Diagram



2.1.2.5.2.19.2 margin_analysis Hierarchy

Parent field: layout_analysis
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
left_margin	numeric	true			
right_margin	numeric	true			
top_margin	numeric	true			
bottom_margin	numeric	true			
margin_issue_detected	boolean	true			

2.1.2.5.2.19.3 margin_analysis properties

PROPERTY	VALUE
Name	margin_analysis
Activated	true
Type	document
Required	true
Additional properties	false

2.1.2.5.2.20 Field left_margin**2.1.2.5.2.20.1 left_margin properties**

PROPERTY	VALUE
Name	left_margin
Activated	true
Type	numeric
Required	true

2.1.2.5.2.21 Field right_margin**2.1.2.5.2.21.1 right_margin properties**

PROPERTY	VALUE
Name	right_margin
Activated	true
Type	numeric
Required	true

2.1.2.5.2.22 Field top_margin**2.1.2.5.2.22.1 top_margin properties**

PROPERTY	VALUE
Name	top_margin
Activated	true
Type	numeric
Required	true

2.1.2.5.2.23 Field bottom_margin**2.1.2.5.2.23.1 bottom_margin properties**


PROPERTY	VALUE
Name	bottom_margin
Activated	true
Type	numeric
Required	true

2.1.2.5.2.24 Field margin_issue_detected**2.1.2.5.2.24.1 margin_issue_detected properties**

PROPERTY	VALUE
Name	margin_issue_detected
Activated	true
Type	boolean
Required	true

2.1.2.5.2.25 Field alignment_analysis

2.1.2.5.2.25.1 alignment_analysis Tree Diagram



2.1.2.5.2.25.2 alignment_analysis Hierarchy

Parent field: layout_analysis
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
centered_text_detected	boolean	true			
inconsistent_alignment	boolean	true			

2.1.2.5.2.25.3 alignment_analysis properties

PROPERTY	VALUE
Name	alignment_analysis
Activated	true
Type	document
Required	true
Primary key	false
Additional properties	false

2.1.2.5.2.26 Field centered_text_detected

2.1.2.5.2.26.1 centered_text_detected properties

PROPERTY	VALUE
Name	centered_text_detected
Activated	true
Type	boolean
Required	true

2.1.2.5.2.27 Field inconsistent_alignment

2.1.2.5.2.27.1 inconsistent_alignment properties

PROPERTY	VALUE
Name	inconsistent_alignment
Activated	true
Type	boolean
Required	true

2.1.2.5.2.28 Field layout_score

2.1.2.5.28.1 layout_score properties

PROPERTY	VALUE
Name	layout_score
Activated	true
Type	numeric
Required	true
Primary key	false
Min value	0
Max value	100

2.1.2.5.29 Field ats_risk_level**2.1.2.5.29.1 ats_risk_level properties**

PROPERTY	VALUE
Name	ats_risk_level
Activated	true
Type	string
Enum	Low,Medium,High
Required	true
Primary key	false

2.1.2.5.30 Field suggestions**2.1.2.5.30.1 suggestions properties**

PROPERTY	VALUE
Name	suggestions
Activated	true
Type	string
Required	true
Primary key	false

2.1.2.5.31 Field updated_at**2.1.2.5.31.1 updated_at properties**

PROPERTY	VALUE
Name	updated_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.5.32 Field created_at**2.1.2.5.32.1 created_at properties**

PROPERTY	VALUE
Name	created_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.5.3 layout_analysis Indexes

PROPERTY	UNIQUE
Name	unique
Activated	true
Key	resume_id('ascending'), user_id('ascending')
Unique	true
Drop duplicates	false
Sparse	false
Background indexing	false
Storage engine	WiredTiger

2.1.2.5.4 layout_analysis Target Script

```
use Resume_Saathi;

db.createCollection("layout_analysis", {
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
      "title": "layout_analysis",
      "properties": {
        "_id": {
          "bsonType": "objectId"
        },
        "resume_id": {
          "bsonType": "objectId"
        },
        "user_id": {
          "bsonType": "objectId"
        },
        "font_analysis": {
          "bsonType": "object",
          "properties": {
            "avg_font_size": {
              "bsonType": "number"
            },
            "min_font_size": {
              "bsonType": "number"
            },
            "max_font_size": {
              "bsonType": "number"
            },
            "font_variations": {
              "bsonType": "number"
            },
            "inconsistent_fonts": {
              "bsonType": "bool"
            }
          }
        },
        "additionalProperties": false,
        "required": [
          "avg_font_size",
          "min_font_size",
          "max_font_size",
          "font_variations",
          "inconsistent_fonts"
        ]
      }
    },
    "spacing_analysis": {
      "bsonType": "object",
      "properties": {
        "avg_line_height": {
          "bsonType": "number"
        },
        "min_line_height": {
          "bsonType": "number"
        },
        "max_line_height": {
          "bsonType": "number"
        },
        "excessive_spacing_detected": {
          "bsonType": "bool"
        }
      }
    }
  }
})
```

```
    },
    "compressed_spacing_detected": {
      "bsonType": "bool"
    }
  },
  "additionalProperties": false,
  "required": [
    "avg_line_height",
    "min_line_height",
    "max_line_height",
    "excessive_spacing_detected",
    "compressed_spacing_detected"
  ]
},
"column_analysis": {
  "bsonType": "object",
  "properties": {
    "multi_column_detected": {
      "bsonType": "number"
    },
    "column_count": {
      "bsonType": "number"
    }
  },
  "additionalProperties": false,
  "required": [
    "multi_column_detected",
    "column_count"
  ]
},
"margin_analysis": {
  "bsonType": "object",
  "properties": {
    "left_margin": {
      "bsonType": "number"
    },
    "right_margin": {
      "bsonType": "number"
    },
    "top_margin": {
      "bsonType": "number"
    },
    "bottom_margin": {
      "bsonType": "number"
    },
    "margin_issue_detected": {
      "bsonType": "bool"
    }
  },
  "additionalProperties": false,
  "required": [
    "left_margin",
    "right_margin",
    "top_margin",
    "bottom_margin",
    "margin_issue_detected"
  ]
},
"alignment_analysis": {
  "bsonType": "object",
  "properties": {
```

```

        "centered_text_detected": {
            "bsonType": "bool"
        },
        "inconsistent_alignment": {
            "bsonType": "bool"
        }
    },
    "additionalProperties": false,
    "required": [
        "centered_text_detected",
        "inconsistent_alignment"
    ]
},
"layout_score": {
    "bsonType": "number",
    "maximum": 100,
    "minimum": 0
},
"ats_risk_level": {
    "bsonType": "string",
    "enum": [
        "Low",
        "Medium",
        "High"
    ]
},
"suggestions": {
    "bsonType": "string"
},
"updated_at": {
    "bsonType": "date"
},
"created_at": {
    "bsonType": "date"
}
},
"additionalProperties": false,
"required": [
    "_id",
    "resume_id",
    "user_id",
    "font_analysis",
    "spacing_analysis",
    "column_analysis",
    "margin_analysis",
    "alignment_analysis",
    "layout_score",
    "ats_risk_level",
    "suggestions",
    "updated_at",
    "created_at"
]
}
},
"validationLevel": "off",
"validationAction": "warn"
});

db.layout_analysis.createIndex({
    "resume_id": 1,
    "user_id": 1

```

```
},
{
  "name": "unique",
  "unique": true
});
```

2.1.2.6 Collection **job_descriptions**

2.1.2.6.1 **job_descriptions** Properties

PROPERTY	VALUE
Collection name	job_descriptions
Activated	true
Database	Resume_Saathi
Storage engine	WiredTiger
Validation level	Off
Validation action	Warn
Additional properties	false

2.1.2.6.2 **job_descriptions** Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
_id	objectId	true	pk, dk		
user_id	objectId	true	fk		
title	string	false			
company_name	string	false			
description	string	true			
required_skills	array	false			
[0]	string	false			
[1]	string	false			
[2]	string	false			
updated_at	date	true			
created_at	date	true			

2.1.2.6.2.1 Field **_id**

2.1.2.6.2.1.1 **_id** properties

PROPERTY	VALUE
Name	_id
Activated	true
Type	objectId
Required	true
Primary key	true

2.1.2.6.2.2 Field **user_id**

2.1.2.6.2.2.1 user_id properties

PROPERTY	VALUE
Name	user_id
Activated	true
Type	objectId
Required	true
Foreign collection	users
Foreign field	_id
Relationship type	Foreign Key

2.1.2.6.2.3 Field title

2.1.2.6.2.3.1 title properties

PROPERTY	VALUE
Name	title
Activated	true
Type	string
Required	false

2.1.2.6.2.4 Field company_name

2.1.2.6.2.4.1 company_name properties

PROPERTY	VALUE
Name	company_name
Activated	true
Type	string


2.1.2.6.2.5 Field description

2.1.2.6.2.5.1 description properties

PROPERTY	VALUE
Name	description
Activated	true
Type	string
Required	true

2.1.2.6.2.6 Field required_skills

2.1.2.6.2.6.1 required_skills Tree Diagram



2.1.2.6.2.6.2 required_skills Hierarchy

Parent field: job_descriptions
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
[0]	string	false			
[1]	string	false			
[2]	string	false			

2.1.2.6.2.6.3 required_skills properties

PROPERTY	VALUE
Name	required_skills
Activated	true
Type	array
Additional items	true

2.1.2.6.2.7 Field [0]

2.1.2.6.2.7.1 [0] properties

PROPERTY	VALUE
Activated	true
Type	string

2.1.2.6.2.8 Field [1]

2.1.2.6.2.8.1 [1] properties

PROPERTY	VALUE
Activated	true
Type	string

2.1.2.6.2.9 Field [2]

2.1.2.6.2.9.1 [2] properties

PROPERTY	VALUE
Activated	true
Type	string

2.1.2.6.2.10 Field updated_at

2.1.2.6.2.10.1 updated_at properties

PROPERTY	VALUE
Name	updated_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.6.2.11 Field created_at

2.1.2.6.2.11.1 created_at properties

PROPERTY	VALUE
Name	created_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.6.3 job_descriptions Target Script

```
use Resume_Saathi;

db.createCollection("job_descriptions", {
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
      "title": "job_descriptions",
      "properties": {
        "_id": {
          "bsonType": "objectId"
        },
        "user_id": {
          "bsonType": "objectId"
        },
        "title": {
          "bsonType": "string"
        },
        "company_name": {
          "bsonType": "string"
        },
        "description": {
          "bsonType": "string"
        },
        "required_skills": {
          "bsonType": "array",
          "additionalItems": true,
          "items": [
            {
              "bsonType": "string"
            },
            {
              "bsonType": "string"
            },
            {
              "bsonType": "string"
            }
          ]
        },
        "updated_at": {
          "bsonType": "date"
        },
        "created_at": {
          "bsonType": "date"
        }
      },
      "additionalProperties": false,
      "required": [
        "_id",
        "user_id",
        "description",
        "updated_at",
        "created_at"
      ]
    }
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

2.1.2.7 Collection **job_match_analysis**

2.1.2.7.1 **job_match_analysis** Properties

PROPERTY	VALUE
Collection name	job_match_analysis
Activated	true
Database	Resume_Saathi
Storage engine	WiredTiger
Validation level	Off
Validation action	Warn
Additional properties	false

2.1.2.7.2 **job_match_analysis** Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
_id	objectId	true	pk		
job_id	objectId	true	fk		
resume_id	objectId	true	fk		
matched_skills	array	false			
[0]	string	false			
missing_skills	array	false			
[0]	string	false			
matched_keywords	array	false			
[0]	string	false			
missing_keywords	array	false			
[0]	string	false			
section_scores	document	false			
strengths	array	true			
[0]	string	false			
weaknesses	array	true			
[0]	string	false			
ats_status	string	true			
suggestions	array	true			
[0]	string	false			
updated_at	date	true			
created_at	date	true			

2.1.2.7.2.1 Field **_id**

2.1.2.7.2.1.1 **_id** properties

PROPERTY	VALUE
Name	_id
Activated	true
Type	objectId
Required	true
Primary key	true

2.1.2.7.2.2 Field **job_id**

2.1.2.7.2.2.1 job_id properties

PROPERTY	VALUE
Name	job_id
Activated	true
Type	objectId
Required	true
Foreign collection	job_descriptions
Foreign field	_id
Relationship type	Foreign Key

2.1.2.7.2.3 Field resume_id

2.1.2.7.2.3.1 resume_id properties

PROPERTY	VALUE
Name	resume_id
Activated	true
Type	objectId
Required	true
Foreign collection	resumes_collection
Foreign field	_id
Relationship type	Foreign Key

2.1.2.7.2.4 Field matched_skills

2.1.2.7.2.4.1 matched_skills Tree Diagram



2.1.2.7.2.4.2 matched_skills Hierarchy

Parent field: job_match_analysis
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
[0]	string	false			

2.1.2.7.2.4.3 matched_skills properties

PROPERTY	VALUE
Name	matched_skills
Activated	true
Type	array
Additional items	true

2.1.2.7.2.5 Field [0]

2.1.2.7.2.5.1 [0] properties

PROPERTY	VALUE
Activated	true
Type	string

2.1.2.7.2.6 Field **missing_skills**

2.1.2.7.2.6.1 **missing_skills** Tree Diagram



2.1.2.7.2.6.2 **missing_skills** Hierarchy

Parent field: **job_match_analysis**
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
[0]	string	false			

2.1.2.7.2.6.3 **missing_skills** properties

PROPERTY	VALUE
Name	missing_skills
Activated	true
Type	array
Additional items	true

2.1.2.7.2.7 Field **[0]**

2.1.2.7.2.7.1 **[0]** properties

PROPERTY	VALUE
Activated	true
Type	string

2.1.2.7.2.8 Field **matched_keywords**

2.1.2.7.2.8.1 **matched_keywords** Tree Diagram



2.1.2.7.2.8.2 **matched_keywords** Hierarchy

Parent field: **job_match_analysis**
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
[0]	string	false			

2.1.2.7.2.8.3 **matched_keywords** properties

PROPERTY	VALUE
Name	matched_keywords
Activated	true
Type	array
Additional items	true


2.1.2.7.2.9 Field **[0]**

2.1.2.7.2.9.1 **[0]** properties

PROPERTY	VALUE
Activated	true
Type	string

2.1.2.7.2.10 Field **missing_keywords**

2.1.2.7.2.10.1 **missing_keywords** Tree Diagram



2.1.2.7.2.10.2 **missing_keywords** Hierarchy

Parent field: **job_match_analysis**
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
[0]	string	false			

2.1.2.7.2.10.3 **missing_keywords** properties

PROPERTY	VALUE
Name	missing_keywords
Activated	true
Type	array
Additional items	true

2.1.2.7.2.11 Field **[0]**

2.1.2.7.2.11.1 **[0]** properties

PROPERTY	VALUE
Activated	true
Type	string


2.1.2.7.2.12 Field **section_scores**

2.1.2.7.2.12.1 **section_scores** properties

PROPERTY	VALUE
Name	section_scores
Activated	true
Type	document
Additional properties	false

2.1.2.7.2.13 Field **strengths**

2.1.2.7.2.13.1 strengths Tree Diagram



2.1.2.7.2.13.2 strengths Hierarchy

Parent field: job_match_analysis
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
[0]	string	false			

2.1.2.7.2.13.3 strengths properties

PROPERTY	VALUE
Name	strengths
Activated	true
Type	array
Required	true
Additional items	true


2.1.2.7.2.14 Field [0]

2.1.2.7.2.14.1 [0] properties

PROPERTY	VALUE
Activated	true
Type	string

2.1.2.7.2.15 Field weaknesses

2.1.2.7.2.15.1 weaknesses Tree Diagram



2.1.2.7.2.15.2 weaknesses Hierarchy

Parent field: job_match_analysis
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
[0]	string	false			

2.1.2.7.2.15.3 weaknesses properties

PROPERTY	VALUE
Name	weaknesses
Activated	true
Type	array
Required	true
Additional items	true

2.1.2.7.2.16 Field **[0]**

2.1.2.7.2.16.1 **[0]** properties

PROPERTY	VALUE
Activated	true
Type	string


2.1.2.7.2.17 Field **ats_status**

2.1.2.7.2.17.1 **ats_status** properties

PROPERTY	VALUE
Name	ats_status
Activated	true
Type	string
Required	true

2.1.2.7.2.18 Field **suggestions**

2.1.2.7.2.18.1 **suggestions** Tree Diagram



2.1.2.7.2.18.2 **suggestions** Hierarchy

Parent field: **job_match_analysis**
Child field(s):

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
[0]	string	false			

2.1.2.7.2.18.3 **suggestions** properties

PROPERTY	VALUE
Name	suggestions
Activated	true
Type	array
Required	true
Additional items	true

2.1.2.7.2.19 Field **[0]**

2.1.2.7.2.19.1 **[0]** properties

PROPERTY	VALUE
Activated	true
Type	string

2.1.2.7.2.20 Field **updated_at**

2.1.2.7.2.20.1 updated_at properties

PROPERTY	VALUE
Name	updated_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.7.2.21 Field created_at

2.1.2.7.2.21.1 created_at properties

PROPERTY	VALUE
Name	created_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.7.3 job_match_analysis Target Script

```
use Resume_Saathi;

db.createCollection("job_match_analysis", {
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
      "title": "job_match_analysis",
      "properties": {
        "_id": {
          "bsonType": "objectId"
        },
        "job_id": {
          "bsonType": "objectId"
        },
        "resume_id": {
          "bsonType": "objectId"
        },
        "matched_skills": {
          "bsonType": "array",
          "additionalItems": true,
          "items": {
            "bsonType": "string"
          }
        },
        "missing_skills": {
          "bsonType": "array",
          "additionalItems": true,
          "items": {
            "bsonType": "string"
          }
        },
        "matched_keywords": {
          "bsonType": "array",
          "additionalItems": true,
          "items": {
            "bsonType": "string"
          }
        },
        "missing_keywords": {
          "bsonType": "array",
          "additionalItems": true,
          "items": {
            "bsonType": "string"
          }
        },
        "section_scores": {
          "bsonType": "object",
          "additionalProperties": false
        },
        "strengths": {
          "bsonType": "array",
          "additionalItems": true,
          "items": {
            "bsonType": "string"
          }
        },
        "weaknesses": {
          "bsonType": "array",
          "additionalItems": true,
```

```
        "items": {
            "bsonType": "string"
        }
    },
    "ats_status": {
        "bsonType": "string"
    },
    "suggestions": {
        "bsonType": "array",
        "additionalItems": true,
        "items": {
            "bsonType": "string"
        }
    },
    "updated_at": {
        "bsonType": "date"
    },
    "created_at": {
        "bsonType": "date"
    }
},
"additionalProperties": false,
"required": [
    "_id",
    "job_id",
    "resume_id",
    "strengths",
    "weaknesses",
    "ats_status",
    "suggestions",
    "updated_at",
    "created_at"
]
}
},
"validationLevel": "off",
"validationAction": "warn"
});
```

2.1.2.8 Collection chat_sessions

2.1.2.8.1 chat_sessions Properties

PROPERTY	VALUE
Collection name	chat_sessions
Activated	true
Database	Resume_Saathi
Storage engine	WiredTiger
Validation level	Off
Validation action	Warn
Additional properties	false

2.1.2.8.2 chat_sessions Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
_id	objectId	true	pk, dk		
user_id	objectId	true	fk		
session_title	string	false			
updated_at	date	true			
created_at	date	true			

2.1.2.8.2.1 Field **_id**

2.1.2.8.2.1.1 **_id** properties

PROPERTY	VALUE
Name	_id
Activated	true
Type	objectId
Required	true
Primary key	true

2.1.2.8.2.2 Field **user_id**

2.1.2.8.2.2.1 **user_id** properties

PROPERTY	VALUE
Name	user_id
Activated	true
Type	objectId
Required	true
Foreign collection	users
Foreign field	_id
Relationship type	Foreign Key

2.1.2.8.2.3 Field **session_title**

2.1.2.8.2.3.1 **session_title** properties

PROPERTY	VALUE
Name	session_title
Activated	true
Type	string

2.1.2.8.2.4 Field **updated_at**

2.1.2.8.2.4.1 **updated_at** properties

PROPERTY	VALUE
Name	updated_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.8.2.5 Field **created_at**

2.1.2.8.2.5.1 created_at properties

PROPERTY	VALUE
Name	created_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.8.3 chat_sessions Target Script

```
use Resume_Saathi;

db.createCollection("chat_sessions", {
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
      "title": "chat_sessions",
      "properties": {
        "_id": {
          "bsonType": "objectId"
        },
        "user_id": {
          "bsonType": "objectId"
        },
        "session_title": {
          "bsonType": "string"
        },
        "updated_at": {
          "bsonType": "date"
        },
        "created_at": {
          "bsonType": "date"
        }
      }
    },
    "additionalProperties": false,
    "required": [
      "_id",
      "user_id",
      "updated_at",
      "created_at"
    ]
  }
},
"validationLevel": "off",
"validationAction": "warn"
});
```

2.1.2.9 Collection chat_messages

2.1.2.9.1 chat_messages Properties

PROPERTY	VALUE
Collection name	chat_messages
Activated	true
Database	Resume_Saathi
Storage engine	WiredTiger
Validation level	Off
Validation action	Warn
Additional properties	false

2.1.2.9.2 chat_messages Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
_id	objectId	true	pk		
user_id	objectId	true	fk		
session_id	objectId	true	fk		
sender	string	true			
message	string	true			
updated_at	date	true			
created_at	date	true			

2.1.2.9.2.1 Field _id

2.1.2.9.2.1.1 _id properties

PROPERTY	VALUE
Name	_id
Activated	true
Type	objectId
Required	true
Primary key	true

2.1.2.9.2.2 Field user_id

2.1.2.9.2.2.1 user_id properties

PROPERTY	VALUE
Name	user_id
Activated	true
Type	objectId
Required	true
Foreign collection	users
Foreign field	_id
Relationship type	Foreign Key

2.1.2.9.2.3 Field session_id

2.1.2.9.2.3.1 session_id properties

PROPERTY	VALUE
Name	session_id
Activated	true
Type	objectId
Required	true
Foreign collection	chat_sessions
Foreign field	_id
Relationship type	Foreign Key

2.1.2.9.2.4 Field sender**2.1.2.9.2.4.1 sender properties**

PROPERTY	VALUE
Name	sender
Activated	true
Type	string
Enum	ai,user
Required	true

2.1.2.9.2.5 Field message**2.1.2.9.2.5.1 message properties**

PROPERTY	VALUE
Name	message
Activated	true
Field-level encryption	false
Type	string
Enum	ai,user
Required	true

2.1.2.9.2.6 Field updated_at**2.1.2.9.2.6.1 updated_at properties**

PROPERTY	VALUE
Name	updated_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.9.2.7 Field created_at**2.1.2.9.2.7.1 created_at properties**

PROPERTY	VALUE
Name	created_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.9.3 chat_messages Target Script

```
use Resume_Saathi;

db.createCollection("chat_messages", {
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
      "title": "chat_messages",
      "properties": {
        "_id": {
          "bsonType": "objectId"
        },
        "user_id": {
          "bsonType": "objectId"
        },
        "session_id": {
          "bsonType": "objectId"
        },
        "sender": {
          "bsonType": "string",
          "enum": [
            "ai",
            "user"
          ]
        },
        "message": {
          "bsonType": "string",
          "enum": [
            "ai",
            "user"
          ]
        },
        "updated_at": {
          "bsonType": "date"
        },
        "created_at": {
          "bsonType": "date"
        }
      }
    },
    "additionalProperties": false,
    "required": [
      "_id",
      "user_id",
      "session_id",
      "sender",
      "message",
      "updated_at",
      "created_at"
    ]
  },
  "validationLevel": "off"
});
```

2.1.2.10 Collection sessions

2.1.2.10.1 sessions Properties

PROPERTY	VALUE
Collection name	sessions
Activated	true
Database	Resume_Saathi
Storage engine	WiredTiger
Validation level	Off
Validation action	Warn
Additional properties	false

2.1.2.10.2 sessions Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
_id	objectId	true	pk		
user_id	objectId	false	fk		
refresh_token	string	true			
browser	string	true			
os	string	true			
device_name	string	true			
ip_address	string	true			
is_active	boolean	true			
expires_at	date	true			
created_at	date	true			

2.1.2.10.2.1 Field _id

2.1.2.10.2.1.1 _id properties

PROPERTY	VALUE
Name	_id
Activated	true
Type	objectId
Required	true
Primary key	true

2.1.2.10.2.2 Field user_id

2.1.2.10.2.2.1 user_id properties

PROPERTY	VALUE
Name	user_id
Activated	true
Type	objectId
Foreign collection	users
Foreign field	_id
Relationship type	Foreign Key

2.1.2.10.2.3 Field refresh_token

2.1.2.10.2.3.1 refresh_token properties

PROPERTY	VALUE
Name	refresh_token
Activated	true
Type	string
Required	true

2.1.2.10.2.4 Field browser**2.1.2.10.2.4.1 browser properties**

PROPERTY	VALUE
Name	browser
Activated	true
Type	string
Required	true

2.1.2.10.2.5 Field os**2.1.2.10.2.5.1 os properties**

PROPERTY	VALUE
Name	os
Activated	true
Type	string
Required	true

2.1.2.10.2.6 Field device_name**2.1.2.10.2.6.1 device_name properties**

PROPERTY	VALUE
Name	device_name
Activated	true
Type	string
Required	true

2.1.2.10.2.7 Field ip_address**2.1.2.10.2.7.1 ip_address properties**

PROPERTY	VALUE
Name	ip_address
Activated	true
Type	string
Required	true

2.1.2.10.2.8 Field is_active**2.1.2.10.2.8.1 is_active properties**

PROPERTY	VALUE
Name	is_active
Activated	true
Type	boolean
Required	true
Default	true

2.1.2.10.2.9 Field **expires_at**

2.1.2.10.2.9.1 **expires_at** properties

PROPERTY	VALUE
Name	expires_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.10.2.10 Field **created_at**

2.1.2.10.2.10.1 **created_at** properties

PROPERTY	VALUE
Name	created_at
Activated	true
Type	date
Required	true
Primary key	false

2.1.2.10.3 **sessions** Target Script


```
use Resume_Saathi;

db.createCollection("sessions", {
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
      "title": "sessions",
      "properties": {
        "_id": {
          "bsonType": "objectId"
        },
        "user_id": {
          "bsonType": "objectId"
        },
        "refresh_token": {
          "bsonType": "string"
        },
        "browser": {
          "bsonType": "string"
        },
        "os": {
          "bsonType": "string"
        },
        "device_name": {
          "bsonType": "string"
        },
        "ip_address": {
          "bsonType": "string"
        },
        "is_active": {
          "bsonType": "bool"
        },
        "expires_at": {
          "bsonType": "date"
        },
        "created_at": {
          "bsonType": "date"
        }
      }
    },
    "additionalProperties": false,
    "required": [
      "_id",
      "refresh_token",
      "browser",
      "os",
      "device_name",
      "ip_address",
      "is_active",
      "expires_at",
      "created_at"
    ]
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

3. RELATIONSHIPS

3.1 Relationship `fk_users.id_to_token.user_id`

3.1.1 `fk_users.id_to_token.user_id` Diagram




3.1.2 `fk_users.id_to_token.user_id` Properties

PROPERTY	VALUE
Name	fk_users.id_to_token.user_id
Activated	true
Relationship type	Foreign Key
Parent collection	users
Parent field	_id
Parent cardinality	1
Child collection	token
Child field	user_id
Child cardinality	n

3.2 Relationship `fk_users.id_to_resumes_collection.user_id`

3.2.1 `fk_users.id_to_resumes_collection.user_id` Diagram




3.2.2 `fk_users.id_to_resumes_collection.user_id` Properties

PROPERTY	VALUE
Name	fk_users.id_to_resumes_collection.user_id
Activated	true
Relationship type	Foreign Key
Parent collection	users
Parent field	_id
Parent cardinality	1
Child collection	resumes_collection
Child field	user_id
Child cardinality	1

3.3 Relationship **fk_resumes_collection._id_to_resume_analysis.resume_id**

3.3.1 **fk_resumes_collection._id_to_resume_analysis.resume_id** Diagram




3.3.2 **fk_resumes_collection._id_to_resume_analysis.resume_id** Properties

PROPERTY	VALUE
Name	fk_resumes_collection._id_to_resume_analysis.resume_id
Activated	true
Relationship type	Foreign Key
Parent collection	resumes_collection
Parent field	_id
Parent cardinality	1
Child collection	resume_analysis
Child field	resume_id
Child cardinality	1

3.4 Relationship **fk_users._id_to_resume_analysis.user_id**

3.4.1 **fk_users._id_to_resume_analysis.user_id** Diagram




3.4.2 **fk_users._id_to_resume_analysis.user_id** Properties

PROPERTY	VALUE
Name	fk_users._id_to_resume_analysis.user_id
Activated	true
Relationship type	Foreign Key
Parent collection	users
Parent field	_id
Parent cardinality	1
Child collection	resume_analysis
Child field	user_id
Child cardinality	1

3.5 Relationship **fk_resumes_collection._id_to_resume_analysis.resume_id**

3.5.1 **fk_resumes_collection._id_to_resume_analysis.resume_id** Diagram




3.5.2 **fk_resumes_collection._id_to_resume_analysis.resume_id** Properties

PROPERTY	VALUE
Name	fk_resumes_collection._id_to_resume_analysis.resume_id
Activated	true
Relationship type	Foreign Key
Parent collection	resumes_collection
Parent field	_id
Parent cardinality	1
Child collection	layout_analysis
Child field	resume_id
Child cardinality	1

3.6 Relationship **fk_users._id_to_resume_analysis.user_id**

3.6.1 **fk_users._id_to_resume_analysis.user_id** Diagram




3.6.2 **fk_users._id_to_resume_analysis.user_id** Properties

PROPERTY	VALUE
Name	fk_users._id_to_resume_analysis.user_id
Activated	true
Relationship type	Foreign Key
Parent collection	users
Parent field	_id
Parent cardinality	1
Child collection	layout_analysis
Child field	user_id
Child cardinality	1

3.7 Relationship **fk_users._id_to_job_descriptions.user_id**

3.7.1 **fk_users._id_to_job_descriptions.user_id** Diagram




3.7.2 **fk_users._id_to_job_descriptions.user_id** Properties

PROPERTY	VALUE
Name	fk_users._id_to_job_descriptions.user_id
Activated	true
Relationship type	Foreign Key
Parent collection	users
Parent field	_id
Parent cardinality	1
Child collection	job_descriptions
Child field	user_id
Child cardinality	1

3.8 Relationship **fk_resumes_collection._id_to_job_match_analysis.resume_id**

3.8.1 **fk_resumes_collection._id_to_job_match_analysis.resume_id** Diagram




3.8.2 **fk_resumes_collection._id_to_job_match_analysis.resume_id** Properties

PROPERTY	VALUE
Name	fk_resumes_collection._id_to_job_match_analysis.resume_id
Activated	true
Relationship type	Foreign Key
Parent collection	resumes_collection
Parent field	_id
Parent cardinality	1
Child collection	job_match_analysis
Child field	resume_id
Child cardinality	1

3.9 Relationship **fk_job_descriptions._id_to_job_match_analysis.job_id**

3.9.1 **fk_job_descriptions._id_to_job_match_analysis.job_id** Diagram




3.9.2 **fk_job_descriptions._id_to_job_match_analysis.job_id** Properties

PROPERTY	VALUE
Name	fk_job_descriptions._id_to_job_match_analysis.job_id
Activated	true
Relationship type	Foreign Key
Parent collection	job_descriptions
Parent field	_id
Parent cardinality	1
Child collection	job_match_analysis
Child field	job_id
Child cardinality	1

3.10 Relationship **fk_users._id_to_chat_sessions.user_id**

3.10.1 **fk_users._id_to_chat_sessions.user_id** Diagram




3.10.2 **fk_users._id_to_chat_sessions.user_id** Properties

PROPERTY	VALUE
Name	fk_users._id_to_chat_sessions.user_id
Activated	true
Relationship type	Foreign Key
Parent collection	users
Parent field	_id
Parent cardinality	1
Child collection	chat_sessions
Child field	user_id
Child cardinality	n

3.11 Relationship **fk_users._id_to_chat_sessions.user_id**

3.11.1 **fk_users._id_to_chat_sessions.user_id** Diagram




3.11.2 **fk_users._id_to_chat_sessions.user_id** Properties

PROPERTY	VALUE
Name	fk_users._id_to_chat_sessions.user_id
Activated	true
Relationship type	Foreign Key
Parent collection	users
Parent field	_id
Parent cardinality	1
Child collection	chat_messages
Child field	user_id
Child cardinality	n

3.12 Relationship **fk_chat_sessions._id_to_chat_sessions1.session_id**

3.12.1 **fk_chat_sessions._id_to_chat_sessions1.session_id** Diagram




3.12.2 **fk_chat_sessions._id_to_chat_sessions1.session_id** Properties

PROPERTY	VALUE
Name	fk_chat_sessions._id_to_chat_sessions1.session_id
Activated	true
Relationship type	Foreign Key
Parent collection	chat_sessions
Parent field	_id
Parent cardinality	1
Child collection	chat_messages
Child field	session_id
Child cardinality	n

3.13 Relationship **fk_users._id_to_sessions.user_id**

3.13.1 fk_users._id_to_sessions.user_id Diagram



3.13.2 fk_users._id_to_sessions.user_id Properties

PROPERTY	VALUE
Name	fk_users._id_to_sessions.user_id
Activated	true
Relationship type	Foreign Key
Parent collection	users
Parent field	_id
Parent cardinality	1
Child collection	sessions
Child field	user_id
Child cardinality	n