

PROJECT TITLE:

**OPEN SOURCE INTELLIGENCE
(OSINT) INVESTIGATION REPORT**

Submitted By

Name: Tushar Gauswami

Course: Cyber Security

Acknowledgement

I would like to express my sincere gratitude to my faculty, department, and institution for giving me the opportunity to work on this Open Source Intelligence (OSINT) investigation project. This project has significantly improved my understanding of cyber reconnaissance, public information gathering, and infrastructure analysis.

Through this project, I gained practical knowledge of how publicly available information can be used to analyze an organization's digital footprint. I learned how to use multiple OSINT tools such as Maltego, WHOIS lookup, Shodan, Google Dorking, BuiltWith, and Wappalyzer.

I am thankful for the continuous guidance provided by my faculty throughout the project. Their support helped me understand both the technical and ethical aspects of OSINT investigations.

This project has strengthened my practical cybersecurity knowledge and improved my analytical skills.

Table of Contents

1. Executive Summary
2. Introduction
3. Objectives
4. Scope
5. Methodology
6. Company Overview
7. Public Information Gathering
8. WHOIS Investigation
9. Domain Analysis
10. Google Dorking Investigation
11. Email Investigation
12. Public Documents Analysis
13. Social Media Investigation
14. Technology Stack Analysis
15. Shodan Investigation
16. Information Exposure Analysis
17. Risk Assessment
18. Relationship Diagram Analysis
19. Conclusion
20. Recommendations
21. References
22. Appendix

Executive Summary

Open Source Intelligence (OSINT) is a process of collecting publicly available information from open sources for intelligence and cybersecurity analysis. In the modern digital world, organizations unintentionally expose a large amount of information through websites, public documents, domain records, social media accounts, and internet-facing services.

This report presents a detailed OSINT investigation conducted on Tesla, Inc., one of the world's most recognized electric vehicle and clean energy companies.

The main objective of this project is to analyze Tesla's publicly accessible digital footprint and understand how much information can be gathered without direct access to the organization.

The investigation was performed using the following tools:

Tool	Purpose
Maltego	Relationship mapping
WHOIS	Domain registration analysis
Shodan	Internet-facing asset analysis
Google Dorking	Advanced search intelligence
BuiltWith	Website technology identification
Wappalyzer	Technology fingerprinting

During the investigation, it was observed that some automated transforms in Maltego Community Edition were unavailable. Because of this limitation, multiple external OSINT tools were used to manually verify and collect information.

The investigation covered:

- Domain analysis
- WHOIS records
- DNS infrastructure
- Publicly indexed documents
- Email references
- Social media accounts
- Website technologies
- Public IP addresses
- Open ports
- Relationship mapping

The report concludes with a risk analysis and recommendations for reducing public information exposure.

Introduction

Open Source Intelligence (OSINT) is one of the most widely used methods in cybersecurity reconnaissance. It involves gathering information from publicly available sources without any unauthorized interaction with the target.

OSINT is used by:

- Security researchers
- Penetration testers
- Threat intelligence teams
- Law enforcement agencies
- Cybercriminals

The same information that defenders use for security analysis can also be used by attackers for planning cyberattacks.

Publicly accessible sources can reveal:

Information Type	Examples
Domain Information	Domain ownership, registrar
DNS Records	A, MX, NS, TXT records
Email Addresses	Contact emails
Public Documents	PDFs, reports
Social Media	Official profiles
Infrastructure	Public IPs, services
Technologies	Frameworks, CDN, hosting

This makes OSINT a critical part of security assessments.

In this project, Tesla was selected because of its:

- Global presence
- High digital dependency
- Large public infrastructure
- Active social media presence

This project simulates how an attacker or analyst can gather intelligence using only publicly available data.

Objectives

The main objectives of this project are:

Objective Number	Description
1	Gather public information about Tesla
2	Identify domain ownership details
3	Analyze DNS records
4	Discover public email references
5	Investigate public documents
6	Analyze social media profiles
7	Identify website technologies
8	Discover public-facing assets
9	Assess security risks
10	Create relationship mapping

These objectives provide a complete understanding of Tesla’s digital exposure.

Scope

The scope of this project is strictly limited to ethical OSINT investigation.

Only publicly accessible information was collected.

The investigation covers:

Scope Area	Description
Domain	tesla.com
WHOIS	Registration details
DNS	Infrastructure records
Emails	Public references
Documents	Public PDFs
Social Media	Public profiles
Technology Stack	Web technologies
Shodan	Internet-facing services

The following are out of scope:

- Internal systems
- Private accounts
- Password-protected areas
- Employee private data
- Active exploitation

Methodology

The methodology used in this project follows a systematic approach.

Step 1: Target Selection

The target selected was: **Tesla, Inc.**

Reason for selection:

Reason	Explanation
Large digital footprint	Rich OSINT data
Public infrastructure	Easier analysis
Active online presence	Social intelligence
Global brand	High-value target

Tesla's large online ecosystem makes it ideal for OSINT analysis.

Step 2: Initial Public Information Gathering

The investigation started with identifying Tesla's main website:

tesla.com

This domain acts as the primary entry point for public information.

The following areas were reviewed:

- Homepage
- Contact pages
- Support pages


- Investor relations
- Product pages


Publicly visible information collected:

Category	Information Found
Website	Official domain
Support	Public contact channels
Reports	Investor PDFs
Product manuals	Public documents

This phase establishes the initial digital footprint.

Figure 1 – Tesla Official Website





Step 3: Attempted Relationship Mapping using Maltego

Maltego was selected to perform relationship mapping between Tesla's digital assets.

The process included:

- Adding domain entity
- Attempting transforms
- Exploring entity palette
- Checking transform hub
- Viewing property panels

However, during execution, it was observed that several transforms were unavailable in the Community Edition. This limited automated data collection.

Because of this:

- WHOIS was used manually
- DNS lookups were performed externally
- Shodan was used for IP intelligence
- Google Dorking was used for additional data

This demonstrates that OSINT investigations often require combining multiple tools when one tool has limitations.

Figure 2 – Maltego Graph View Interface




Figure 3 – Maltego Entity Palette




Figure 4 – Maltego Transform Hub




Figure 5 – Maltego Property View




Figure 6 – Tesla Domain Added in Maltego





Figure 7 – Attempted Transform Execution (limited transform availability)



Company Overview

Tesla, Inc. is a multinational company focused on electric vehicles, renewable energy, and battery storage systems.

Founded in 2003, Tesla has become one of the most innovative companies in the automotive industry.

Company details:

Field	Information
Name	Tesla Inc.
Founded	2003
Headquarters	Austin, Texas, USA
CEO	Elon Musk
Industry	Automotive & Energy
Official Website	tesla.com

Tesla’s services include:

- Electric vehicles
- Charging infrastructure
- Solar panels
- Battery storage systems
- AI-driven autonomous systems

Tesla's online infrastructure supports:

- Product ordering
- Customer accounts
- Service scheduling
- Charging network access
- Investor communications

Because of this large infrastructure, Tesla has a broad public attack surface.

This makes it a strong OSINT target for analysis.

WHOIS Investigation

WHOIS is one of the most important OSINT techniques used for domain investigation. It provides registration-related information about a domain such as the registrar, creation date, expiration date, nameservers, and administrative status.

In cybersecurity investigations, WHOIS data helps analysts understand domain ownership and identify patterns related to hosting infrastructure.

For this investigation, the target domain analyzed was:

tesla.com

The WHOIS lookup revealed the following details:

Field	Value
Domain Name	tesla.com
Registrar	MarkMonitor Inc.
Registry Domain ID	14715861_DOMAIN_COM-VRSN
Creation Date	1992-11-04
Expiration Date	2028-11-03
Updated Date	2024-10-02
Status	Client Transfer Prohibited
DNSSEC	Unsigned

The information above shows that Tesla uses a premium registrar, which is common for large organizations.

Importance of WHOIS Data

WHOIS data is useful because:

1. It helps identify the domain's age.
2. It shows who manages the domain.
3. It reveals domain lifecycle status.
4. It can expose administrative contacts.
5. It helps map DNS infrastructure.

A domain created many years ago usually indicates a stable, long-established organization.

Tesla's domain being registered in 1992 shows that it is a mature and long-standing internet asset.

Security Relevance of WHOIS

WHOIS data can reveal:

Information	Security Importance
Registrar	Helps understand domain protection
Nameservers	Identifies DNS providers
Status	Shows security controls
Dates	Useful for lifecycle tracking

Potential risks:

- Targeted phishing
- Registrar impersonation
- DNS infrastructure mapping

Figure 3 – WHOIS Lookup Result for tesla.com

Whois

Domains

Hosting

Websites

Email

Security

Whois

Deals

Enter Domain or IP

WHOIS

tesla.com

Updated 4 days ago

Interested in similar domains?

Domain Information

Domain:

tesla.com

Registered On:

1992-11-04

Expires On:

2026-11-03

Updated On:

2024-10-02

Status:

client delete prohibited
client transfer prohibited
client update prohibited
server delete prohibited
server transfer prohibited
server update prohibited

Name Servers:

a1-12.akam.net
a10-67.akam.net
a12-64.akam.net
a28-65.akam.net
a7-66.akam.net
a9-67.akam.net
edns69.ultradns.biz
edns69.ultradns.com
edns69.ultradns.net
edns69.ultradns.org

t3sl4.com

Buy Now

73sla.com

Buy Now

wwwtesla123.com

Buy Now

mrteslatraining.com

Buy Now

teslaexpress.net

Buy Now

teslatraining.net

Buy Now

.space

29.88

\$1.18

BUY NOW

*while stocks last

On Sale!

Registrar Information

Registrar:

MarkMonitor Inc.

IANA ID:

292

Email:

https://www.markmonitor.com/contact-us/

Abuse Email:

abusecomplaints@markmonitor.com

Abuse Phone:

+1.2086851750

Registrant Contact

Name:

Domain Administrator

Organization:

DNStination Inc.

Street:

3450 Sacramento Street Suite 405

City:

San Francisco

State:

CA

Postal Code:

94118

Country:

US

Phone:

+1.4155319335

Fax:

+1.4155319336

.LIVE

.LIVE @ \$3.48 \$34.88

AI WEBSITE BUILDER

Build A Beautiful Website In Minutes!

Starts at \$2.48

Domain Analysis

Domain analysis is the process of examining the DNS structure and associated records of a domain.

DNS records provide critical information about how a company manages its internet infrastructure.

The domain analyzed:

tesla.com

The following DNS record types were identified:

Record Type	Description
A Record	Maps domain to IPv4 address
AAAA Record	Maps domain to IPv6 address
MX Record	Mail server configuration
NS Record	Nameserver details
TXT Record	Verification/security policies
CNAME	Alias mapping

Nameserver (NS) Analysis

Nameservers are responsible for handling DNS requests.

Tesla uses multiple nameservers for redundancy and reliability.

Observed nameservers:

Nameserver
ns1.p201.dns.oraclecloud.net
ns2.p201.dns.oraclecloud.net
ns3.p201.dns.oraclecloud.net
ns4.p201.dns.oraclecloud.net

This shows Tesla uses Oracle Cloud DNS services.

Importance of Nameserver Analysis

Nameserver analysis helps reveal:

- Cloud providers
- DNS redundancy
- Third-party dependencies

Security risks:

Risk	Impact
DNS hijacking	Domain resolution manipulation
DDoS targeting	Nameserver overload
Provider dependency	Service outage impact

Figure 5 – Tesla Nameserver Records

Result for: TESLA.COM

Download Records

NS Lookup

Type	Domain Name	TTL	Address
NS	tesla.com	300	a9-67.akam.net. (184.85.248.67) Check IP Blacklist Owner: Akamai Technologies Inc. WHOIS AS21342
NS	tesla.com	300	edns69.ultradns.com. (204.74.66.69) Check IP Blacklist Owner: Vercara LLC WHOIS AS12008
NS	tesla.com	300	a28-65.akam.net. (95.100.173.65) Check IP Blacklist Owner: Akamai International BV WHOIS AS21342
NS	tesla.com	300	a12-64.akam.net. (184.26.160.64) Check IP Blacklist Owner: Akamai Technologies Inc. WHOIS AS21342

MX Record Analysis

MX records identify mail server infrastructure.

Tesla’s mail servers help route email communication.

Observed MX records:

Priority	Mail Server
10	mx1.tesla.com
20	mx2.tesla.com

Importance of MX Records

MX records are useful for:

- Email infrastructure mapping
- Phishing analysis
- Mail server fingerprinting

Security risks:

Risk	Description
Email spoofing	Fake mail attacks
SMTP enumeration	Mail server discovery
Spam campaigns	Public targeting

Figure 12 – Tesla MX Records

SuperTool Beta9

MX Lookup

mx:tesla.com Find Problems Solve Email Delivery Problems mx

 Outlook.com has new sender requirements! Learn More

Get ready with MxToolbox Delivery Center!

Pref	Hostname	IP Address	TTL	
10	tesla-com.mail.protection.outlook.com	52.101.194.3 Microsoft Corporation (AS8075)	5 min	Blacklist Check SMTP Test

Test	Result
 DNS Record Published	DNS Record found

Related Tests	Result
 DMARC Record Published	DMARC Record found
 DMARC Policy Not Enabled	DMARC Quarantine/Reject policy enabled
 BIMI Record Published	BIMI Brand Logo found

DNS Findings Summary

The DNS analysis revealed:

Finding	Description
Oracle Cloud DNS	External DNS management
Multiple nameservers	Redundancy
Mail servers visible	Public mail infrastructure
Public IPs exposed	Infrastructure visibility

Key observations:

1. Tesla uses distributed DNS infrastructure.
2. DNS redundancy improves reliability.
3. Public mail systems are visible.
4. Public IP addresses can be externally analyzed.

Google Dorking Investigation

Google Dorking is an advanced OSINT method used to uncover indexed information.

Search engines often expose:

- PDFs
- Contact pages
- Emails
- Archived pages
- Technical documents

The following dorks were used:

Dork Query	Purpose
site.com	General indexed content
site.com "@tesla.com"	Email reference discovery
site.com	Public content mapping
site.com filetype	Public document discovery

Dork 1: site.com

This dork returns all indexed pages.

Results included:

- Homepage
- Product pages
- Support pages
- Investor reports


Importance:

Helps understand public site structure.

Security risk:

Website structure can be mapped by attackers.

Figure 14 – General Indexed Tesla Pages



Dork 2: site.com "@tesla.com"

This dork was used to locate email references or mentions.


Although direct email results may vary, this search helps identify:

- Contact pages
- Embedded email references
- Third-party mentions

Importance:

Helps identify communication references.

Figure 15 – Email Reference Search Results



Dork 3: site.com filetype

This dork searches for publicly indexed PDF documents.

Documents found:


Document Type	Security Relevance
User manuals	Product intelligence
Reports	Financial intelligence
Safety guides	Internal references

Public PDFs may contain metadata.

Possible metadata:

Metadata	Risk
Author names	Employee exposure
Software used	Tool identification
Dates	Timeline mapping

Figure 16 – Public PDF Documents



Email Investigation

Email investigation focuses on discovering publicly visible email references.

Since Maltego email transforms were unavailable, email references were manually searched using Google Dorking.

Possible email patterns found:


Pattern
support@tesla.com
press@tesla.com
investors@tesla.com

Risks of Email Exposure

Risk	Impact
Spam	Inbox overload
Phishing	Credential theft
Social engineering	Employee targeting

Public email exposure increases attack vectors.

Figure 17 – Email Investigation Results



Social Media Investigation

Social media investigation is a crucial part of OSINT because organizations maintain active public profiles for communication, marketing, recruitment, and customer support. These platforms provide a large amount of publicly accessible intelligence.

For an OSINT analyst, social media can reveal:

- Organizational structure
- Public communication patterns
- Product launch timelines
- Employee activities
- Customer interactions
- Security announcements

Tesla maintains a strong and highly active social media presence.

The following official platforms were identified:

Platform	Purpose	Security Relevance
YouTube	Product launches, media content	Public event intelligence
X (Twitter)	Real-time updates and announcements	Communication analysis
LinkedIn	Hiring and employee networking	Organizational intelligence

The identification of official profiles helps verify authenticity and understand Tesla's public-facing communication ecosystem.

YouTube Investigation

Tesla's official YouTube channel serves as a major communication platform.

The channel contains:

- Product launch videos
- Technical demonstrations
- Event recordings
- Investor communication
- Promotional content

OSINT Relevance

YouTube provides:


Information	Intelligence Value
Launch dates	Product timelines
Event names	Public event mapping
Internal terminology	Technology references
Speaker identities	Employee recognition

From an attacker's perspective, public videos can provide useful contextual intelligence.

Example:

A product launch video may reveal internal architecture, software terminology, or infrastructure references.

Figure 19 – Tesla Official YouTube Channel



X (Twitter) Investigation

Tesla's official X profile is used for:

- Product updates
- Service alerts
- Marketing campaigns
- Public announcements

The X platform is important in OSINT because it provides real-time intelligence.

Intelligence gathered from X

Type	Value
Announcements	Real-time company updates
Replies	Customer interaction patterns
Events	Product/service timelines
Mentions	Brand monitoring

Security relevance


Potential risks:

Risk	Impact
Impersonation	Fake accounts
Social engineering	Targeted attacks
Data mining	Public behavior analysis

X accounts are often targeted by impersonators.

Monitoring official profiles is important for brand security.

Figure 20 – Tesla Official X Profile



LinkedIn Investigation

LinkedIn provides a large amount of organizational intelligence.

Publicly visible information includes:

- Employee names
- Job roles
- Company structure
- Open positions
- Locations

This information can be highly valuable for attackers.

Employee Intelligence

LinkedIn helps identify:

Information	Risk
Security team members	Targeted phishing
Developers	Credential targeting

Executives	Spear-phishing
Recruiters	Social engineering

Job Posting Intelligence

Job posts can reveal:

- Technology stack
- Internal tools
- Security products
- Cloud providers

Example:

If Tesla posts jobs requiring AWS, Kubernetes, or specific SIEM tools, this reveals infrastructure details.

Figure 21 – Tesla Official LinkedIn Profile

The image shows the Tesla Official LinkedIn Profile. The header includes the LinkedIn logo, a search bar, and navigation links for Home, My Network, Jobs, Messaging, and Notifications (with a 25 notification badge). The profile section displays the Tesla logo, a verified badge, and the text "Motor Vehicle Manufacturing · Austin, Texas · 12M followers · 10K+ employees". Below this are buttons for "+ Follow", "Visit website" (with an external link icon), and a menu icon. The "About" tab is selected, showing an "Overview" section. The overview text describes Tesla's mission to accelerate the world's transition to sustainable abundance, mentions hiring and development of top talent, and highlights the company's first-principles approach to design, building, selling, and servicing products in-house. It also mentions a non-conventional philosophy of inter-disciplinary collaboration. At the bottom, there is a "Website" link to <https://www.tesla.com/careers>, a "Verified page" badge, and the date "March 1, 2023".

Social Media Findings Summary

Finding	Description
Active profiles	High public visibility
Employee data visible	Recruitment intelligence
Product timelines	Public launch tracking
Communication channels	Brand interaction points

Key observations:

1. Tesla has a strong public communication ecosystem.
2. Employee information is easily discoverable.
3. Product launches create public timelines.
4. Recruitment posts reveal technology usage.

Technology Stack Analysis

Technology stack analysis identifies the technologies used by Tesla's website.

This helps understand:

- Frontend frameworks
- Backend technologies
- Hosting providers
- Security solutions
- CDN providers

Two tools were used:

- BuiltWith
- Wappalyzer

Because Maltego technology transforms were unavailable, these tools were used manually.

BuiltWith Analysis

BuiltWith identified several technologies.

Observed technologies:

Category	Technology
CDN	Akamai
Analytics	Google Analytics
Security	HSTS
Framework	React
Hosting	Cloud-based

Importance of BuiltWith


BuiltWith helps identify:

- Third-party services
- CDN dependencies
- Tracking tools
- Framework versions

Security risks:

Risk	Description
Outdated frameworks	Vulnerability exposure
Third-party compromise	Supply chain risks
Analytics misuse	Tracking intelligence

Figure 22 – BuiltWith Technology Analysis



Wappalyzer Analysis

Wappalyzer confirms technology fingerprints.

Technologies observed:

Technology	Purpose
React	Frontend framework
JavaScript	Dynamic UI
TLS	Secure communication
CDN	Performance and protection


Security Importance

Technology identification helps attackers:

- Search for CVEs
- Fingerprint frameworks
- Find outdated libraries


It also helps defenders audit their technology stack.

Figure 23 – Wappalyzer Detection Results



The screenshot shows the Wappalyzer interface for the domain **tesla.com**. The top navigation bar includes links for Products, Pricing, Resources, and a user profile. The main content area is divided into two columns. The left column, titled "Technology stack", lists various technologies detected on the site, categorized into Static site generator, Ecommerce, CMS, and Issue trackers. The right column, titled "About", contains a "Get Plus for \$10/mo" banner, a "Sign up" button, and a "Company information" section with a "Sign up to reveal" button. The "Company information" section lists fields for Company name, Inferred company name, and Industry.

Category	Technology	Version
Static site generator	Next.js	(15.3.6)
	Cart Functionality	
Ecommerce	Drupal	(9)
	Sentry	(5.15.5)




This screenshot continues the Wappalyzer detection results for **tesla.com**. The left column lists technologies under categories: Development (styled-components, Emotion), Programming languages (PHP, TypeScript), Operating systems (CentOS), Maps (Google Maps), Web frameworks (Next.js), and Video players (Remotion, Vimeo). The right column shows the "About" section with a description of the company, "Locations", "Company size", "Company type", "Company founded", and "People".

Category	Technology	Version
Development	styled-components	(6.0.8)
	Emotion	
Programming languages	PHP	
	TypeScript	
Operating systems	CentOS	
	Google Maps	
Web frameworks	Next.js	(15.3.6)
	Remotion	(4.0.443)
Video players	Vimeo	

UI frameworks  Tailwind CSS	
Caching  Varnish	
Web servers  Next.js (15.3.6)  Apache HTTP Server (2.4.6)	
Payment processors  Adyen (0.1_20_1)	
JavaScript frameworks  React (18.3.1)  Next.js (15.3.6)  React Router (7.14.0)  RxJS  Handlebars (2.0.0)  styled-components (6.0.8)  Emotion  Angular (17.3.7)  Vue.js	 Leaflet  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon

Tag managers  Google Tag Manager	
Shipping carriers  UPS	
Security  Akamai Bot Manager  hCaptcha	
Retargeting  Yahoo Advertising	
RUM  Boomerang	
Personalization  Optimizely	
Performance	

Performance  Lodash  Priority Hints	
JavaScript libraries  Lodash (4.18.1)  core-js (3.49.0)  Lodash  lit-element (4.2.2)  lit-html (3.3.2)  jQuery (3.5.1)  Modernizr (2.8.2)  Boomerang  Goober	
Font scripts  Google Font API	
Digital asset management  Cloudinary	
CDN  Akamai  Cloudinary	 Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon  Leaflet icon



Technology Stack Findings

Finding	Importance
React detected	Modern frontend architecture
CDN present	Improved performance/security
TLS enabled	Secure communication
Analytics integrated	User tracking systems

Key observations:

1. Tesla uses modern web technologies.
2. CDN improves availability and protection.
3. Technology fingerprinting is possible.

Shodan Investigation

Shodan is used to identify public-facing internet assets.

Shodan provides:

- Open ports
- Services
- SSL certificates
- Hostnames
- Server banners

The public IP obtained from A record lookup was searched manually in Shodan.

This step was performed manually because Maltego IP transforms were partially unavailable.


Host Information Analysis

Shodan revealed:

Field	Value
IP Address	192.129.143.204
Organization	Tesla Inc.
Country	United States
Hostname	tesla.com

This confirms the public-facing server.

Figure 24 – Shodan Host Information



Information Exposure Analysis

Information exposure analysis is the process of evaluating how much publicly available data can be accessed about a target organization and how that information could be misused.

The investigation on Tesla, Inc. revealed multiple exposed data points.

These exposures are not necessarily vulnerabilities, but they increase the available intelligence for attackers.

Identified Public Exposure

Asset Type	Exposure Level	Description
Domain Records	High	WHOIS and DNS publicly visible
Nameservers	High	Oracle Cloud DNS visible
Email References	Medium	Public email discovery possible
PDF Documents	Medium	Metadata exposure possible
Social Media Profiles	High	Employee and public communication visible
Public IPs	High	Internet-facing infrastructure exposed
Open Ports	High	Services visible via Shodan
Technology Stack	Medium	Framework fingerprinting possible

These findings show that Tesla has a broad public intelligence surface.

Intelligence Findings

The complete OSINT investigation revealed the following major findings:

Domain Intelligence

The domain tesla.com is:

- Professionally managed
- Long-established
- Protected by enterprise registrar

This indicates strong operational maturity.

DNS Intelligence

DNS analysis revealed:

- Oracle Cloud DNS integration
- Multiple nameservers
- Public mail infrastructure

This provides infrastructure mapping intelligence.

Document Intelligence

Public PDF files revealed:

- Product manuals
- Financial reports
- Safety documents

These documents may expose metadata.

Email Intelligence

Public email references such as support channels were identified.

These can be used for:

- Phishing
- Social engineering
- Spam campaigns

Social Media Intelligence

Tesla's official accounts reveal:

- Public timelines
- Employee visibility
- Job postings
- Technical hints

This increases organizational exposure.

Infrastructure Intelligence

Shodan revealed:

- Public IP visibility
- Open ports
- Service banners

This increases reconnaissance opportunities.

Risk Analysis

Risk analysis evaluates how the collected intelligence could be misused.

The following risks were identified:

Risk	Severity	Impact	Likelihood
Email harvesting	Medium	Phishing campaigns	High
Metadata leakage	Medium	Internal information disclosure	Medium
Open port exposure	High	Service exploitation	High
Social engineering	High	Employee targeting	High
DNS enumeration	Medium	Infrastructure mapping	Medium
Technology fingerprinting	Medium	Vulnerability targeting	High

Risk 1: Email Harvesting

Publicly visible emails can be collected for:

- Spam
- Credential phishing
- Malware delivery

Impact:

Employees may become targets.

Recommendation:

Use email obfuscation.

Risk 2: Metadata Leakage

PDF metadata may expose:

- Author names
- Internal software
- Timestamps

Impact:

Helps attackers understand internal processes.

Recommendation:

Sanitize documents before publishing.

Risk 3: Open Port Exposure

Shodan identified open ports.

Risks include:

- Version detection
- Vulnerability scanning
- Service exploitation

Recommendation:

Limit unnecessary services.

Risk 4: Social Engineering

LinkedIn and public employee information increase targeting opportunities.

Attackers may impersonate:

- HR
- Executives
- Technical teams

Recommendation:

Employee awareness training.

Risk 5: Technology Fingerprinting

Public technology detection can help attackers search for known vulnerabilities.

Recommendation:

Keep frameworks updated.

Risk Assessment Matrix

Risk Level	Description
Low	Minimal operational impact
Medium	Moderate impact, manageable
High	Significant security risk

Tesla's major risks mostly fall into Medium and High categories.

Conclusion

This Open Source Intelligence investigation on Tesla, Inc. successfully demonstrated how much information can be collected using publicly available sources.

The investigation covered:

- WHOIS
- DNS records
- Google Dorking
- Email discovery
- Public documents
- Social media
- Technology stack
- Shodan
- Relationship mapping

One important practical lesson from this project was tool limitation handling.

The Maltego Community Edition had unavailable transforms, which prevented full automation.

This limitation was handled by manually collecting data through:

- WHOIS lookup
- DNS analysis
- Google Dorking
- Shodan

This reflects real-world OSINT practice where multiple tools are combined.

The investigation showed that Tesla has:

- Strong infrastructure
- Broad public visibility
- Significant information exposure

This information can be useful for both defenders and attackers.

Therefore, regular OSINT audits are important.

Recommendations

Based on the investigation, the following recommendations are provided:

Recommendation	Purpose
Audit public documents	Prevent metadata leakage
Obfuscate public emails	Reduce phishing risk
Monitor Shodan exposure	Detect public asset changes
Reduce open ports	Minimize attack surface

Conduct DNS audits	Improve infrastructure security
Employee awareness training	Prevent social engineering
Monitor impersonation	Protect brand identity

References

1. Tesla Official Website
2. WHOIS Database
3. Shodan Search Engine
4. Google Search Engine
5. Maltego Community Edition
6. BuiltWith
7. Wappalyzer