

Name : Priyanshi Maurya  
Lab No. : 172613002  
Ref By : SELF  
Collected : 02/8/2023 7:36:00AM  
A/c Status : P  
Collected at : PUNJABI BAGH HOME VISIT  
DELHI,  
DELHI

Age : 24 Years  
Gender : Female  
Reported : 03/8/2023 7:52:36PM  
Report Status : Final  
Processed at : LPL-NATIONAL REFERENCE LAB  
National Reference laboratory, Block E, Sector  
18, Rohini, New Delhi -110085



SRF ID : 0708202191561

Nationality : INDIAN

### Test Report

#### Test Name

#### Results

#### SARS-CoV-2 (COVID-19) QUALITATIVE REAL TIME RT-PCR

(Real Time PCR)

Type of Specimen

Nasopharyngeal /  
Oropharyngeal Swabs

Result

**Positive**

#### Note

1. ICMR Registration number for Covid -19 is DRLAL001. Please scan the QR code given at end of this report to check the authenticity of the report.
2. Negative result does not rule out the possibility of Covid-19 infection. Presence of inhibitors, mutations & insufficient RNA specific to SARS-CoV-2 can influence the test result. Kindly correlate the results with clinical findings. A negative result in a single upper respiratory tract sample does not rule out SARS-CoV-2 infection. Hence in such cases a repeat sample should be sent. Lower respiratory tract samples like Sputum, BAL, ET aspirate are appropriate samples especially in severe and progressive lung disease.
3. Covid-19 Test conducted as per kits approved by ICMR / CE-IVD / USFDA.
4. Kindly consult referring Physician / Authorized hospitals for appropriate follow up.
5. This is a qualitative test. The Ct values do not provide a measure of viral load due to inherent variability in sampling and kits. According to ICMR guidelines Ct values should not be used to gauge the severity of the disease.  
[https://www.icmr.gov.in/pdf/covid/techdoc/Advisory\\_on\\_correlation\\_of\\_COVID\\_severity\\_with\\_Ct\\_values.pdf](https://www.icmr.gov.in/pdf/covid/techdoc/Advisory_on_correlation_of_COVID_severity_with_Ct_values.pdf)
6. It is recommended that RTPCR test not be repeated in any individual who has tested positive once either by RAT or RTPCR (ICMR guidelines).
7. No testing is required for COVID-19 recovered individuals at the time of hospital discharge in accordance with the discharge policy of MoH&FW ([https:// www.mohfw.gov.in/](https://www.mohfw.gov.in/) <http://www.mohfw.gov.in/> pdf/ ReviseddischargePolicyforCOV/019.pdf>).

#### Comments

Coronaviruses (CoV) are a large family of viruses that cause illness ranging from the common cold to more severe diseases such as Middle East Respiratory Syndrome (MERS-CoV) and Severe Acute Respiratory Syndrome (SARS-CoV). Coronavirus disease (COVID-19) is a new strain that was discovered in 2019 and has not been previously identified in humans. Common signs of infection include respiratory symptoms, fever, cough, shortness of breath and breathing difficulties. In more severe cases, infection can cause pneumonia, severe acute respiratory syndrome and kidney failure.

Please note, this test is not a part of CAP scope

Name : Priyanshi Maurya  
Lab No. : 172613002  
Ref By : SELF  
Collected : 02/8/2023 7:36:00AM  
A/c Status : P  
Collected at : PUNJABI BAGH HOME VISIT  
DELHI,  
DELHI

Age : 24 Years  
Gender : Female  
Reported : 03/8/2023 7:52:36PM  
Report Status : Final  
Processed at : LPL-NATIONAL REFERENCE LAB  
National Reference laboratory, Block E, Sector  
18, Rohini, New Delhi -110085



SRF ID : 0708202191561

Nationality : INDIAN  
Test Report

#### SARS-CoV-2 (COVID-19) QUALITATIVE REAL TIME RT-PCR

(Real Time PCR)

N- Gene ct value 22.00

ORF1ab- Gene ct value 22.00

#### Note

1. ICMR Registration number for Covid -19 is DRLAL001. Please scan the QR code given at end of this report to check the authenticity of the report.
2. Negative result does not rule out the possibility of Covid-19 infection. Presence of inhibitors, mutations & insufficient RNA specific to SARS-CoV-2 can influence the test result. Kindly correlate the results with clinical findings. A negative result in a single upper respiratory tract sample does not rule out SARS-CoV-2 infection. Hence in such cases a repeat sample should be sent. Lower respiratory tract samples like Sputum, BAL, ET aspirate are appropriate samples especially in severe and progressive lung disease.
3. Covid-19 Test conducted as per kits approved by ICMR / CE-IVD / USFDA.
4. Kindly consult referring Physician / Authorized hospitals for appropriate follow up.
5. This is a qualitative test. The Ct values do not provide a measure of viral load due to inherent variability in sampling and kits. According to ICMR guidelines Ct values should not be used to gauge the severity of the disease.  
[https://www.icmr.gov.in/pdf/covid/techdoc/Advisory\\_on\\_correlation\\_of\\_COVID\\_severity\\_with\\_Ct\\_values.pdf](https://www.icmr.gov.in/pdf/covid/techdoc/Advisory_on_correlation_of_COVID_severity_with_Ct_values.pdf)
6. It is recommended that RTPCR test not be repeated in any individual who has tested positive once either by RAT or RTPCR (ICMR guidelines).
7. No testing is required for COVID-19 recovered individuals at the time of hospital discharge in accordance with the discharge policy of MoH&FW ([https:// www.mohfw.gov.in/ http://www.mohfw.gov.in/ pdf/ ReviseddischargePolicyforCOV019.pdf](https://www.mohfw.gov.in/http://www.mohfw.gov.in/pdf/ReviseddischargePolicyforCOV019.pdf)).

#### Comments


Coronaviruses (CoV) are a large family of viruses that cause illness ranging from the common cold to more severe diseases such as Middle East Respiratory Syndrome (MERS-CoV) and Severe Acute Respiratory Syndrome (SARS-CoV). Coronavirus disease (COVID-19) is a new strain that was discovered in 2019 and has not been previously identified in humans. Common signs of infection include respiratory symptoms, fever, cough, shortness of breath and breathing difficulties. In more severe cases, infection can cause pneumonia, severe acute respiratory syndrome and kidney failure.

Name	: Priyanshi Maurya	Age	: 24 Years
Lab No.	: 172613002	Gender	: Female
Ref By	: SELF	Reported	: 03/8/2023 7:52:36PM
Collected	: 02/8/2023 7:36:00AM	Report Status	: Final
A/c Status	: P		
Collected at	: PUNJABI BAGH HOME VISIT DELHI, DELHI	Processed at	: LPL-NATIONAL REFERENCE LAB National Reference laboratory, Block E, Sector 18, Rohini, New Delhi -110085


SRF ID : 0708202191561

Nationality : INDIAN  
Test Report

Please note, this test is not a part of CAP scope



Dr Shalabh Malik  
MD, Microbiology  
Technical Director - Microbiology,  
Infectious Disease Molecular &  
Serology, Clinical Pathology  
NRL - Dr Lal PathLabs Ltd



Dr Vamshi Krishna Thamtam  
MCI - 17-25915  
MBBS, MD Pathology  
DipRCPath UK, Molecular Genetics  
Fellowship, Tata Medical Center  
Head - Genomics  
National Reference Laboratory  
Dr Lal PathLabs Ltd

-----End of report -----



#### IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory .  
•Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. •Sample repeats are accepted on request of Referring Physician within 7 days post reporting. •Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted . •Certain tests may require further testing at additional cost for derivation of exact value . Kindly submit request within 72 hours post reporting. •Test results may show interlaboratory variations . •The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). •Test results are not valid for medico legal purposes. •This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner/Doctor. The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050, Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

National Reference lab, New Delhi, a CAP (7171001) Accredited, ISO 9001:2015 (FS60411), ISO 27001:2013 (616691) Certified laboratory.