

Slip no 1 Q1 Write a Java program using Multithreading to display all the alphabets between 'A' to 'Z' after every 2 seconds.

```
package com.mycompany.javaslip;

import java.util.logging.*;

public class slip1_1
{
    public static void main(String[] args)
    {
        Thread t = new Thread(() ->
        {
            while(true)
            {
                for(char ch = 'A'; ch <= 'Z'; ch++)
                    System.out.print(ch + " ");
                System.out.println();

                try
                {
                    Thread.sleep(2000);
                }
                catch (InterruptedException ex)
                {
                    Logger.getLogger(slip1_1.class.getName()).log(Level.SEVERE, null, ex);
                }
                System.out.println("2 seconds are passed....");
            }
        });

        t.start();
    }
}

/*
```

Slip no 2 Write a Java program to accept the details of Employee (Eno, EName, Designation,Salary) from a user and store it into the database. (Use Swing)

```
*/  
package com.mycompany.prac1;  
import java.awt.*;  
import java.awt.event.ActionEvent;  
import java.io.IOException;  
import java.sql.*;  
import java.util.logging.*;  
import javax.swing.*;  
  
class EmpApp {  
    private JFrame frame;  
    private JTextField eno, ename, desig, sal;  
    private JButton clear, insert;  
  
    EmpApp() throws SQLException {  
        frame = new JFrame("Employee App");  
        frame.setSize(400, 200);  
        frame.setLayout(new GridLayout(5,2));  
  
        eno = new JTextField();  
        ename = new JTextField();  
        desig = new JTextField();  
        sal = new JTextField();  
  
        frame.add(new JLabel("Eno."));  
        frame.add(eno);  
        frame.add(new JLabel("EName"));  
        frame.add(ename);  
        frame.add(new JLabel("Designation"));  
        frame.add(desig);  
        frame.add(new JLabel("Salary"));  
        frame.add(sal);  
  
        clear = new JButton("Clear");
```

```

        insert = new JButton("insert");

        Connection conn =
DriverManager.getConnection("jdbc:postgresql://localhost:5432/postgres",
"postgres", "bhalchandra");

        insert.addActionListener((ActionEvent e) -> {
            try {
                insertEmp(conn, eno, ename, desig, sal);
            } catch (IOException | SQLException ex) {
                Logger.getLogger(EmpApp.class.getName()).log(Level.SEVERE,
null, ex);
            }
        });

        clear.addActionListener((ActionEvent e) -> {
            eno.setText("");
            ename.setText("");
            desig.setText("");
            sal.setText("");
        });

        frame.add(insert);
        frame.add(clear);
        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        frame.setVisible(true);
    }

    private static void insertEmp(Connection conn, JTextField eno,
JTextField ename, JTextField desig, JTextField sal)
        throws IOException, SQLException {
        String sql = "insert into emp values(?, ?, ?, ?)";
        PreparedStatement ps = conn.prepareStatement(sql);
        ps.setInt(1, Integer.parseInt(eno.getText()));
        ps.setString(2, ename.getText());
        ps.setString(3, desig.getText());
        ps.setFloat(4, Float.parseFloat(sal.getText()));
        ps.executeUpdate();
    }
}

```

```

public class slip1_2
{
    public static void main(String[] args) throws SQLException {
        new EmpApp();
    }
}

```

```

/*
    Slip no 2 Q1 Write a java program to read 'N' names of your
    friends, store it into HashSet and
    display them in ascending order.
    */
package com.mycompany.practical_slip;

import java.util.*;;
public class slip2_1
{
    public static void main(String[] args)
    {
        HashSet<String> friends = new HashSet<>();

        Scanner scan = new Scanner(System.in);
        System.out.println("Enter N :");
        int n = scan.nextInt();

        scan.nextLine();
        for(int i = 0 ; i<n;i++)
        {
            System.out.println("Enter name :");
            String name = scan.nextLine();
            friends.add(name);
        }

        TreeSet<String> tree = new TreeSet<>(friends);
        System.out.println(tree);
    }
}

```

```
}  
}
```

```
/*  
Slip no 3 Q1. Write a JSP program to display the details of Patient (PNo,  
PName, Address, age,  
disease) in tabular form on browser*/  
  
<!DOCTYPE html>  
<html>  
  <head>  
    <meta http-equiv="Content-Type" content="text/html;  
charset=UTF-8">  
    <title>JSP Page</title>  
  </head>  
  <body>  
    <h1>Patient</h1>  
    <table border="1">  
      <tr>  
        <th>PNo</th>  
        <th>PName</th>  
        <th>Address</th>  
        <th>age</th>  
        <th>disease</th>  
      </tr>  
      <tr>  
        <td>1</td>  
        <td>John</td>  
        <td>xyz</td>  
        <td>45</td>  
        <td>kovid</td>  
      </tr>  
      <tr>  
        <td>2</td>  
        <td>Brock</td>  
        <td>abc</td>
```

```

                <td>48</td>
                <td>canaser</td>
            </tr>
        </table>
    </body>
</html>
*/

```

```

/*
Slip no 3 Q2. Write a Java program to create LinkedList of String objects
and perform the following:
i. Add element at the end of the list
ii. Delete first element of the list
iii. Display the contents of list in reverse order
*/
package com.mycompany.javaslip;

import java.util.*;

public class slip3_2 {

    public static void main(String[] args) {
        LinkedList<String> names = new LinkedList<>();
        Scanner sc = new Scanner(System.in);

        int ch;

        do {
            System.out.println("Menu");
            System.out.println("1. Insert at tail");
            System.out.println("2. Delete head.");
            System.out.println("3. Display in reverse");
            System.out.println("4. Exit");

            System.out.println("-----");
            System.out.println("Enter your choice:");
            ch = sc.nextInt();
            sc.nextLine();

```

```

        System.out.println();

        switch (ch) {
            case 1:
                System.out.println("Enter name.");
                names.add(sc.nextLine());
                break;
            case 2:
                names.remove();
                break;
            case 3: System.out.println("Real order");
                Iterator itr = names.iterator();
                while (itr.hasNext())
                {
                    System.out.println(itr.next());
                }
                Iterator it = names.descendingIterator();
                while (it.hasNext())
                {
                    System.out.println(it.next());
                }

                break;
            default:
                System.out.println("Invalid choice.");
        }
        System.out.println("-----");
    } while (ch != 4);
}
}

```

```

/*
Slip no 4 Q1 Write a Java program using Runnable interface to blink Text
on the JFrame (Use
Swing)
*/

```

```
package com.mycompany.practical_slip;

import java.awt.Color;
import java.util.Random;
import javax.swing.*.*;

class BlinkText implements Runnable
{
    private JFrame frame;
    private JLabel blink;

    public BlinkText() {
        frame = new JFrame("Blink Light");
        frame.setSize(200, 200);
        blink = new JLabel("Blink");
        frame.add(blink);
        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        frame.setVisible(true);
    }

    @Override
    public void run() {
        Random rand = new Random();
        while(true) {
            int r = rand.nextInt(255);
            int g = rand.nextInt(255);
            int b = rand.nextInt(255);
            blink.setForeground(new Color(r, g, b));
        }
    }
}

public class slip4_1
{
    public static void main(String[] args) {
        Thread t = new Thread(new BlinkText());
        t.start();
    }
}
```



```

/*
Slip no 4 Q2. Write a Java program to store city names and their STD codes
using an appropriate
collection and perform following operations:
i. Add a new city and its code (No duplicates)
ii. Remove a city from the collection
iii. Search for a city name and display the code
*/
package com.mycompany.practical_slip;

import java.util.*;

public class slip4_2
{
    public static void main(String[] args) {
        Map<String, String> cityMap = new HashMap<>();
        Scanner sc = new Scanner(System.in);

        int ch;
        String code, city;
        do {
            System.out.println("Menu");
            System.out.println("1. Add City and std code.(no
duplicates)");
            System.out.println("2. Remove City.");
            System.out.println("3. Search city name dsplay std code");
            System.out.println("4. Exit");

            System.out.println("-----");
            System.out.println("Enter your choice:");
            ch = sc.nextInt();
            sc.nextLine();
            System.out.println();

            switch(ch) {
                case 1: System.out.println("Enter std code.");
                    code = sc.nextLine();
                    System.out.println("Enter City.");
                    city = sc.nextLine();
                    cityMap.put(code, city);

```

```

        break;
    case 2: System.out.println("Enter std code.");
        code = sc.nextLine();
        cityMap.remove(code);
        break;
    case 3: System.out.println("Enter city:");
        city = sc.nextLine();
        code = null;
        for(Map.Entry<String, String> map :
cityMap.entrySet()) {
            if(map.getValue().equals(city))
                code = map.getKey();
        }
        if(code != null)
            System.out.println("Code is " + code);
        else
            System.out.println("Not found.");
        break;
    default: System.out.println("Invalid choice.");
}
    System.out.println("-----");
} while(ch != 4);
}
}

```

```

/*
Slip no5 Q1. Write a Java Program to create the hash table that will
maintain the mobile number and
student name. Display the details of student using Enumeration interface
*/
package com.mycompany.javaslip;

import java.util.*;

public class slip5_1
{
    public static void main(String[] args)
    {

```

```

        Hashtable<String, String> studentTable = new Hashtable<>();

        studentTable.put("1234567890", "john");
        studentTable.put("1239874560", "carry");

        Enumeration<String> moblieNumbers = studentTable.keys();
        while (moblieNumbers.hasMoreElements())
        {
            String no = moblieNumbers.nextElement();
            String name = studentTable.get(no);
            System.out.println("Student name: " + name + ", Mobile no: " +
no);
        }
    }
}

```

```

/*
slip no 6 Q1 Write a Java program to accept 'n' integers from the user
and store them in a Collection.
Display them in the sorted order. The collection should not accept
duplicate elements.
(Use a suitable collection). Search for a particular element using
predefined search
method in the Collection framework
*/
package com.mycompany.practical_slip;

import java.util.*;

public class slip6_1
{
    public static void main(String[] args) {
        TreeSet<Integer> nums = new TreeSet<>();
        Scanner sc = new Scanner(System.in);

        System.out.println("How many number:");
        int n = sc.nextInt();
        System.out.println("Eneter " + n + " values:");
        for(int i=0; i<n; i++)

```

```

        nums.add(sc.nextInt());

        System.out.println(nums);

        System.out.println("Enter key to search:");
        int key = sc.nextInt();
        if(nums.contains(key))
            System.out.println("Found.");
        else
            System.out.println("Not found.");
    }
}

```

```

/*
slip no 6 q2 Write a java program using multithreading to simulate
traffic signal (Use Swing).
*/
package com.mycompany.practical_slip;

import java.util.logging.*;

class TrafficLight implements Runnable {
    String[] lights = {"Red", "Green", "Yellow"};

    @Override
    public void run() {
        int idx = 0;
        while(true) {
            System.out.println("Current Signal : " + lights[idx]);
            try {
                Thread.sleep(getDuration(lights[idx]) * 1000);
            } catch (InterruptedException ex) {
                Logger.getLogger(TrafficLight.class.getName()).log(Level.SEVERE, null,
ex);
            }
            idx = (idx + 1) % lights.length;
        }
    }
}

```

```

    }
}

private int getDuration(String light) {
    switch(light) {
        case "Red": return 4;
        case "Green": return 7;
        case "Yellow": return 2;
        default : return 0;
    }
}

}

public class slip6_2
{
    public static void main(String[] args) {
        Thread t = new Thread(new TrafficLight());
        t.start();
    }
}

```

```

/*
slip no 7 Q2 Write a java program that implements a multi-thread
application that has three threads.
First thread generates random integer number after every one second, if
the number is
even; second thread computes the square of that number and prints it. If
the number is
odd, the third thread computes the cube of that number and prints it.
*/
package com.mycompany.practical_slip;

import java.util.Random;
import java.util.logging.*;

class NumGenerator implements Runnable {
    Random rand = new Random();
}

```

```

    int n;

    @Override
    public void run() {
        while(true) {
            n = rand.nextInt(100);
            System.out.println("Generated number: " + n);
            try {
                Thread.sleep(1000);
            } catch (InterruptedException ex) {

                Logger.getLogger(NumGenerator.class.getName()).log(Level.SEVERE, null,
                ex);
            }
        }
    }
}

class SqrGenerator implements Runnable {
    NumGenerator numGenerator;

    SqrGenerator(NumGenerator numGenerator) {
        this.numGenerator = numGenerator;
    }

    @Override
    public void run() {
        while(true) {
            int n = numGenerator.n;
            if(n % 2 == 0)
                System.out.println("Square of " + n + " is " + n*n);
            try {
                Thread.sleep(1000);
            } catch (InterruptedException ex) {

                Logger.getLogger(SqrGenerator.class.getName()).log(Level.SEVERE, null,
                ex);
            }
        }
    }
}

```

```

}

class CubeGenerator implements Runnable {
    NumGenerator numGenerator;
    int n;

    CubeGenerator(NumGenerator numGenerator) {
        this.numGenerator = numGenerator;
    }

    @Override
    public void run() {
        while(true) {
            int n = numGenerator.n;
            if(n % 2 != 0)
                System.out.println("Cube of " + n + " is " + n*n*n);
            try {
                Thread.sleep(1000);
            } catch (InterruptedException ex) {

                Logger.getLogger(CubeGenerator.class.getName()).log(Level.SEVERE, null,
                ex);
            }
        }
    }
}

public class slip7_1
{
    public static void main(String[] args) {
        NumGenerator numGenerator = new NumGenerator();
        Thread t1 = new Thread(numGenerator);
        t1.start();

        SqrGenerator sqrGenerator = new SqrGenerator(numGenerator);
        Thread t2 = new Thread(sqrGenerator);
        t2.start();

        CubeGenerator cubeGenerator = new CubeGenerator(numGenerator);
        Thread t3 = new Thread(cubeGenerator);
    }
}

```

```
        t3.start();
    }
}
```

```
/*
    slip no 7 q2. Write a java program for the following:
    i. To create a Product (Pid, Pname, Price) table.
    ii. Insert at least five records into the Product table.
    iii. Display all the records from a Product table.
    Assume Database is already created
    */
package com.mycompany.practical_slip;

import java.sql.*;
import java.util.Scanner;

public class slip7_2
{
    public static void main(String[] args) throws SQLException {
        Scanner sc = new Scanner(System.in);
        Connection conn =
DriverManager.getConnection("jdbc:postgresql://localhost:5432/postgres",
"postgres", "postgres");

        int ch;
        do {
            System.out.println("Menu");
            System.out.println("1. Create table Product.");
            System.out.println("2. Insert into Product.");
            System.out.println("3. Display records of product.");
            System.out.println("4. Exit.");

            System.out.println("-----");
            System.out.println("Enter your choice:");
            ch = sc.nextInt();

            switch(ch) {
                case 1: create(conn);
```



```

        break;
    case 2: insert(conn);
        break;
    case 3 : select(conn);
        break;
    default : System.out.println("Invalid choice.");
        break;
    }
} while(ch != 4);
}

private static void create(Connection conn) throws SQLException {
    String sql = "create table if not exists product("
        + "pid int primary key,"
        + "pname varchar(30),"
        + "price decimal(10, 2))";
    Statement stmt = conn.createStatement();
    stmt.execute(sql);
}

private static void insert(Connection conn) throws SQLException {
    String sql = "insert into product values(?, ?, ?)";

    PreparedStatement pt = conn.prepareStatement(sql);
    Scanner sc = new Scanner(System.in);

    System.out.println("Enter pid:");
    int pid = sc.nextInt();
    sc.nextLine();

    System.out.println("Enter pname:");
    String name = sc.nextLine();

    System.out.println("Enter price");
    float price = sc.nextFloat();

    pt.setInt(1, pid);
    pt.setString(2, name);
    pt.setFloat(3, price);
    pt.executeUpdate();
}

```

```

    }

    private static void select(Connection conn) throws SQLException {
        String sql = "select * from product";
        Statement stmt = conn.createStatement();
        stmt.executeQuery(sql);
        ResultSet res = stmt.getResultSet();

        while(res.next()) {
            System.out.println("Pid = " + res.getInt("pid"));
            System.out.println("PName = " + res.getString("pname"));
            System.out.println("Price = " + res.getFloat("price"));

            System.out.println("-----");
        }
    }
}

```

```

/*
slip no 9 Q1. Write a java program to define a thread for printing text on
output screen for 'n'
number of times. Create 3 threads and run them. Pass the text 'n'
parameters to the
thread constructor.
Example:
i. First thread prints "COVID19" 10 times.
ii. Second thread prints "LOCKDOWN2020" 20 times
iii. Third thread prints "VACCINATED2021" 30 times
*/
package com.mycompany.practical_slip;

class T1 extends Thread {
    String msg;

    T1(String msg) {
        this.msg = msg;
    }
}

```

```

        public void run() {
            for(int i=0; i<10; i++)
                System.out.println(msg);
        }
    }

class T2 extends Thread {
    String msg;

    T2(String msg) {
        this.msg = msg;
    }

    public void run() {
        for(int i=0; i<20; i++)
            System.out.println(msg);
    }
}

class T3 extends Thread {
    String msg;

    T3(String msg) {
        this.msg = msg;
    }

    public void run() {
        for(int i=0; i<30; i++)
            System.out.println(msg);
    }
}

public class slip8_1
{
    public static void main(String[] args) {
        T1 t1 = new T1("COVID19");
        T2 t2 = new T2("LOCKDOWN2020");
        T3 t3 = new T3("VACCINATED2021");

        t1.start();
        t2.start();
    }
}

```

```
        t3.start();
    }
}
```

```
/*slip no 8 Q2*/

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
        <title>JSP Page</title>
        <style>
            .prime { color: red; }
        </style>
    </head>
    <body>
        <h1>Is prime?</h1>
        <form action="S8Q2.jsp" method="post">
            Enter a number: <input type="text" name="num">
            <input type="submit" value="is prime ?">
        </form>
        <%
            String numStr = request.getParameter("num");
            int n = 0;

            if(numStr != null && !numStr.isEmpty()) {
                n = Integer.parseInt(numStr);

                if(n > 1) {
                    boolean isPrime = true;
                    for(int i=2; i<n; i++) {
                        if(n % i == 0) {
                            isPrime = false;
                            break;
                        }
                    }
                }
            }
        %>
    </body>
</html>
```

```

        if(isPrime) {
%>
            <h3 class="prime">Prime number</h3>
<%
        } else {
%>
            <h3 class="prime">Not a prime number</h3>
<%
        }
    }
}
%>
</body>
</html>

```

```

/*
slip no 9 Q1. Write a Java program to create a thread for moving a ball
inside a panel vertically. The
ball should be created when the user clicks on the start button (Use
Swing).
*/
package com.mycompany.practical_slip;

import java.awt.*;
import java.awt.event.ActionEvent;
import java.util.logging.*;
import javax.swing.*;

class BallPanel extends JPanel
{
    private int yDelta = 0;

    @Override
    protected void paintComponent(Graphics g)
    {
        super.paintComponent(g);
        g.setColor(Color.red);
        g.fillOval(175, yDelta, 50, 50);
    }
}

```

```

        repaint();
    }

    void setBallPos(int y) {
        this.yDelta = y;
    }
}

public class slip9_1
{
    private Thread ballThread;
    private BallPanel ballPanel;
    private JFrame frame;
    private JButton start;

    slip9_1()
    {
        frame = new JFrame("Ball Movement App");
        frame.setSize(400, 400);

        ballPanel = new BallPanel();

        start = new JButton("Start");
        start.addActionListener((ActionEvent e) ->
        {
            startBallMovement();
        });

        frame.setLayout(new BorderLayout());
        frame.add(ballPanel, BorderLayout.CENTER);
        frame.add(start, BorderLayout.SOUTH);
        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        frame.setVisible(true);
    }

    private void startBallMovement()
    {
        if(ballThread == null || !ballThread.isAlive())
        {
            ballThread = new Thread(() -> {

```

```

        moveBallVertically();
    });
    ballThread.start();
}

}

private void moveBallVertically()
{
    int y = 0;
    int dir = 1;
    while(true)
    {
        try
        {
            Thread.sleep(15);
        } catch (InterruptedException ex)
        {
            Logger.getLogger(slip9_1.class.getName()).log(Level.SEVERE, null, ex);
        }

        y += 5 * dir;

        if(y > ballPanel.getHeight() - 50)
            dir = -1;

        if(y <= 0)
            dir = 1;

        ballPanel.setBallPos(y);
    }
}

public static void main(String[] args)
{
    new slip9_1();
}
}

```

```

/*
slip no 10 Q2. Write a Java program to display first record from student
table (RNo, SName, Per) onto
the TextFields by clicking on button. (Assume Student table is already
created)
*/
package com.mycompany.javaslip;

import java.awt.GridLayout;
import java.sql.*;
import java.util.logging.*;
import javax.swing.*;

class StudentRec
{
    private JFrame frame;
    private JTextField tf1, tf2, tf3;
    private JButton display;

    StudentRec() throws SQLException {
        frame = new JFrame("Student First Record.");
        frame.setSize(200, 300);

        tf1 = new JTextField();
        tf2 = new JTextField();
        tf3 = new JTextField();

        display = new JButton("Show Record");

        Connection conn =
DriverManager.getConnection("jdbc:postgresql://localhost:5432/postgres",
"postgres", "postgres");

        display.addActionListener((ActionEvent) -> {
            try {
                select(conn);
            } catch (SQLException ex) {

Logger.getLogger(StudentRec.class.getName()).log(Level.SEVERE, null, ex);

```



```

        }
    });

    frame.setLayout(new GridLayout(4,1));

    frame.add(tf1);
    frame.add(tf2);
    frame.add(tf3);
    frame.add(display);

    frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
    frame.setVisible(true);
}

private void select(Connection conn) throws SQLException {
    String sql = "select * from student where rno = 1";

    Statement stmt = conn.createStatement();
    stmt.executeQuery(sql);
    ResultSet rs = stmt.getResultSet();

    while(rs.next()) {
        tf1.setText("      " + rs.getInt("rno"));
        tf2.setText("      " + rs.getString("sname"));
        tf3.setText("      " + rs.getFloat("per") + "");
    }
}

}

public class slip10_2
{
    public static void main(String[] args) throws SQLException {
        new StudentRec();
    }
}

```

```

/*

```

```

slip no 11 q2 Write a Java program to display information about all
columns in the DONAR table
using ResultSetMetaData.
*/
package com.mycompany.javaslip;

import java.sql.*;

public class slip11_2
{
    public static void main(String[] args) throws SQLException {
        Connection conn =
DriverManager.getConnection("jdbc:postgresql://localhost:5432/postgres",
"postgres", "postgres");

        String sql = "select * from donar";

        Statement stmt = conn.createStatement();
        stmt.executeQuery(sql);

        ResultSet rs = stmt.getResultSet();
        ResultSetMetaData rsmd = rs.getMetaData();

        int colCnt = rsmd.getColumnCount();
        System.out.println("Donar table Meta Data:");
        for(int i=1; i<colCnt; i++) {
            String colName = rsmd.getColumnName(i);
            String colType = rsmd.getColumnTypeName(i);
            int colSize = rsmd.getColumnDisplaySize(i);

            System.out.println(colName + " " + colType + "(" + colSize +
")");
        }
    }
}

```

```

/* slip no 12 */

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
        <title>JSP Page</title>
    </head>
    <body>
        <h1>Is Perfect?</h1>
        <form action="slip12_1.jsp" method="post">
            Enter a number: <input type="text" name="num">
            <input type="submit" value="is perfect?">
        </form>
        <%
            String numStr = request.getParameter("num");
            int n = 0;

            if(numStr != null && !numStr.isEmpty()) {
                n = Integer.parseInt(numStr);

                if(n > 1) {
                    int sum = 0;
                    for(int i=1; i<=n/2; i++) {
                        if(n % i == 0) {
                            sum += i;
                        }
                    }

                    if(sum == n) {
                        <h3>Perfect number</h3>
                    } else {
                        <h3>Not a perfect number</h3>
                    }
                }
            }
        <%>
    </body>
</html>

```

```
        }

    }

    %>

</body>
</html>
```

```
/*
slip no 12 Q2 Write a Java Program to create a PROJECT table with field's
project_id, Project_name,
Project_description, Project_Status. Insert values in the table. Display
all the details of
the PROJECT table in a tabular format on the screen.(using swing).
*/
package com.mycompany.javaslip;

import java.awt.BorderLayout;
import java.sql.*;
import javax.swing.JFrame;
import javax.swing.JScrollPane;
import javax.swing.JTable;

class ProjectTable {
    private JFrame frame;
    private JTable table;

    ProjectTable() throws SQLException {
        frame = new JFrame("Project Table");
        frame.setLayout(new BorderLayout());
        frame.setSize(600, 150);
        Connection conn =
DriverManager.getConnection("jdbc:postgresql://localhost:5432/postgres",
"postgres", "postgres");

        createTable(conn);
        insert(conn);
    }
}
```

```

String[] colNames = {"pid", "pname", "description", "status"};
String[][] data = retrieveData(conn);

table = new JTable(data, colNames);
JScrollPane scrPane = new JScrollPane(table);

frame.getContentPane().add(scrPane, BorderLayout.CENTER);
frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
frame.setVisible(true);
}

private void createTable(Connection conn) throws SQLException {
    String sql = "create table if not exists project("
        + "pid int primary key,"
        + "pname varchar(30),"
        + "description varchar(30),"
        + "status varchar(30))";

    Statement stmt = conn.createStatement();
    stmt.execute(sql);
}

private void insert(Connection conn) throws SQLException {
    String sql = "insert into project values"
        + "(1, 'Game', 'Java Platformer Game', 'complete'),"
        + "(2, 'Website', 'MERN stack', 'complete'),"
        + "(3, 'Portfolio', 'PHP', 'complete')";

    Statement stmt = conn.createStatement();
    stmt.executeUpdate(sql);
}

private String[][] retrieveData(Connection conn) throws SQLException {
    String sql = "select * from project";

    Statement stmt =
conn.createStatement(ResultSet.TYPE_SCROLL_INSENSITIVE,
ResultSet.CONCUR_READ_ONLY);
    ResultSet rs = stmt.executeQuery(sql);
    ResultSetMetaData rsmd = rs.getMetaData();

```

```

        int noCol = rsmd.getColumnCount();
        rs.last();
        int noRow = rs.getRow();
        rs.beforeFirst();

        String[][] data = new String[noRow][noCol];

        int rowCnt = 0;
        while (rs.next()) {
            for (int i = 1; i <= noCol; i++)
                data[rowCnt][i - 1] = rs.getString(i);
            rowCnt++;
        }
        return data;
    }
}

public class slip12_2
{
    public static void main(String[] args) throws SQLException {
        new ProjectTable();
    }
}

```

```

/*
Slip no 13 Q1 Write a Java program to display information about the
database and list all the tables in
the database. (Use DatabaseMetaData).
*/
package com.mycompany.javaslip;

import java.sql.Connection;
import java.sql.DatabaseMetaData;
import java.sql.DriverManager;

```

```

import java.sql.ResultSet;
import java.sql.SQLException;

public class slip13_1
{
    public static void main(String[] args) throws SQLException {
        Connection conn =
DriverManager.getConnection("jdbc:postgresql://localhost:5432/postgres",
"postgres", "postgres");
        DatabaseMetaData md = conn.getMetaData();

        System.out.println("" + md.getDatabaseProductName());
        System.out.println("" + md.getDatabaseProductVersion());
        System.out.println("" + md.getDriverName());
        System.out.println("" + md.getDriverVersion());

        ResultSet tables = md.getTables(null, null, "%", new
String[]{"TABLE"});
        System.out.println("Tables in Database:");
        while(tables.next()) {
            String tableName = tables.getString("TABLE_NAME");
            System.out.println(tableName);
        }
    }
}

```

```

/*
Slip no13 Q2 Write a Java program to show lifecycle (creation, sleep, and
dead) of a thread. Program
should print randomly the name of thread and value of sleep time. The name
of the
thread should be hard coded through constructor. The sleep time of a
thread will be a
random integer in the range 0 to 4999.
*/
package com.mycompany.javaslip;

```

```

import java.util.Random;
import java.util.logging.Level;
import java.util.logging.Logger;

class ThreadLifeCycle extends Thread {
    private String threadName;

    ThreadLifeCycle(String threadName) {
        this.threadName = threadName;
    }

    public void run() {
        Random rand = new Random();
        int sTime = rand.nextInt(5000);
        System.out.println(threadName + " is created.");
        System.out.println("Sleep time of " + threadName + " is: " + sTime
+ "ms.");
        try {
            Thread.sleep(sTime);
        } catch (InterruptedException ex) {

Logger.getLogger(ThreadLifeCycle.class.getName()).log(Level.SEVERE, null,
ex);

        }

        System.out.println(threadName + " is dead.");
    }
}

public class slip13_2
{
    public static void main(String[] args) {
        ThreadLifeCycle t1 = new ThreadLifeCycle("First");
        ThreadLifeCycle t2 = new ThreadLifeCycle("Second");
        ThreadLifeCycle t3 = new ThreadLifeCycle("Third");

        t1.start();
        t2.start();
        t3.start();
    }
}

```



```
}
```

```
/*
slip no 14 Q1 Write a Java program using Multithreading for a simple
search engine. Accept a string
to be searched. Search the string in all text files in the current folder.
Use a separate
thread for each file. The result should display the filename and line
number where the
string is found.
*/
package com.mycompany.javaslip;

import java.io.*;
import java.util.Scanner;

class SearchThread extends Thread {
    private File file;
    private String searchStr;

    SearchThread(File file, String searchStr) {
        this.file = file;
        this.searchStr = searchStr;
    }

    public void run() {
        searchInFile(file, searchStr);
    }

    public void searchInFile(File file, String searchStr) {
        boolean found = false;
        try (BufferedReader br = new BufferedReader(new FileReader(file)))
        {
            String line;
            int lineNo = 0;
            while ((line = br.readLine()) != null) {
                lineNo++;
                if (line.contains(searchStr)) {

```

```

        System.out.println("Found '" + searchStr + "' in " +
file.getName() + " at line " + lineNo);
        found = true;
    }
}
} catch (IOException ex) {
    System.err.println("Error reading file: " + file.getName());
}
if (!found) {
    System.out.println(searchStr + " not found in " +
file.getName());
}
}
}

public class slip14_1
{
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.println("Enter string to be searched in files:");
        String searchStr = sc.nextLine();

        File currDir = new File(".");
        File[] files = currDir.listFiles();

        if (files != null) {
            boolean foundInAnyFile = false;
            for (File file : files) {
                if (file.isFile() && file.getName().endsWith(".txt")) {
                    SearchThread t = new SearchThread(file, searchStr);
                    t.start();
                    foundInAnyFile = true;
                }
            }
            if (!foundInAnyFile) {
                System.out.println("No text files found in the current
directory.");
            }
        } else {

```

```
        System.err.println("Error: Unable to access current  
directory.");  
    }  
}  
}
```

```
/* slipno 14 Q2 */  
  
<%@page contentType="text/html" pageEncoding="UTF-8"%>  
<!DOCTYPE html>  
<html>  
    <head>  
        <meta http-equiv="Content-Type" content="text/html;  
charset=UTF-8">  
        <title>JSP Page</title>  
        <style>  
            .res { color: red; font-size: 18px; }  
        </style>  
    </head>  
    <body>  
        <h1>Calculate sum of first and last digit?</h1>  
        <form action="slip14_2.jsp" method="post">  
            Enter a number: <input type="text" name="num">  
            <input type="submit" value="sum?">  
        </form>  
        <%  
            String numStr = request.getParameter("num");  
            int n = 0;  
  
            if(numStr != null && !numStr.isEmpty()) {  
                n = Integer.parseInt(numStr);  
  
                int fDigit = n;  
                while(fDigit >= 10) {  
                    fDigit /= 10;  
                }  
                int lDigit = n % 10;
```

```

        int sum = fDigit + lDigit;

        %>
        <h3 class="res">Sum of first and last digit is <%= sum
%></h3>
        <%
        }
        %>
    </body>
</html>

```

```

/*
slip no 15 q1 Write a java program to display name and priority of a
Thread.
*/
package com.mycompany.javaslip;

class MyThread extends Thread {

    public void run() {
        System.out.println("Name of the thread: " +
Thread.currentThread().getName());
        System.out.println("Priority of the thread: " +
Thread.currentThread().getPriority());
    }
}

public class slip15_1
{
    public static void main(String[] args) {
        MyThread t1 = new MyThread();
        MyThread t2 = new MyThread();

        t1.start();
        t2.start();
    }
}

```

```

/*
slip no 16 Q1. Write a java program to create a TreeSet, add some colors
(String) and print out the
content of TreeSet in ascending order
*/
package com.mycompany.javaslip;

import java.util.*;

public class slip16_1
{
    public static void main(String[] args) {
        Set<String> colors = new TreeSet<>();

        colors.add("Red");
        colors.add("Blue");
        colors.add("Green");
        colors.add("Yellow");
        colors.add("Black");

        System.out.println(colors);
    }
}

```

```

/*
slip no 16 Q2 Write a Java program to accept the details of Teacher (TNo,
TName, Subject). Insert at
least 5 Records into Teacher Table and display the details of Teacher who
is teaching
"JAVA" Subject. (Use PreparedStatement Interface)
*/
package com.mycompany.javaslip;

```

```

import java.sql.*;
import java.util.Scanner;

class Teacher {

    Teacher() throws SQLException, SQLException {
        Connection conn =
DriverManager.getConnection("jdbc:postgresql://localhost:5432/postgres",
"postgres", "postgres");

        for(int i=0; i<5; i++)
            insert(conn);

        select(conn);
    }

    private void insert(Connection conn) throws SQLException {
        String sql = "insert into teacher values(?, ?, ?)";

        PreparedStatement ps = conn.prepareStatement(sql);

        Scanner sc = new Scanner(System.in);

        System.out.println("Enter tno:");
        ps.setInt(1, sc.nextInt());
        sc.nextLine();

        System.out.println("Enter tname:");
        ps.setString(2, sc.nextLine());

        System.out.println("Enter subject:");
        ps.setString(3, sc.nextLine());

        ps.executeUpdate();
    }

    private void select(Connection conn) throws SQLException {
        String sql = "select * from teacher where subject = 'java'";

        Statement stmt = conn.createStatement();
    }
}

```

```

        ResultSet rs = stmt.executeQuery(sql);
        while(rs.next()) {
            System.out.println("teacher tno: " + rs.getInt("tno"));
            System.out.println("teacher tname: " + rs.getString("tname"));
            System.out.println("teacher subject: " +
rs.getString("subject"));
        }
    }
}

public class slip16_2
{
    public static void main(String[] args) throws SQLException {
        new Teacher();
    }
}

```

```

/*
Slip no 17  q1Write a java program to accept 'N' integers from a user.
Store and display integers in
sorted order having proper collection class. The collection should not
accept duplicate
elements.
*/
package com.mycompany.javaslip;

import java.util.Scanner;
import java.util.Set;
import java.util.TreeSet;

public class slip17_1
{
    public static void main(String[] args) {
        Set<Integer> set = new TreeSet<>();
        Scanner sc = new Scanner(System.in);
    }
}

```

```

        System.out.println("How many integers:");
        int n = sc.nextInt();

        System.out.println("Enter " + n + " values:");
        for(int i=0; i<n; i++)
            set.add(sc.nextInt());

        System.out.println(set);
    }
}

```

```

/*
Slip no 17 Q2 Write a java program using Multithreading to display the
number's between 1 to 100
continuously in a JTextField by clicking on JButton. (Use Runnable
Interface &
Swing).
*/
package com.mycompany.javaslip;

import java.awt.GridLayout;
import java.awt.event.ActionEvent;
import java.util.logging.*;
import javax.swing.*;

public class slip17_2
{
    private JFrame frame;
    private JTextField tf;
    private JButton print;
    private Thread intThread;

    slip17_2() {
        frame = new JFrame("Integer printing App");
        frame.setSize(300, 200);
        frame.setLayout(new GridLayout(2,1));
    }
}

```



```

        tf = new JTextField();
        print = new JButton("Print");

        frame.add(tf);
        frame.add(print);

        print.addActionListener((ActionEvent e) -> {
            tf.setText("");
            if(intThread == null || !intThread.isAlive()) {
                intThread = new Thread(new Runnable() {
                    @Override
                    public void run() {
                        while(true) {
                            for(int i=1; i<=100; i++) {
                                tf.setText(String.valueOf(i));
                                try {
                                    Thread.sleep(500);
                                } catch (InterruptedException ex) {
                                    Logger.getLogger(S17Q2.class.getName()).log(Level.SEVERE, null, ex);
                                }
                            }
                            tf.setText("");
                        }
                    }
                });
                intThread.start();
            }
        });

        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        frame.setVisible(true);
    }

    public static void main(String[] args) {
        new S17Q2();
    }
}

```

```

/*
Slip n 18 q1 Write a java program using Multithreading to display all the
vowels from a given
String. Each vowel should be displayed after every 3 seconds.
*/
package com.mycompany.javaslip;

import java.util.Scanner;
import java.util.logging.*;

public class slip18_1
{
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.println("Enter any string:");
        String str = sc.nextLine();

        Thread t = new Thread(() -> {
            for(int i=0; i<str.length(); i++) {
                String str2 = str.toLowerCase();
                char ch = str2.charAt(i);
                if(ch == 'a' || ch == 'e' || ch == 'i' || ch == 'o' || ch
== 'u') {
                    System.out.println(ch);
                    try {
                        Thread.sleep(3000);
                    } catch (InterruptedException ex) {
                        Logger.getLogger(slip18_1.class.getName()).log(Level.SEVERE, null, ex);
                    }
                    System.out.println("3 seconds are passed....");
                }
            }
        });

        t.start();
    }
}

```

```
}
```

```
/*
slip no 19 Q1 Write a java program to accept 'N' Integers from a user
store them into LinkedList
Collection and display only negative integers.
*/
package com.mycompany.javaslip;

import java.util.*;

public class slip19_1
{
    public static void main(String[] args) {
        List<Integer> l = new LinkedList<>();
        Scanner sc = new Scanner(System.in);

        System.out.println("How many values:");
        int n = sc.nextInt();

        System.out.println("Enter " + n + " values:");
        for(int i=0; i<n; i++)
            l.add(sc.nextInt());

        System.out.println("Negative integers are:");
        Iterator itr = l.iterator();
        while(itr.hasNext()) {
            int num = (int)itr.next();
            if(num < 0)
                System.out.println(num);
        }
    }
}
```

```

/* Slip no 20*/

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
        <title>JSP Page</title>
    </head>
    <body>
        <form action="slip20_1.jsp" method="post">
            Enter a number :<input type="text" name="num"><br>
            <input type="submit" value="show in words">
        </form>

        <%
String numStr = request.getParameter("num");

if(numStr != null && !numStr.isEmpty()) {
    int t = Integer.parseInt(numStr);
    int rev = 0, rem;

    // reverse the number
    while(t > 0) {
        rem = t % 10;
        rev = (rev * 10) + rem;
        t = t / 10;
    }

    t = rev;
    rev = 0;
    while(t > 0) {
        rem = t % 10;
        rev = (rev * 10) + rem;
        t = t / 10;

        switch(rem) {
            case 0: out.println("zero");
                break;

```

```

        case 1: out.println("one");
            break;
        case 2: out.println("two");
            break;
        case 3: out.println("three");
            break;
        case 4: out.println("four");
            break;
        case 5: out.println("five");
            break;
        case 6: out.println("six");
            break;
        case 7: out.println("seven");
            break;
        case 8: out.println("eight");
            break;
        case 9: out.println("nine");
            break;
    }
}
}
%>
</body>
</html>

```

```

/*
slip no 20 q2Write a java program using Multithreading to demonstrate
drawing temple (Use
Swing)
*/
package com.mycompany.javaslip;

import javax.swing.*;
import java.awt.*;

class TempleDrawing extends JFrame
{

```

```

public TempleDrawing()
{
    setTitle("Simple Temple Drawing");
    setSize(300, 300);
    setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
    setLocationRelativeTo(null);

    TemplePanel templePanel = new TemplePanel();
    add(templePanel);
    setVisible(true);
}
}

class TemplePanel extends JPanel
{
    @Override
    protected void paintComponent(Graphics g)
    {
        super.paintComponent(g);
        drawTemple(g);
    }

    private void drawTemple(Graphics g)
    {
        g.setColor(Color.BLACK);
        g.fillRect(100, 100, 100, 100); // Main structure

        g.setColor(Color.WHITE);
        g.fillRect(130, 150, 40, 50); // Main Door

        g.setColor(Color.RED);
        int[] xPoints = {100, 150, 200}; // Triangle for roof
        int[] yPoints = {100, 50, 100};
        g.fillPolygon(xPoints, yPoints, 3);

        g.setColor(Color.ORANGE);
        g.fillRect(150, 40, 20, 10); // Flag
    }
}

```

```

}

public class slip20_2
{
    public static void main(String[] args)
    {
        SwingUtilities.invokeLater(() ->
        {
            new TempleDrawing();
        });
    }
}

```

```

/*
slip no 21 Q1. Write a java program to accept 'N' Subject Names from a
user store them into
LinkedList Collection and Display them by using Iterator interface.
*/
package com.mycompany.javaslip;

import java.util.*;

public class slip21_1
{
    public static void main(String[] args) {
        List<String> l = new LinkedList<>();
        Scanner sc = new Scanner(System.in);

        System.out.println("How many subjects:");
        int n = sc.nextInt();
        sc.nextLine();

        System.out.println("Enter " + n + " subjects:");
        for(int i=0; i<n; i++)
            l.add(sc.nextLine());
    }
}

```

```

        System.out.println("Subjects are:");
        Iterator itr = l.iterator();
        while(itr.hasNext()) {
            System.out.println(itr.next());
        }
    }
}

```

```

/*
slip no 22 Q2 Write a java program using Multithreading to solve producer
consumer problem in
which a producer produces a value and consumer consume the value before
producer
generate the next value. (Hint: use thread synchronization)
*/
package com.mycompany.javaslip;

import java.util.LinkedList;

class SharedResource {
    private LinkedList<String> buffer = new LinkedList<>();
    private int capacity = 1;

    public synchronized void produce(String value) {
        while(buffer.size() == capacity) {
            try {
                wait();
            } catch (InterruptedException e) {
                e.printStackTrace();
            }
        }

        buffer.add(value);
        System.out.println("Produced: " + value);
        notifyAll();
    }
}

```



```

    }

    public synchronized String consume() {
        while(buffer.size() == 0) {
            try {
                wait();
            } catch (InterruptedException e) {
                e.printStackTrace();
            }
        }

        String value = buffer.removeFirst();
        System.out.println("Consume: " + value);
        notifyAll();

        return value;
    }
}

class Producer extends Thread {
    private SharedResource sharedResource;

    public Producer(SharedResource sharedResource) {
        this.sharedResource = sharedResource;
    }

    @Override
    public void run() {
        for(int i=0; i<5; i++) {
            String value = "Value " + i;
            sharedResource.produce(value);
            try {
                sleep(1000);
            } catch (InterruptedException e) {
                e.printStackTrace();
            }
        }
    }
}

```

```

class Consumer extends Thread {
    private SharedResource sharedResource;

    public Consumer(SharedResource sharedResource) {
        this.sharedResource = sharedResource;
    }

    @Override
    public void run() {
        for(int i=0; i<5; i++) {
            String value = "Value " + i;
            sharedResource.consume();
            try {
                sleep(1000);
            } catch (InterruptedException e) {
                e.printStackTrace();
            }
        }
    }
}

public class slip21_2
{
    public static void main(String[] args) {
        SharedResource sharedResource = new SharedResource();

        Producer producer = new Producer(sharedResource);
        Consumer consumer = new Consumer(sharedResource);

        producer.start();
        consumer.start();
    }
}

```

```

/*
slip no 22 Q1 Write a Menu Driven program in Java for the following:
Assume Employee table with

```

attributes (ENo, EName, Salary) is already created. 1. Insert 2. Update 3. Display 4.

Exit

*/

```
package com.mycompany.javaslip;
```

```
import java.sql.*;
```

```
import java.util.Scanner;
```

```
public class slip22_1
```

```
{
```

```
    private static void insert(Connection conn) throws SQLException {
```

```
        String sql = "insert into emp2 values (?, ?, ?)";
```

```
        PreparedStatement ps = conn.prepareStatement(sql);
```

```
        Scanner sc = new Scanner(System.in);
```

```
        System.out.println("Enter eno:");
```

```
        ps.setInt(1, sc.nextInt());
```

```
        sc.nextLine();
```

```
        System.out.println("Enter ename:");
```

```
        ps.setString(2, sc.nextLine());
```

```
        System.out.println("Enter salary:");
```

```
        ps.setFloat(3, sc.nextFloat());
```

```
        ps.executeUpdate();
```

```
    }
```

```
    private static void update(Connection conn) throws SQLException {
```

```
        Scanner sc = new Scanner(System.in);
```

```
        System.out.println("Enter eno:");
```

```
        int eno = sc.nextInt();
```

```
        sc.nextLine();
```

```
        System.out.println("Enter new ename:");
```

```
        String ename = sc.nextLine();
```

```
        System.out.println("Enter new salary:");
```

```

        float salary = sc.nextFloat();

        String sql = "update emp2 set ename = '" + ename + "', salary = "
+ salary + " where eno = " + eno;
        Statement stmt = conn.createStatement();
        stmt.executeUpdate(sql);
    }

    private static void display(Connection conn) throws SQLException {
        String sql = "select * from emp2";

        Statement stmt = conn.createStatement();
        ResultSet rs = stmt.executeQuery(sql);

        System.out.println("Emp table data:");
        while (rs.next()) {
            System.out.println("eno: " + rs.getInt("eno"));
            System.out.println("ename: " + rs.getString("ename"));
            System.out.println("salary: " + rs.getFloat("salary"));
        }
    }

    public static void main(String[] args) throws SQLException {
        Scanner sc = new Scanner(System.in);
        Connection conn =
DriverManager.getConnection("jdbc:postgresql://localhost:5432/postgres",
"postgres", "postgres");

        int ch;
        do {
            System.out.println("Menu");
            System.out.println("1. Insert");
            System.out.println("2. Update");
            System.out.println("3. Display");
            System.out.println("4. Exit");
            System.out.println("-----");

            System.out.println("Enter your choice:");
            ch = sc.nextInt();

```

```

        switch (ch) {
            case 1:
                insert(conn);
                break;
            case 2:
                update(conn);
                break;
            case 3:
                display(conn);
                break;
        }
    } while (ch != 4);
}
}

```

```

*/ slip no 22 Q2 */

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@page import="java.time.LocalDateTime" %>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
        <title>JSP Page</title>
    </head>
    <body>
        <form action="slip22_2.jsp" method="post">
            Enter user name :<input type="text" name="user"><br>
            <input type="submit" value="greet">
        </form>

        <%
            String user = request.getParameter("user");

            if(user != null && !user.isEmpty()) {

```

```

        LocalTime currTime = LocalTime.now();
        int hour = currTime.getHour();

        if(hour >= 0 && hour < 12)
            out.println("Good Morning " + user);
        else if(hour >= 12 && hour <= 18)
            out.println("Good Afternoon " + user);
        else
            out.println("Good Morning " + user);
    }
    %>
</body>
</html>

```

```

/*
slip no 23 Q1 Write a java program using Multithreading to accept a String
from a user and display
each vowel from a String after every 3 seconds
*/
package com.mycompany.javaslip;

import java.util.Scanner;
import java.util.logging.*;

public class slip23_1
{
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.println("Enter any string:");
        String str = sc.nextLine();

        Thread t = new Thread(() -> {
            for(int i=0; i<str.length(); i++) {
                String str2 = str.toLowerCase();
                char ch = str2.charAt(i);

```

```

        if(ch == 'a' || ch == 'e' || ch == 'i' || ch == 'o' || ch
== 'u') {
            System.out.println(ch);
            try {
                Thread.sleep(3000);
            } catch (InterruptedException ex) {
                Logger.getLogger(slip23_1.class.getName()).log(Level.SEVERE, null, ex);
            }
            System.out.println("3 seconds are passed....");
        }
    }
});

t.start();
}
}

```

```

/*
Slip no 24 Q1 Write a java program using Multithreading to scroll the
text from left to right
continuously (Use Swing).
*/
package com.mycompany.javaslip;

import javax.swing.*.*;

class TextScrolling extends JFrame implements Runnable {
    private JLabel label;
    private String text;
    private Thread thread;

    public TextScrolling(String text) {
        this.text = text;
        label = new JLabel(text);
        add(label);
        setSize(300, 100);
        setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
    }
}

```

```

        setVisible(true);
    }

    public void startScrolling() {
        thread = new Thread(this);
        thread.start();
    }

    @Override
    public void run() {
        try {
            while (true) {
                String labelText = label.getText();
                labelText = labelText.substring(1) + labelText.charAt(0);
                label.setText(labelText);
                Thread.sleep(200); // Adjust scrolling speed
            }
        } catch (InterruptedException e) {
            e.printStackTrace();
        }
    }
}

public class slip24_1
{
    public static void main(String[] args) {
        SwingUtilities.invokeLater(() -> {
            TextScrolling ts = new TextScrolling("Hello, this text is
scrolling continuously!");
            ts.startScrolling();
        });
    }
}

```

```

/*
SLip no 25 Q2 Write a Java Program for the following: Assume database is
already created.

```



```

*/
package com.mycompany.javaslip;

import java.awt.BorderLayout;
import java.awt.GridLayout;
import java.awt.event.ActionEvent;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.SQLException;
import java.sql.Statement;
import java.util.logging.Level;
import java.util.logging.Logger;
import javax.swing.JButton;
import javax.swing.JFrame;
import javax.swing.JLabel;
import javax.swing.JPanel;
import javax.swing.JTextField;

public class slip25_2
{
    JFrame frame;
    JButton b1, b2, b3;
    JTextField tf;

    slip25_2() throws SQLException {
        frame = new JFrame("DB App");
        frame.setLayout(new BorderLayout());
        frame.setSize(600, 100);

        JPanel p1 = new JPanel();
        JPanel p2 = new JPanel();

        tf = new JTextField();
        p1.setLayout(new GridLayout(1, 2));
        p1.add(new JLabel("Type your DDL query:"));
        p1.add(tf);

        b1 = new JButton("Create Table");
        b2 = new JButton("Alter Table");

```

```

        b3 = new JButton("Drop Table");
        p2.setLayout(new GridLayout(1, 3));
        p2.add(b1);
        p2.add(b2);
        p2.add(b3);

        Connection conn =
DriverManager.getConnection("jdbc:postgresql://localhost:5432/postgres",
"postgres", "postgres");

        b1.addActionListener((ActionEvent e) -> {
            try {
                create(conn);
            } catch (SQLException ex) {
                Logger.getLogger(S25Q2.class.getName()).log(Level.SEVERE,
null, ex);
            }
        });
        b2.addActionListener((ActionEvent e) -> {
            try {
                alter(conn);
            } catch (SQLException ex) {
                Logger.getLogger(S25Q2.class.getName()).log(Level.SEVERE,
null, ex);
            }
        });
        b3.addActionListener((ActionEvent e) -> {
            try {
                drop(conn);
            } catch (SQLException ex) {
                Logger.getLogger(S25Q2.class.getName()).log(Level.SEVERE,
null, ex);
            }
        });

        frame.add(p1, BorderLayout.CENTER);
        frame.add(p2, BorderLayout.SOUTH);
        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        frame.setVisible(true);
    }

```

```

private void create(Connection conn) throws SQLException {
    String sql = tf.getText();
    Statement stmt = conn.createStatement();
    stmt.execute(sql);
}

private void alter(Connection conn) throws SQLException {
    String sql = tf.getText();
    Statement stmt = conn.createStatement();
    stmt.execute(sql);
}

private void drop(Connection conn) throws SQLException {
    String sql = tf.getText();
    Statement stmt = conn.createStatement();
    stmt.execute(sql);
}

public static void main(String[] args) throws SQLException {
    new S25Q2();
}
}

```

```

/*
Slip no 26 Q1 Write a Java program to delete the details of given employee
(ENo EName Salary).
Accept employee ID through command line. (Use PreparedStatement Interface)
*/
package com.mycompany.javaslip;

import java.sql.*;

public class slip26_1
{
    public static void main(String[] args) throws SQLException {

```

```

        Connection conn =
DriverManager.getConnection("jdbc:postgresql://localhost:5432/postgres",
"postgres", "postgres");

        String sql = "delete from emp where id = ?";
        PreparedStatement ps = conn.prepareStatement(sql);
        ps.setInt(1, Integer.parseInt(args[0]));
        ps.executeUpdate();
    }
}

```

```

/*
slip no 27 Q1 Write a Java Program to display the details of College (CID,
CName, address, Year)
database table on JTable.
*/
package com.mycompany.javaslip;

import java.awt.BorderLayout;
import java.sql.*;
import javax.swing.*;

class CollegeTable {
    private JFrame frame;
    private JTable table;

    CollegeTable() throws SQLException {
        frame = new JFrame("Project Table");
        frame.setLayout(new BorderLayout());
        frame.setSize(600, 150);
        Connection conn =
DriverManager.getConnection("jdbc:postgresql://localhost:5432/postgres",
"postgres", "postgres");

        String[] colNames = {"cid", "cname", "address", "year"};
        String[][] data = retrieveData(conn);
    }
}

```

```

        table = new JTable(data, colNames);
        JScrollPane scrPane = new JScrollPane(table);

        frame.getContentPane().add(scrPane, BorderLayout.CENTER);
        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        frame.setVisible(true);
    }

    private String[][] retrieveData(Connection conn) throws SQLException {
        String sql = "select * from college";

        Statement stmt =
conn.createStatement(ResultSet.TYPE_SCROLL_INSENSITIVE,
ResultSet.CONCUR_READ_ONLY);
        ResultSet rs = stmt.executeQuery(sql);
        ResultSetMetaData rsmd = rs.getMetaData();

        int noCol = rsmd.getColumnCount();
        rs.last();
        int noRow = rs.getRow();
        rs.beforeFirst();

        String[][] data = new String[noRow][noCol];

        int rowCnt = 0;
        while (rs.next()) {
            for (int i = 1; i <= noCol; i++)
                data[rowCnt][i - 1] = rs.getString(i);
            rowCnt++;
        }
        return data;
    }
}

public class slip27_1
{
    public static void main(String[] args) throws SQLException {
        new CollegeTable();
    }
}

```

```
}
```

```
/*
Slip no 28 Q2 Write a java program to display name of currently executing
Thread in multithreading
*/
package com.mycompany.javaslip;

public class slip28_2
{
    public static void main(String[] args) {
        Thread t = new Thread(() -> {
            System.out.println("Name of the thread: " +
Thread.currentThread().getName());
        });

        t.start();
    }
}
```

```
/*
Slip no 29 Q1. Write a Java program to display information about all
columns in the DONAR table
using ResultSetMetaData.
*/
package com.mycompany.javaslip;

import java.sql.*;

public class slip29_1
{
    public static void main(String[] args) throws SQLException {
        Connection conn =
DriverManager.getConnection("jdbc:postgresql://localhost:5432/postgres",
"postgres", "postgres");
```

```

String sql = "select * from donar";

Statement stmt = conn.createStatement();
stmt.executeQuery(sql);

ResultSet rs = stmt.getResultSet();
ResultSetMetaData rsmd = rs.getMetaData();

int colCnt = rsmd.getColumnCount();
System.out.println("Donar table Meta Data:");
for(int i=1; i<colCnt; i++) {
    String colName = rsmd.getColumnName(i);
    String colType = rsmd.getColumnTypeName(i);
    int colSize = rsmd.getColumnDisplaySize(i);

    System.out.println(colName + " " + colType + "(" + colSize +
")");
}
}
}

```

```

/*
slip no 29 Q2. Write a Java program to create LinkedList of integer
objects and perform the following:
i. Add element at first position
ii. Delete last element
iii. Display the size of link list
*/
package com.mycompany.javaslip;

import java.util.*;

public class slip29_2
{
    public static void main(String[] args) {

```

```

List<Integer> l = new LinkedList<>();
Scanner sc = new Scanner(System.in);

int ch;

do {
    System.out.println("Menu");
    System.out.println("1. Insert at head");
    System.out.println("2. Delete tail.");
    System.out.println("3. Display size");
    System.out.println("4. Exit");

    System.out.println("-----");
    System.out.println("Enter your choice:");
    ch = sc.nextInt();
    System.out.println();

    switch(ch) {
        case 1: System.out.println("Enter a number:");
                l.addFirst(sc.nextInt());
                break;
        case 2: l.removeLast();
                break;
        case 3:
                System.out.println("Size : " + l.size() + "\n" + l);
                break;
        default: System.out.println("Invalid choice.");
    }
    System.out.println("-----");
} while(ch != 4);
}
}

```

```

/*
Slip no 30 Q1. Write a java program using Multithreading to demonstrate
drawing Indian flag (Use
Swing
*/

```



```
package com.mycompany.javaslip;

import javax.swing.*;
import java.awt.*;

class IndianFlag extends JFrame {

    public IndianFlag() {
        setTitle("Simple Temple Drawing");
        setSize(300, 300);
        setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        setLocationRelativeTo(null);

        FlagPanel flagPanel = new FlagPanel();
        add(flagPanel);
        setVisible(true);
    }
}

class FlagPanel extends JPanel {

    @Override
    protected void paintComponent(Graphics g) {
        super.paintComponent(g);
        drawFlag(g);
    }

    private void drawFlag(Graphics g) {
        g.setColor(Color.ORANGE);
        g.fillRect(50, 50, 200, 50);

        g.setColor(Color.WHITE);
        g.fillRect(50, 100, 200, 50);

        g.setColor(Color.GREEN);
        g.fillRect(50, 150, 200, 50);
    }
}
```

```
public class slip30_1
{
    public static void main(String[] args) {
        SwingUtilities.invokeLater(() -> {
            new IndianFlag();
        });
    }
}
```