
TO LUNGSO TAGE MANAGEMENT TO THE PROPERTY OF T

PAMANTASAN NG LUNGSOD NG MAYNILA

(University of the City of Manila) Intramuros, Manila

Elective 3

Laboratory Activity No. 2 **Image Representation, Color Models, and Image Operations**



Submitted by:

ALAMBRA, Joseph Nathaniel ARAGON, Patrick Laurence M. BANAL, Daryll L. SENTASAS, David Bryan L. TUTANES, Allen Christopher O.

SATURDAY (7:00 - 4:00 pm) / CPE 0332.1-1

Date Submitted **30-07-2024**

Submitted to: Engr. Maria Rizette H. Sayo



(University of the City of Manila) Intramuros, Manila

I. Objectives

This laboratory activity aims to implement the principles and techniques of image acquisition, representation, color models through MATLAB/Octave and open CV using Python

- 1. Acquire the image.
- 2. Acquire image representation.
- 3. Acquire image color models.
- 4. Modify image representation.
- 5. Flip Image.

II. Methods

A. Perform a task given in the presentation

- Copy and paste your MATLAB code

```
% Read an image
img = imread("C:/Users\\Elitebook 840 G7/Documents/3rd Year - 3rd Sem/Elective
(Laboratory)/orange.png");
% Display the image
figure(1);
imshow(img);
title('Original Image');
% Get image dimensions (rows, columns, color channels)
[rows, cols, channels] = size(img);
disp(['Image size: ', num2str(rows), 'x', num2str(cols), 'x', num2str(channels)]);
% Check color model (grayscale or RGB)
if channels == 1
  disp('Color Model: Grayscale');
  disp('Color Model: RGB');
end
% Access individual pixels (example: center pixel)
center_row = floor(rows/2) + 1;
center\_col = floor(cols/2) + 1;
center_pixel = img(center_row, center_col, :);
disp(['Center pixel value: ', num2str(center_pixel(:)')]);
% Basic arithmetic operations (add constant value to all pixels)
brightened_img = img + 50;
figure(2);
```



(University of the City of Manila) Intramuros, Manila

```
imshow(brightened_img);
title('Image Brightened');

% Basic geometric operation (flipping image horizontally)
flipped_img = fliplr(img);
figure(3);
imshow(flipped_img);
title('Image Flipped Horizontally');
```

B. Supplementary Activity

- Write a Python program that will implement the output in Method A.

```
import numpy as np
import matplotlib.pyplot as plt
img = cv2.imread("C:/Users/Elitebook 840 G7/Documents/3rd Year - 3rd
plt.figure(1)
plt.imshow(cv2.cvtColor(img, cv2.COLOR BGR2RGB))
rows, cols, channels = img.shape
center_pixel = img[center_row, center_col]
plt.figure(2)
plt.imshow(cv2.cvtColor(brightened img, cv2.COLOR BGR2RGB))
flipped img = cv2.flip(img, 1)
plt.figure(3)
plt.imshow(cv2.cvtColor(flipped img, cv2.COLOR BGR2RGB))
```

(University of the City of Manila) Intramuros, Manila

plt.title('Image Flipped Horizontally')
plt.show()

III. Results

Image Attribute and Color Model

MATLAB Results

Image size: 500 x 500 x 3

Color Model: RGB

Center pixel value: 237 112 2

Octave Results

Image size: 500 x 500 x 3
Color Model: RGB
Center pixel value: 237 112 2
>> |

PyCharm Results

Image size: $500 \times 500 \times 3$

Color Model: RGB

Center pixel value: [2 112 237]

LUNGSOOD AND THE PROPERTY OF T

PAMANTASAN NG LUNGSOD NG MAYNILA

(University of the City of Manila) Intramuros, Manila

picture file: orange.png

Steps:

1. Copy/crop and paste your results. Label each output (Figure 1, Figure 2, Figure 3)

Figure 1

File Edit View Insert Tools Desktop Window Help

Original Image

Original Image

Figure 1: Orange



(University of the City of Manila) Intramuros, Manila




Figure 2: Image Brightened



(University of the City of Manila) Intramuros, Manila





Figure 3: Image Flipped Horizontally


Octave Screenshot





(University of the City of Manila) Intramuros, Manila

PyCharm Screenshot



These codes perform the following:

- 1. Reads an image using imread.
- 2. Displays the image using imshow.
- 3. Gets the image dimensions (rows, columns, color channels) using size and displays them.
- 4. Checks the color model (grayscale or RGB) based on the number of channels.
- 5. Accesses the value of a specific pixel (center pixel in this case). Performs a basic arithmetic operation (adding a constant value to all pixels) to brighten theimage.
- **6.** Performs a basic geometric operation (flipping the image horizontally) using fliplr.

(University of the City of Manila) Intramuros, Manila

Parameter Modification

< You can modify it to explore other functionalities>

• Try displaying individual color channels for RGB images (e.g., imshow(img(:,:,1)) for red channel).


Source Code

```
% Read an image
img = imread("C:/Users/Elitebook 840 G7/Documents/3rd Year - 3rd Sem/Elective
(Laboratory)/orange.png");
% Convert the image to red
img_red = img;
img_red(:,:,2) = 0; % Remove green channel
img_red(:,:,3) = 0; % Remove blue channel
figure(1);
imshow(img_red);
title('Image in Red');
% Convert the image to blue
img_blue = img;
img_blue(:,:,1) = 0; % Remove red channel
figure(2);
imshow(img_blue);
title('Image in Blue');
% Convert the image to green
img_green = img;
img_green(:,:,1) = 0; % Remove red channel
img_green(:,:,3) = 0; % Remove blue channel
figure(3);
imshow(img_green);
title('Image in Green');
% Convert the image to grayscale
img_gray = rgb2gray(img);
figure(4);
imshow(img_gray);
title('Image in Gray');
```



(University of the City of Manila) Intramuros, Manila

Output



Python Source Code Equivalent

```
import cv2
import matplotlib.pyplot as plt

# Read an image
img = cv2.imread('/content/drive/MyDrive/Colab/orange.png')

# Convert the image to RGB for display with matplotlib
img_rgb = cv2.cvtColor(img, cv2.COLOR_BGR2RGB)

# Convert the image to red
img_red = img_rgb.copy()
img_red[:, :, 1] = 0 # Remove green channel
img_red[:, :, 2] = 0 # Remove blue channel
plt.figure(1)
plt.imshow(img_red)
plt.title('Image in Red')

# Convert the image to blue
img_blue = img_rgb.copy()
img_blue[:, :, 0] = 0 # Remove red channel
img_blue[:, :, 1] = 0 # Remove green channel
plt.figure(2)
plt.imshow(img_blue)
plt.title('Image in Blue')
```




(University of the City of Manila) Intramuros, Manila

```
# Convert the image to green
img_green = img_rgb.copy()
img_green[:, :, 0] = 0  # Remove red channel
img_green[:, :, 2] = 0  # Remove blue channel
plt.figure(3)
plt.imshow(img_green)
plt.title('Image in Green')

# Convert the image to grayscale
img_gray = cv2.cvtColor(img, cv2.COLOR_BGR2GRAY)
plt.figure(4)
plt.imshow(img_gray, cmap='gray')
plt.title('Image in Gray')

plt.show()
```

Outputs



(University of the City of Manila) Intramuros, Manila

• Experiment with different arithmetic operations (subtraction, multiplication).

Source Code

```
% Read an image
img = imread("C:/Users/Elitebook 840 G7/Documents/3rd Year - 3rd Sem/Elective
% Increase image size 5 times
img = imresize(img, 5);
figure(1);
imshow(img);
disp(['Image size: ', num2str(rows), ' x ', num2str(cols), ' x ',
% Check color model (grayscale or RGB)
   disp('Color Model: Grayscale');
   disp('Color Model: RGB');
% Access individual pixels (example: center pixel)
      pixel = img(center_row, center_col, :);
img^{-}red(:,:,3) = 0; % Remove blue channel
figure(2);
% Display the image size, color model, and center pixel value for the red image
disp('Red Image:');
disp(['Image size: ', num2str(rows), ' x ', num2str(cols), ' x ',
num2str(channels)]);
disp(['Center pixel value: ', num2str(img red(center row, center col, :))]);
figure (3);
```

(University of the City of Manila) Intramuros, Manila

```
imshow(img blue);
disp('Blue Image:');
disp(['Image size: ', num2str(rows), ' x ', num2str(cols), ' x ',
num2str(channels)]);
disp(['Center pixel value: ', num2str(img blue(center row, center col, :))]);
img_green(:,:,1) = 0; % Remove red channel
figure(4);
imshow(img green);
title('Image in Green');
% Display the image size, color model, and center pixel value for the green
disp('Green Image:');
disp(['Image size: ', num2str(rows), ' x ', num2str(cols), ' x ',
num2str(channels)]);
disp(['Center pixel value: ', num2str(img green(center row, center col, :))]);
% Convert the image to grayscale
img gray = rgb2gray(img);
imshow(img gray);
disp('Gray Image:');
disp(['Image size: ', num2str(size(img_gray, 1)), ' x ', num2str(size(img_gray,
disp(['Center pixel value: ', num2str(img gray(center row, center col))]);
```



(University of the City of Manila) Intramuros, Manila

Output

Image size: 2500 x 2500 x 3
Color Model: RGB
Center pixel value: 237 112
Red Image:
Image size: 2500 x 2500 x 3
Center pixel value: 237 0
Blue Image:
Image size: 2500 x 2500 x 3
Center pixel value: 0 0 2
Green Image:
Image size: 2500 x 2500 x 3
Center pixel value: 0 112 0
Gray Image:
Image size: 2500 x 2500 x 1
Center pixel value: 137

Python Source Code Equivalent

```
import cv2
import numpy as np
import numpy as plt

# Read an image
img = cv2.imread('/content/drive/MyDrive/Colab/orange.png')

# Increase image size 5 times
img = cv2.resize(img, (img.shape[1] * 5, img.shape[0] * 5))

# Display the original image
plt.figure(1)
plt.imshow(cv2.cvtColor(img, cv2.COLOR_BGR2RGB))
plt.title('Original Image')

# Get image dimensions (rows, columns, color channels)
rows, cols, channels = img.shape
print(f'Image size: {rows} x {cols} x {channels}')

# Check color model (grayscale or RGB)
if channels == 1:
    print('Color Model: Grayscale')
```



(University of the City of Manila) Intramuros, Manila

```
else:
    print('Color Model: RGB')
center col = cols // 2
center pixel = img[center row, center col]
print(f'Center pixel value: {center pixel}')
img red = img.copy()
img red[:, :, 1] = 0 # Remove green channel
img red[:, :, 2] = 0 # Remove blue channel
plt.figure(2)
plt.imshow(cv2.cvtColor(img red, cv2.COLOR BGR2RGB))
plt.title('Image in Red')
print('Red Image:')
print(f'Image size: {rows} x {cols} x {channels}')
print(f'Center pixel value: {img red[center row, center col]}')
img blue = img.copy()
img blue[:, :, 0] = 0 # Remove red channel
img blue[:, :, 1] = 0 # Remove green channel
plt.figure(3)
plt.imshow(cv2.cvtColor(img blue, cv2.COLOR BGR2RGB))
plt.title('Image in Blue')
print('Blue Image:')
print(f'Image size: {rows} x {cols} x {channels}')
print(f'Center pixel value: {img blue[center row, center col]}')
img green = img.copy()
img green[:, :, 0] = 0 # Remove red channel
img green[:, :, 2] = 0 # Remove blue channel
plt.figure(4)
plt.imshow(cv2.cvtColor(img green, cv2.COLOR BGR2RGB))
```



(University of the City of Manila) Intramuros, Manila


```
plt.title('Image in Green')

# Display the image size, color model, and center pixel value for the green image
print('Green Image:')
print(f'Image size: {rows} x {cols} x {channels}')
print(f'Center pixel value: {img_green[center_row, center_col]}')

# Convert the image to grayscale
img_gray = cv2.cvtColor(img, cv2.COLOR_BGR2GRAY)
plt.figure(5)
plt.imshow(img_gray, cmap='gray')
plt.title('Image in Gray')

# Display the image size, color model, and center pixel value for the gray image
print('Gray Image:')
print(f'Gray Image:')
print(f'Center pixel value: {img_gray.shape[0]} x {img_gray.shape[1]} x 1')
print(f'Center pixel value: {img_gray[center_row, center_col]}')
plt.show()
```

Outputs



(University of the City of Manila) Intramuros, Manila

Explore other geometric operations like image rotation (imrotate).


Source Code

```
img = imread("C:/Users/Elitebook 840 G7/Documents/3rd Year - 3rd Sem/Elective
% Convert the image to red
img red rotated = imrotate(img red, 90); % Rotate the image 90 degrees
figure(1);
imshow(img red rotated);
title('Image in Red Rotated');
img blue = img;
img blue(:,:,2) = 0; % Remove green channel
img blue rotated = imrotate(img blue, 90); % Rotate the image 90 degrees
figure(2);
\mbox{\%} Convert the image to green
img_green(:,:,1) = 0; % Remove red channel
img_green(:,:,3) = 0; % Remove blue channel
img green rotated = imrotate(img green, 90); % Rotate the image 90 degrees
figure(3);
imshow(img green rotated);
% Convert the image to grayscale
img gray = rgb2gray(img);
img gray rotated = imrotate(img gray, 90); % Rotate the image 90 degrees
```



(University of the City of Manila) Intramuros, Manila

Output



Python Source Code Equivalent

```
import cv2
import numpy as np
import matplotlib.pyplot as plt

# Read an image
img = cv2.imread('/content/drive/MyDrive/Colab/orange.png')

# Convert the image to RGB for display with matplotlib
img_rgb = cv2.cvtColor(img, cv2.CoLOR_BGR2RGB)

# Convert the image to red
img_red = img_rgb.copy()
img_red[:, :, 1] = 0  # Remove green channel
img_red[:, :, 2] = 0  # Remove blue channel
img_red_rotated = np.rot90(img_red)  # Rotate the image 90 degrees
plt.figure(1)
plt.imshow(img_red_rotated)
plt.title('Image in Red Rotated')
```


(University of the City of Manila) Intramuros, Manila

```
img blue = img rgb.copy()
img blue[:, :, 0] = 0 # Remove red channel
img blue[:, :, 1] = 0 # Remove green channel
img_blue_rotated = np.rot90(img_blue) # Rotate the image 90 degrees
plt.figure(2)
plt.imshow(img blue rotated)
plt.title('Image in Blue Rotated')
img green = img rgb.copy()
img green[:, :, 0] = 0 # Remove red channel
img green[:, :, 2] = 0 # Remove blue channel
img green rotated = np.rot90(img green) # Rotate the image 90 degrees
plt.figure(3)
plt.imshow(img green rotated)
plt.title('Image in Green Rotated')
img gray = cv2.cvtColor(img, cv2.COLOR BGR2GRAY)
img gray rotated = np.rot90(img gray) # Rotate the image 90 degrees
plt.figure(4)
plt.imshow(img gray rotated, cmap='gray')
plt.title('Image in Gray Rotated')
plt.show()
```



(University of the City of Manila) Intramuros, Manila

Outputs



(University of the City of Manila) Intramuros, Manila

2. Visualize the results, analyze and interpret:

The applied algorithms in this laboratory activity had several notable effects on the image and demonstrated varying degrees of effectiveness in achieving the desired outcomes.

a. Image Brightening:

- Effect: The image was brightened by adding a constant value to all pixel intensities. This made the colors of the image appear more vivid and enhanced visibility in darker areas.
- Effectiveness: This method was effective in making the image appear more vibrant and visible. However, it also increased the risk of pixel saturation, where some pixel values might exceed the maximum allowable intensity, causing loss of detail in the brightest areas.

b. Image Flipping:

- **Effect**: The image was flipped horizontally. This changed the orientation of the image, effectively creating a mirror image.
- **Effectiveness**: This operation was effective in changing the perspective without altering the image content. It is particularly useful in applications where different orientations of the same image are needed, such as in data augmentation for machine learning.

c. Color Channel Manipulation:

- Effect: The image was converted to display only the red, green, or blue channel by zeroing out the other channels. This isolated the contribution of each color channel to the overall image.
- Effectiveness: This was effective in visualizing the individual color channels and understanding their impact on the composite image. It is useful for color analysis and for applications that require channel-specific processing.

d. Image Rotation:

- Effect: The image was rotated by 90 degrees. This altered the orientation, making vertical elements appear horizontal and vice versa.
- **Effectiveness**: This operation was effective in changing the image orientation without altering the pixel values. It is useful in scenarios that require different perspectives of the same image.

e. Image Resizing:

- **Effect**: The image size was increased by a factor of 5. This enlarged the image and made finer details more noticeable.
- **Effectiveness**: This was effective in enhancing the visibility of small details. However, it also increased the computational load and the risk of pixelation, where the image may appear blocky due to the interpolation method used.

Overall, the applied algorithms were effective in achieving their respective goals, such as enhancing visibility, changing orientation, and isolating color channels. The results demonstrate the potential of these techniques in various image processing applications, although care must be taken to manage potential drawbacks like pixel saturation and increased computational demands.



(University of the City of Manila) Intramuros, Manila

IV. Conclusion

The group successfully demonstrated the implementation of various principles and techniques in image processing using MATLAB/Octave and OpenCV with Python during this laboratory activity. They achieved the objective of acquiring images from specified file paths and displaying them using appropriate functions in both MATLAB and Python. This step is crucial for any image processing task as it serves as the input data. The group was able to read and display the acquired images, confirming that the image acquisition process was correctly executed, thereby verifying that the image file was correctly loaded into the working environment.

The group also analyzed the color models of the images to determine whether they were grayscale or RGB. This analysis was essential in understanding the color composition of the images. By determining the color model, the group could decide on the appropriate processing techniques to apply, depending on whether the image was in grayscale or RGB format.

Additionally, the group isolated and visualized individual color channels (red, green, and blue). This enhanced their understanding of the image's color composition and allowed them to see the contribution of each color channel to the overall image. This step was important for tasks that require color-specific processing, such as enhancing certain features within an image.

The group performed various image modifications, including brightening, flipping, and rotating the images. These operations demonstrated basic arithmetic and geometric transformations, which are fundamental in image processing. Brightening the image made the colors more vivid, flipping the image changed its orientation, and rotating the image provided a different perspective, all of which are useful in different image processing scenarios.

Furthermore, the group successfully flipped the images horizontally, showcasing their ability to alter the orientation of the images. This technique is useful for data augmentation and other applications that require different perspectives of the same image. Overall, this laboratory activity provided the group with hands-on experience with essential image processing techniques, reinforcing theoretical concepts and demonstrating their practical applications.



(University of the City of Manila) Intramuros, Manila

References

[1] D.J.D. Sayo. "University of the City of Manila Computer Engineering Department Honor Code," PLM-CpE Departmental Policies, 2020.

<This is in a separate page>