

```
sh-4.48 nan usersadd -s usersadd-nan.txt
sh-4.48 grep -i "password" usersadd-nan.txt
```

The number of days after a password expires until the account is permanently disabled. A value of 0 disables the account as soon as the password has expired.  
Example: -X PASS\_MAX\_DAYS -1 can be used when creating system account to turn off password aging, even though system account has no password at all.

-p, --password PASSWORD

The encrypted password, as returned by crypt(3). The default is to disable the password.

Note: This option is not recommended because the password (or encrypted password) will be visible by users listing the processes.

You should make sure the password respects the system's password policy.

The number of days after a password has expired before the account will be disabled.

Maximum retries per group entry. When the maximum is reached, a new group entry (line) is started in /etc/group (with the same name, same password, and the maximum number of days a password may be used. If the password is older than this, a password change will be forced. If not specified, -1 will be the maximum number of days allowed between password changes. Any password changes attempted sooner than this will be rejected. If not specified, -1 will be the number of days warning given before a password expires. A zero means warning is given only upon the day of expiration, a negative value means no shadow password entry configuration.

can't update password file

```
sh-4.48
```





```
sh 4.46 dUff /var/log/anaconda/syslog /root/.mydir/securecopy.txt
200c200
< 14:16:33,624 INFO kernel:ACPI: PCI Root Bridge [PCIE] (domain 0000 [bus 00-ff])
...
> 14:16:33,624 INFO kernel:ACPI: PCI abdullah Bridge [PCI0] (domain 0000 [bus 00-ff])
141.248c241.248
< 14:16:33,630 INFO kernel:pci_bus 0000:00: root bus resource [io 00000-000cf7 window]
< 14:16:33,630 INFO kernel:pci_bus 0000:00: root bus resource [io 00000-00ffff window]
< 14:16:33,630 INFO kernel:pci_bus 0000:00: root bus resource [mem 00000000-0000a000 window]
< 14:16:33,630 INFO kernel:pci_bus 0000:00: root bus resource [mem 00000000-0000b000 window]
< 14:16:33,630 INFO kernel:pci_bus 0000:00: root bus resource [mem 00000000-0000c000 window]
< 14:16:33,630 INFO kernel:pci_bus 0000:00: root bus resource [mem 00000000-0000d000 window]
< 14:16:33,630 INFO kernel:pci_bus 0000:00: root bus resource [mem 00000000-0000e000 window]
< 14:16:33,630 INFO kernel:pci_bus 0000:00: root bus resource [mem 00000000-0000f000 window]
< 14:16:33,630 INFO kernel:pci_bus 0000:00: root bus resource [mem 00000000-0000ffff window]
< 14:16:33,630 INFO kernel:pci_bus 0000:00: root bus resource [bus 00-ff]
...
> 14:16:33,630 INFO kernel:pci_bus 0000:00: abdullah bus resource [io 00000-00cf77 window]
> 14:16:33,630 INFO kernel:pci_bus 0000:00: abdullah bus resource [io 00000-00ffff window]
> 14:16:33,630 INFO kernel:pci_bus 0000:00: abdullah bus resource [mem 00000000-0000a000 window]
> 14:16:33,630 INFO kernel:pci_bus 0000:00: abdullah bus resource [mem 00000000-0000b000 window]
> 14:16:33,630 INFO kernel:pci_bus 0000:00: abdullah bus resource [mem 00000000-0000c000 window]
> 14:16:33,630 INFO kernel:pci_bus 0000:00: abdullah bus resource [mem 00000000-0000d000 window]
> 14:16:33,630 INFO kernel:pci_bus 0000:00: abdullah bus resource [mem 00000000-0000e000 window]
> 14:16:33,630 INFO kernel:pci_bus 0000:00: abdullah bus resource [mem 00000000-0000ffff window]
> 14:16:33,630 INFO kernel:pci_bus 0000:00: abdullah bus resource [bus 00-ff]
440c40
< 14:16:33,630 INFO systemd:Reached target Initrd Root Device.
...
> 14:16:33,630 INFO systemd:Reached target Initrd abdullah Device.
519c310
< 14:16:38,728 WARNING rpc.statd:Running as root. chown /var/lib/rpc/statd to choose different user
...
> 14:16:38,728 WARNING rpc.statd:Running as abdullah. chown /var/lib/rpc/statd to choose different user
50Ac304
< 14:16:39,383 INFO NetworkManager:info- [163373389.3885] auth[bd357a1888a0]: create auth manager: 0 bus connection not available. Polkit is disabled and only root u
(11 be authorized.
...
> 14:16:39,383 INFO NetworkManager:info- [163373389.3885] auth[bd357a1888a0]: create auth manager: 0 bus connection not available. Polkit is disabled and only abdull
```