Duration: 2 m 22.843 s Start: Nov 01, 7:54:15.315 pm End: Nov 01, 7:56:38.158 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 4 SKIPPED - 0 SKIPPED - 0 SKIPPED - 8 13 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 30 % 100 100


| Feature                                    |              | Scenario |   |   |   | Step |   |   |   |
|--|--------------|----------|---|---|---|------|---|---|---|
| Name                                       | Duration     | T        | P | F | S | T    | P | F | S |
| Test Order Place Successfully from Webshop | 2 m 22.843 s | 1        | 0 | 1 | 0 | 13   | 4 | 1 | 8 |

| Tag    | Scenario |   |   | Feature |   |   |   |   |
|--------|----------|---|---|---------|---|---|---|---|
| Name   | T        | P | F | S       | T | P | F | S |
| @Smoke | 1        | 0 | 1 | 0       | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 4




| # | Feature Name                               | T | P | F | S | Duration     |
|---|--|---|---|---|---|--------------|
| 1 | Test Order Place Successfully from Webshop | 1 | 0 | 1 | 0 | 2 m 22.843 s |




| # | Feature Name                       | Scenario Name   | T  | P | F | S | Duration     |
|---|------------------------------------|---|----|---|---|---|--------------|
| 1 | Test Order Place Successfully from | Verify that order place successfully with CC Payment Method | 13 | 4 | 1 | 8 | 2 m 22.835 s |
|   | Webshop                            |   |    |   |   |   |              |

DETAILED SECTION -- 6 --

## **Test Order Place Successfully from Webshop**



## Verify that order place successfully with CC Payment Method



| # | Step / Hook Details  | Status | Duration    |
|---|--|--------|-------------|
| 1 | Given Open browser and redirects to cart page  | PASSED | 5.262 s     |
| 2 | When User accept cookies   | PASSED | 8.875 s     |
| 3 | And User refresh cart page   | PASSED | 2.871 s     |
| 4 | And User close chat window   | PASSED | 0.001 s     |
| 5 | And User select additional concurrent users addon  | FAILED | 2 m 1.439 s |
|   | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: AjaxElementLocator 'By.xpath: (//div[@class='select-styled'])[1]' (tried for 6 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.CartFunctions.Concurrent_users_addon(CartFunctions.java:104) at StepDefinition.InvoiceOrder.User_addon1(InvoiceOrder.java:179) at ?.User select additional concurrent users addon(file:///C:/Users/taimur.hassan/eclipse-workspace/NewTV/src/test/resources/Features/Webshop.feature:27) Caused by: org.openqa.selenium.NoSuchElementException: Timed out after 30 seconds. Unable to locate the element at org.openqa.selenium.support.pagefactory.AjaxElementLocator.findElement(AjaxElementLocator.java:99) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source) |        |             |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)   |        |          |
|   | at org.openga.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)   |        |          |
|   | at org.openga.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)  |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)  |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)  |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)  |        |          |
|   | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)  |        |          |
|   | at Pages.CartFunctions.Concurrent_users_addon(CartFunctions.java:104)  |        |          |
|   | at StepDefinition.InvoiceOrder.User_addon1(InvoiceOrder.java:179)  |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)                                      |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:568)  |        |          |
|   | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  |        |          |
|   | at io.cucumber.java.Invoker.invoke(Invoker.java:24)  |        |          |
|   | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  |        |          |
|   | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   |        |          |
|   | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  |        |          |
|   | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  |        |          |
|   | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   |        |          |
|   | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)  |        |          |
|   | at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  |        |          |
|   | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  |        |          |
|   | at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  |        |          |
|   | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)   |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)                                   |        |          |
|   | $at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$                  |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)  |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  |        |          |
|   | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)                                      |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:568)  |        |          |
|   | $at\ or g. testng. in ternal. invokers. Method Invocation Helper. invoke Method (Method Invocation Helper. java: 139)$                           |        |          |
|   | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)   |        |          |
|   | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)   |        |          |
|   | at org. testng. in ternal. invokers. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 80) |        |          |
|   | at org. testng. in ternal. invokers. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 17) |        |          |
|   | at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)  |        |          |

| # | Step / Hook Details  | Status    | Duration |
|---|--|-----------|----------|
|   | at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539)  |           |          |
|   | at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)  |           |          |
|   | at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136)   |           |          |
|   | at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635)  |           |          |
|   | at java.base/java.lang.Thread.run(Thread.java:833)   |           |          |
|   | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  |           |          |
|   | {"method":"xpath", "selector":"(//div[@class='select-styled'])[1]"} (Session info: chrome=107.0.5304.63) For documentation on this error, please   |           |          |
|   | visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'LHRLT-10570',  |           |          |
|   | ip: '10.121.244.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.   |           |          |
|   | ChromeDriver Command: [5e00b51e58e0959ed94cd6e4bdd57bec, findElement {using=xpath, value=(//div[@class='select-styled'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.63, chrome: {chromedriverVersion: description: chromedriverVersion: description: chromedriverVersion: description: chromedriverVersion: description: chromedriverVersion: description: chromedriverVersion: chromedriverVersion: description: chromedriverVersion: chromedriverVersi |           |          |
|   | 107.0.5304.62 (1eec40d3a576, userDataDir: C:\Users\TAIMUR~1.HAS\AppDa\}, goog:chromeOptions: {debuggerAddress:   |           |          |
|   | localhost:62485}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp:  |           |          |
|   | ws://localhost:62485/devtoo, se:cdpVersion: 107.0.5304.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,  |           |          |
|   | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,  |           |          |
|   | webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5e00b51e58e0959ed94cd6e4bdd57bec   |           |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  |           |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   |           |          |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   |           |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   |           |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   |           |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  |           |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   |           |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  |           |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  |           |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  |           |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  |           |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  |           |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  |           |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)   |           |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)  |           |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)  |           |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  |           |          |
|   | at org.openqa.selenium.support.pagefactory.AjaxElementLocator.access\$001(AjaxElementLocator.java:39)  |           |          |
|   | at org.openqa.selenium.support.pagefactory.AjaxElementLocator\$SlowLoadingElement.isLoaded(AjaxElementLocator.java:165) at org.openqa.selenium.support.ui.SlowLoadableComponent.get(SlowLoadableComponent.java:72)   |           |          |
|   | at org.openqa.selenium.support.pagefactory.AjaxElementLocator.findElement(AjaxElementLocator.java:72)  |           |          |
|   | * Not displayable characters are replaced by '?'.  |           |          |
| 6 | And User select MDS addon  | SKIPPED   | 0.000 s  |
| 7 | And User enters valid email  | SKIPPED   | 0.000 s  |
| 8 | And User click on cotinue button   | SKIPPED   | 0.000 s  |
|   | And Oser eller on colline button   | OKII I'LD | 0.000 3  |

DETAILED SECTION -- 9 --

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
| 9  | And User fills the form from given sheet "Enter_Data" and rownbr 0   | SKIPPED | 0.001 s  |
| 10 | And User select CC Payment Method  | SKIPPED | 0.000 s  |
| 11 | And User select terms and condition check box  | SKIPPED | 0.000 s  |
| 12 | And Click on Place Order button  | SKIPPED | 0.001 s  |
| 13 | Then Take Channel reference id on success page   | SKIPPED | 0.000 s  |
|    | AFTER - Hooks.hook.afterScenario(io.cucumber.java.Scenario)  | PASSED  | 0.290 s  |
|    | Verify that order place successfully with CC Payment Method  |         |          |
|    | Coll Section of the College of the C |         |          |