

# Cucumber Report

01-Nov-2022, 10:01:59 pm

Start : Nov 01, 9:59:47.771 pm

End : Nov 01, 10:01:57.668 pm

Duration : 2 m 9.897 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 11




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test Order Place Successfully from Webshop</u>	2 m 9.897 s	1	0	1	0	13	1	1	11

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Regression	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test Order Place Successfully from Webshop</u>	1	0	1	0	2 m 9.897 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test Order Place Successfully from Webshop</u>	<u>Verify that order place successfully with CC Payment Method</u>	13	1	1	11	2 m 9.889 s

## Test Order Place Successfully from Webshop

FAILED	DURATION - 2 m 9.897 s	Scenarios		Steps	
/ 9:59:47.771 pm // 10:01:57.668 pm /		Total - 1		Total - 13	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

## Verify that order place successfully with CC Payment Method

<div>FAILED</div> <div>DURATION - 2 m 9.889 s</div>		<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 11</div>	<div></div>
/ 9:59:47.779 pm // 10:01:57.668 pm /				
Test Order Place Successfully from Webshop				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Open browser and redirects to cart page	PASSED	4.493 s
2	When User accept cookies org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: AjaxElementLocator 'By.id: onetrust-accept-btn-handler' (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.CartFunctions.Accept_Cookie(CartFunctions.java:77) at StepDefinition.InvoiceOrder.Cookies(InvoiceOrder.java:162) at ?.User accept cookies(file:///C:/Users/taimur.hassan/eclipse-workspace/NewTV/src/test/resources/Features/Webshop.feature:24) Caused by: org.openqa.selenium.NoSuchElementException: Timed out after 30 seconds. Unable to locate the element at org.openqa.selenium.support.pagefactory.AjaxElementLocator.findElement(AjaxElementLocator.java:99) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)	FAILED	2 m 1.350 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.CartFunctions.Accept_Cookie(CartFunctions.java:77) at StepDefinition.InvoiceOrder.Cookies(InvoiceOrder.java:162) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833)		

#	Step / Hook Details	Status	Duration
	<p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#onetrust\-accept\-btn\-handler"} (Session info: chrome=107.0.5304.63) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'LHRLT-10570', ip: '192.168.43.186', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1901f1c067f4174feefd8f5e6e0f6b, findElement {using=id, value=onetrust-accept-btn-handler}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\TAIMUR~1.HAS\AppData..., goog:chromeOptions: {debuggerAddress: localhost:49780}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:49780/devtoo..., se.cdpVersion: 107.0.5304.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6d1901f1c067f4174feefd8f5e6e0f6b</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.AjaxElementLocator.access\$001(AjaxElementLocator.java:39)  at org.openqa.selenium.support.pagefactory.AjaxElementLocator\$SlowLoadingElement.isLoaded(AjaxElementLocator.java:165)  at org.openqa.selenium.support.ui.SlowLoadableComponent.get(SlowLoadableComponent.java:72)  at org.openqa.selenium.support.pagefactory.AjaxElementLocator.findElement(AjaxElementLocator.java:95)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	And User refresh cart page	SKIPPED	0.001 s
4	And User close chat window	SKIPPED	0.002 s
5	And User select additional concurrent users addon	SKIPPED	0.001 s
6	And User select MDS addon	SKIPPED	0.001 s
7	And User enters valid email	SKIPPED	0.001 s
8	And User click on cotinue button	SKIPPED	0.001 s
9	And User fills the form from given sheet "Enter_Data" and rownbr 0	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
10	And User select CC Payment Method	SKIPPED	0.000 s
11	And User select terms and condition check box	SKIPPED	0.001 s
12	And Click on Place Order button	SKIPPED	0.000 s
13	Then Take Channel reference id on success page	SKIPPED	0.000 s
	AFTER - Hooks.hook.afterScenario(io.cucumber.java.Scenario)	PASSED	0.159 s
	Verify that order place successfully with CC Payment Method		
	