

Cucumber Report

01-Nov-2022, 10:08:19 pm

Start : Nov 01, 10:05:54.113 pm

End : Nov 01, 10:08:17.239 pm

Duration : 2 m 23.126 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 4

FAILED - 1

SKIPPED - 8




| Feature | | Scenario | | | | Step | | | |
|---|--------------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Test Order Place Successfully from Webshop</u> | 2 m 23.126 s | 1 | 0 | 1 | 0 | 13 | 4 | 1 | 8 |

| <i>Tag</i> | <i>Scenario</i> | | | | <i>Feature</i> | | | |
|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| <i>Name</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| @Regression | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|--------------|
| 1 | <u>Test Order Place Successfully from Webshop</u> | 1 | 0 | 1 | 0 | 2 m 23.126 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|----|---|---|---|--------------|
| 1 | <u>Test Order Place Successfully from Webshop</u> | <u>Verify that order place successfully with CC Payment Method</u> | 13 | 4 | 1 | 8 | 2 m 23.116 s |

Test Order Place Successfully from Webshop

| | | | | | |
|--|-------------------------|--|---|---|---|
| FAILED | DURATION - 2 m 23.126 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 13 Pass - 4 Fail - 1 Skip - 8 |  |
| / 10:05:54.113 pm // 10:08:17.239 pm / | | | | | |
| | | | | | |


Verify that order place successfully with CC Payment Method

| | | | | |
|--|--|---|--|--|
| <div>FAILED</div> <div>DURATION - 2 m 23.116 s</div> | | <div></div> | <div>Steps</div> <div>Total - 13</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 8</div> | <div></div> |
| / 10:05:54.123 pm // 10:08:17.239 pm / | | | | |
| Test Order Place Successfully from Webshop | | | | |
| @Regression | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|-------------|
| 1 | Given Open browser and redirects to cart page | PASSED | 9.535 s |
| 2 | When User accept cookies | PASSED | 6.051 s |
| 3 | And User refresh cart page | PASSED | 3.242 s |
| 4 | And User close chat window | PASSED | 0.001 s |
| 5 | And User select additional concurrent users addon org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: AjaxElementLocator 'By.xpath: (//div[@class='select-styled'])' (tried for 6 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.CartFunctions.Concurrent_users_addon(CartFunctions.java:104) at StepDefinition.InvoiceOrder.User_addon1(InvoiceOrder.java:179) at ?.User select additional concurrent users addon(file:///C:/Users/taimur.hassan/eclipse-workspace/NewTV/src/test/resources/Features/Webshop.feature:27) Caused by: org.openqa.selenium.NoSuchElementException: Timed out after 30 seconds. Unable to locate the element at org.openqa.selenium.support.pagefactory.AjaxElementLocator.findElement(AjaxElementLocator.java:99) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source) | FAILED | 2 m 1.335 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.CartFunctions.Concurrent_users_addon(CartFunctions.java:104) at StepDefinition.InvoiceOrder.User_addon1(InvoiceOrder.java:179) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <p>at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//div[@class='select-styled'])"} (Session info: chrome=107.0.5304.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'LHRLT-10570', ip: '10.121.244.5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fa44dbc40e186b6d2d3ad9942863e924, findElement {using=xpath, value=(//div[@class='select-styled'])}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\TAIMUR~1.HAS\AppData..., goog:chromeOptions: {debuggerAddress: localhost:56492}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56492/devtoo..., se:cdpVersion: 107.0.5304.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fa44dbc40e186b6d2d3ad9942863e924</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.AjaxElementLocator.access\$001(AjaxElementLocator.java:39) at org.openqa.selenium.support.pagefactory.AjaxElementLocator\$SlowLoadingElement.isLoaded(AjaxElementLocator.java:165) at org.openqa.selenium.support.ui.SlowLoadableComponent.get(SlowLoadableComponent.java:72) at org.openqa.selenium.support.pagefactory.AjaxElementLocator.findElement(AjaxElementLocator.java:95)</p> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 6 | And User select MDS addon | SKIPPED | 0.000 s |
| 7 | And User enters valid email | SKIPPED | 0.001 s |
| 8 | And User click on cotinue button | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 9 | And User fills the form from given sheet "Enter_Data" and rownbr 0 | SKIPPED | 0.001 s |
| 10 | And User select CC Payment Method | SKIPPED | 0.000 s |
| 11 | And User select terms and condition check box | SKIPPED | 0.000 s |
| 12 | And Click on Place Order button | SKIPPED | 0.000 s |
| 13 | Then Take Channel reference id on success page | SKIPPED | 0.000 s |
| | AFTER - Hooks.hook.afterScenario(io.cucumber.java.Scenario) | PASSED | 0.369 s |
| | Verify that order place successfully with CC Payment Method | | |
| |  | | |