	Logo	
SPR 13CD	ETAILS Name GRA30001 3447 350001 3447 3447 350001 3447 3447 350001 3447 3447 3447 350001 3447 3447 350001 3447 3447 3447 3447 3447 3447 3447 344	. (
BRITA	(1) 200 (1) 20	5097
DΙ	ETAILS SOLD ASPEN TOOL ASPEN TOOL ASPEN SOLD ASPEN SOLD ASPENDED TO THE PROPERTY OF THE PROPER	
50091 I	ETAILS Name LEVALUE AND	827
	T V N SRISHA	'b'
273	Roll Number 38 200 4 200 1 130 1 130 1 130 1 130 1 130 1 130 1 130 1 130 1 130 1 130 1 130 1 130 1 130 1 130 1	
736.		SCOC
	KPERIMENT COOL SELECTION OF SEL	
	ANT ON RAIL ANT O	97
,009738	de	223
)`	There is a ant on your balcony. It wants to leave the rail so sometimes it moves right and sometimes it moves left until it gets exhausted. Given an integer array A of size N which consists of integer 1 and -1 only representing ant's moves.	3823
BRASC	Where 1 means ant mayed unit distance towards the right side and -1 means it mayed unit distance towards the left	-D09
^	Note:	
1300091	Assume 1-based indexing Assume that the railing extends infinitely on the either sides	13BR
13BP	Input Format:	
09713	input1: An integer value N representing the number of moves made by the ant.	2355
3BR23CD	Sample Input	
BRIV	5	0097
	1-11-11	•
300919	Sample Output	0
	2	388
BRIT	Source Codes 3 by Source Codes	34 35
	38K13C1091 3K13C1091 3K13C1091 3K13C1091 3K13C1091 3K13C1091 3K123C1091 3K123C1091 3K123C1091 3K123C1091 3K13C1091 3K13C1091 3K13C1091 3K123C1091 3K123C10	322
	Ser School, School, Series 1986, Series 1986	2533

```
def count_returns_to_start(N, A):
    current_position = 0
    return_count = 0

for move in A:
        current_position += move
    if current_position == 0:
        return_count += 1

    return return_count

# Example usage:
N = int(input())
A = list(map(int,input().split())) # Example moves
    result = count_returns_to_start(N, A)
    print(result) # Output: 3

RESULT

5/5 Test Cases Passed | 100 %
```