S. B. JAIN INSTITUTE OF TECHNOLOGY, MANAGEMENT & RESEARCH, NAGPUR.

Practical No. 13

Aim: Create a fully responsive mini website using Bootstrap including Form, Modal, Dropdown, Breadcrumb, and responsive layout for different screen sizes.

Name of Student: Twinkle Pawar

Roll No.: CS25183

Semester/Year: 2nd/1st

Academic Session:

Date of Performance:

Date of Submission:

AIM: Create a fully responsive mini website using Bootstrap including Form, Modal, Dropdown, Breadcrumb, and responsive layout for different screen sizes.

OBJECTIVE/EXPECTED LEARNING OUTCOME:

The objectives and expected learning outcome of this practical are:

- To apply the knowledge of Bootstrap
- To be able to create a Nav Bar, Buttons, Carousel, Spinners and Footer.

HARDWARE AND SOFTWARE REQUIREMENT:

Hardware Requirement

- 1.6 GHz or faster processor
- .RAM: 1GB
- Hard Disk Drive: > 80 GB

Software Requirement

- Operating System – Windows 2007,2010.
- Editor – Visual Studio Code /Sublime Text/Notepad.

THEORY:

What is Bootstrap?

Bootstrap is a front-end framework used to create modern websites and web apps. It's open-source and free to use. Bootstrap also supports JavaScript extensions. It is the most popular HTML, CSS, and JavaScript framework for developing responsive, mobile-first websites. Bootstrap is completely free to download and use.

Include Bootstrap's CSS and JS.

To use Bootstrap, add the following line inside the <head> and <body>section of your Chosen editor's page:

1. Place the <link> tag in the &<head>for our CSS.
2. Place the <script>tag for our JavaScript bundle before the closing </body>after head
3. Accordion:
4. Build vertically collapsing accordions in combination with our Collapse JavaScript plugin.
5. Pagination:
6. Documentation and examples for showing pagination to indicate a series of related content exists across multiple pages.
7. Typography:

8. Documentation and examples for Bootstrap typography, including global settings, headings, body text, lists, and more.

CDN links
Description URL

CSS	https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css
JS	https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bundle.min.js

CODE:





```
            min-height: 100vh;
        }

        /* Glassmorphism Navbar */
        .navbar {
            background: rgba(255, 255, 255, 0.4) !important;
            backdrop-filter: blur(15px);
            border-bottom: 1px solid rgba(255, 255, 255, 0.5);
            padding: 1rem 0;
        }

        .navbar-brand { font-weight: 800; color: var(--primary-accent) !important; font-size: 1.6rem; }

        /* Hero Section with Animation */
        .hero-section {
            padding: 120px 0 80px;
            text-align: center;
        }

        .hero-title {
            font-size: clamp(2.5rem, 8vw, 4rem);
            font-weight: 800;
            background: linear-gradient(to right, #4f46e5, #ec4899);
            -webkit-background-clip: text;
            -webkit-text-fill-color: transparent;
            margin-bottom: 1.5rem;
        }

        /* Catchy Gradient Buttons */
        .btn-custom {
            background: linear-gradient(to right, #6366f1, #a855f7);
```



```
            background: linear-gradient(to right, #6366f1, #a855f7);
            color: white;
            border: none;
            padding: 14px 35px;
            border-radius: 15px;
            font-weight: 600;
            transition: all 0.3s ease;
            box-shadow: 0 10px 20px rgba(99, 102, 241, 0.2);
        }

        .btn-custom:hover {
            transform: scale(1.05);
            box-shadow: 0 15px 30px rgba(99, 102, 241, 0.3);
            color: white;
        }

        /* Soft Glass Cards */
        .card {
            background: var(--glass-bg);
            border: 1px solid rgba(255, 255, 255, 0.6);
            backdrop-filter: blur(10px);
            border-radius: 30px;
            padding: 2rem;
            transition: all 0.4s ease;
            box-shadow: 0 10px 30px rgba(0, 0, 0, 0.05);
        }

        .card:hover {
            transform: translateY(-10px);
            background: rgba(255, 255, 255, 0.9);
            box-shadow: 0 25px 50px rgba(0, 0, 0, 0.1);
```


(23) WhatsApp
New Tab
P/Practical 13_5 at main · Twinki
Ask Gemini
github.com/Twinklep97/P/blob/main/Practical%2013_5
Files
main
Go to file
Practical 13_5
Practical 3
P / Practical 13_5
Top
Code
Blame
240 lines (219 loc) · 10.2 KB
Raw
box-shadow: 0 25px 50px rgba(0, 0, 0, 0.1);
}
/* Floating Breadcrumb */
.breadcrumb {
background: rgba(255, 255, 255, 0.4);
padding: 10px 25px;
border-radius: 50px;
display: inline-flex;
border: 1px solid rgba(255, 255, 255, 0.5);
}
.breadcrumb-item a { color: var(--primary-accent); text-decoration: none; font-weight: 500; }
/* Modern Form Inputs */
.form-control {
border-radius: 12px;
padding: 12px 18px;
border: 1px solid rgba(0,0,0,0.1);
background: rgba(255, 255, 255, 0.8);
}
.form-control:focus {
box-shadow: 0 0 0 4px rgba(99, 102, 241, 0.15);
border-color: var(--primary-accent);
}
footer {
margin-top: 80px;
padding: 40px 0;
background: rgba(255, 255, 255, 0.3);
32°C
Clear
Search
ENG
IN
10:36 PM
4/15/2026


(23) WhatsApp
New Tab
P/Practical 13_5 at main · Twinki
Ask Gemini
github.com/Twinklep97/P/blob/main/Practical%2013_5
Files
main
Go to file
Practical 13_5
Practical 3
P / Practical 13_5
Top
Code
Blame
240 lines (219 loc) · 10.2 KB
Raw
background: rgba(255, 255, 255, 0.3);
border-top: 1px solid rgba(255, 255, 255, 0.5);
}
</style>
</head>
<body>
<nav class="navbar navbar-expand-lg navbar-light sticky-top">

<a class="navbar-brand" href="#">VIVIDLABS</a>
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#mainNav">

</button>

<ul class="navbar-nav ms-auto align-items-center">
<li class="nav-item"><a class="nav-link px-3 active" href="#">Home</a></li>
<li class="nav-item dropdown">
<a class="nav-link dropdown-toggle px-3" href="#" data-bs-toggle="dropdown">Labs</a>
<ul class="dropdown-menu border-0 shadow-lg mt-3">
<li><a class="dropdown-item" href="#">Web Design</a></li>
<li><a class="dropdown-item" href="#">UI/UX Tools</a></li>
</ul>
</li>
<li class="nav-item ms-lg-3">
<a class="btn btn-outline-dark rounded-pill px-4" href="#contact">Contact Me</a>
</li>
</ul>

</nav>
32°C
Clear
Search
ENG
IN
10:36 PM
4/15/2026


(23) WhatsApp
New Tab
P/Practical 13_5 at main · Twinki
Ask Gemini
github.com/Twinklep97/P/blob/main/Practical%2013_5
Files
main
Go to file
Practical 13_5
Practical 3
P / Practical 13_5
Top
Code
Blame
240 lines (219 loc) · 10.2 KB
Raw
</li>
</ul>

</nav>
<header class="hero-section">

<nav aria-label="breadcrumb">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="#">Main</a></li>
<li class="breadcrumb-item"><a href="#">Practicals</a></li>
<li class="breadcrumb-item active">No. 13</li>
</ol>
</nav>

<h1 class="hero-title">Pixel Horizon </h1>
Crafted with modern CSS techniques and Bootstrap 5 components for an elite experience.
<button class="btn btn-custom" data-bs-toggle="modal" data-bs-target="#welcomeModal">Explore Features</button>

</header>
<main class="container">

🎨
<h4 class="fw-bold">Dynamic Colors</h4>
Moving away from monochrome to a vibrant, multi-layered mesh gradient aesthetic.
32°C
Clear
Search
ENG
IN
10:36 PM
4/15/2026


(23) WhatsApp
New Tab
P/Practical 13_5 at main · Twinki
Ask Gemini
github.com/Twinklep97/P/blob/main/Practical%2013_5
Files
main
Go to file
Practical 13_5
Practical 3
P / Practical 13_5
Top
Code
Blame
240 lines (219 loc) · 10.2 KB
Raw

🎨
<h4 class="fw-bold">Dynamic Colors</h4>
Moving away from monochrome to a vibrant, multi-layered mesh gradient aesthetic.

📱
<h4 class="fw-bold">Pure Response</h4>
Optimized for every screen—from small smartphones to large engineering monitors.

🚀
<h4 class="fw-bold">Clean Code</h4>
Structured perfectly for GitHub, ensuring fast load times and high readability.

<h2 class="text-center fw-bold mb-4">Start a Project</h2>
<form>

<label class="form-label fw-bold small">NAME</label>
32°C
Clear
Search
ENG
IN
10:37 PM
4/15/2026


(23) WhatsApp
New Tab
P/Practical 13_5 at main · Twinki
Ask Gemini
github.com/Twinklep97/P/blob/main/Practical%2013_5
Files
main
Go to file
Practical 13_5
Practical 3
P / Practical 13_5
Top
Code
Blame
240 lines (219 loc) · 10.2 KB
Raw

<h2 class="text-center fw-bold mb-4">Start a Project</h2>
<form>

<label class="form-label fw-bold small">NAME</label>
<input type="text" class="form-control" placeholder="Yash">

<label class="form-label fw-bold small">EMAIL</label>
<input type="email" class="form-control" placeholder="yash@student.com">

<label class="form-label fw-bold small">MESSAGE</label>
<textarea class="form-control" rows="4" placeholder="How can I help you today?"></textarea>

<button type="submit" class="btn btn-custom w-100 mt-4">Send Message</button>
</form>
</main>

<h5 class="modal-title fw-bold">Lab Component Insight</h5>
<button type="button" class="btn-close" data-bs-dismiss="modal"></button>
32°C
Clear
Search
ENG
IN
10:37 PM
4/15/2026


(23) WhatsApp
New Tab
P/Practical 13_5 at main · Twinki
Ask Gemini
github.com/Twinklep97/P/blob/main/Practical%2013_5
Files
main
Go to file
Practical 13_5
Practical 3
P / Practical 13_5
Top
Code
Blame
240 lines (219 loc) · 10.2 KB
Raw

<h5 class="modal-title fw-bold">Lab Component Insight</h5>
<button type="button" class="btn-close" data-bs-dismiss="modal"></button>

This practical demonstrates the core Bootstrap UI kit:
<ul class="mt-3">
<li class="mb-2">Interactive Dropdowns: Seamless navigation.</li>
<li class="mb-2">Breadcrumbs: Clear site hierarchy.</li>
<li class="mb-2">Responsive Grid: 12-column flexibility.</li>
<li class="mb-2">Modal Systems: Focused user interaction.</li>
</ul>

<button type="button" class="btn btn-light rounded-pill" data-bs-dismiss="modal">Close</button>

<footer class="text-center">
© 2026 Engineering Lab Series | Created by Yash
</footer>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
32°C
Clear
Search
ENG
IN
10:38 PM
4/15/2026

OUTPUT/SCREENSHOTS:






Horizon UI | Lab 13
file:///C:/Users/LENOVO/Documents/Twinkle WD Lab/Practical 13_5
Sign in
VIVIDLABS
Home
Labs
Contact Me
Start a Project
NAME
Twinkle
EMAIL
twinkle@student.com
MESSAGE
How can I help you today?
Send Message
35°C
Clear
Search
ENG
IN
9:28 PM
4/15/2026

CONCLUSION:

Through this practical, a fully responsive mini website was successfully developed using the Bootstrap framework.
By integrating key components such as forms, modals, dropdowns, and breadcrumbs, the project demonstrates a functional and user-friendly interface.
The application of Bootstrap's grid system ensures that the layout adapts seamlessly across various screen sizes and devices.

DISCUSSION QUESTIONS:

1. Explain Accordion?
2. Explain Typography?
3. What is pagination?
4. Explain blackquotes?

REFERENCE:

- https://getbootstrap.coms
- https://www.w3schools.com/bootstrap5/
- https://getbootstrap.com/docs/5.2/components/navbar/
- https://getbootstrap.com/docs/5.2/components/carousel/