Field Level Risk Assessment

Date	Job	Contact#	Job Location
2016-03-19	0	day test	Alberta

PERMITS/PLANS

Hot Work/Cold Work Confined Space Demolition Ground Disturbance Excavation Lockout Critical Lift Plan Fall Protection Plan

PERMIT IDENTIFIED HAZARDS

Hazards Detailed on Safe Work Permit
Hazards on Critical Lift Permit
Hazards on Electrical Permit
Hazards Identified for Confined Space Entry
Hazards on Confined Space Entry Permit
Hazards on Hot/Cold Work Permit
Hazards on Underground/ Excavation, Permit
Hazards on Line Opening Permit

EMERGENCY EQUIPMENT

Fire Extinguisher
Eyewash/Shower
All Conditions Met
Extraction Equipment
Permit Displayed
Alarm#

OVERHEAD OR WORKING AT HEIGHT HAZARDS

Harness Required/Appropriate Tie-off identified Others Working Overhead/Below Hoisting or moving loads overhead Falls from Height Hoisting or moving Loads Overhead/Around Task Use of Scaffolds Tasks Require You to Work Above Your Task Objects / Debris Falling from Above Overhead Power Line

EQUIPMENT HAZARDS

Operating Power Equipment
Operating Motor Vehicle / Heavy Equipment
Contact with/contact by
Working with:
Saws
Cutting Torch Equipment
Hand Tools
Grinders
Welding Machines
Cranes

WORK ENVIRONMENT HAZARDS

Weather Conditions Slips or Trips Possible Waste Material Generated Performing Task Limited Access / Egress

Foreign Bodies in Eyes

Exposure to Energized Electrical Systems

Lighing Levels Too High/Too Low

Position of Fingers / Hands - Pinch Points

Exposure to:

Chemicals

Dust/Particulates

Extreme Heat/Cold

Reactive Chemicals

Sharp Objects / Edges

Noise

Odors

Steam

Fogging of Monogoggles / Bye Protection

Flammable gases / Atmospheric hazards

PERSONAL LIMITATIONS/HAZARDS

Procedure Not Available for Task

Confusing Instructions

No Training in Procedure / Task

No Training in Tools to be Used

First Time Performing This Task

Mental Limitations / Distractions / Loss of Focus

Not Physically Able to Perform Task

Complacency

WELDING

Shields

Fire Blankets

Fire Extinguisher

Cylinder Secured / Secure Connections

Cylinder Caps On

Flashback Arrestor

Combustibles Moved

Sparks Contained

Ground within 18 inch

Fire Watch / Spark Watch

PHYSICAL HAZARDS

Manual Lifting

Load Too Heavy / Awkward to Lift

Over Reaching

Prolonged / Extreme Bending

Repetitive Motions

Unstable Position

Part(s) of Body in Line of Fire

Hands Not in Line of Sight

Working in Tight Clearances

Physical Limitation - Need Assistance

Uncontrolled Release of Energy / Force

Fall Potential

PERSONAL PROTECTIVE EQUIPMENT

Work Gloves

Chemical Gloves

Kevlar Gloves

Rain Gear

Thermal Suits

Rubber Boots

Monogoggles/Faceshield

Safety Glasses Respiratory Protection Hearing Protection Safety Harness/Lanyard/Lifeline Head Protection Steel-toed Work Boots Hi-Vis Vest Fire Retardant Wear

WALK AROUND/INSPECTION


Is this worker working alone? : No

Task	Hazard		Plans To Eliminate/Control Risk
t1	h1	1 HIGH	p1
t1t	rhtrgt	3 LOW	gtr

Cliean Up / Close Out- Job Completion

Waste containers sealed, labeled and dated?

All tools / equipment removed from Task Location?



devon



