

Field Level Risk Assessment

Date	Job	Contact#	Job Location
		FFM Admin	

Permits/Plans

Hot Work/Cold Work
Confined Space
Demolition
Ground Disturbance
Excavation
Lockout
Critical Lift Plan
Fall Protection Plan

Permit Identified Hazards

Hazards Detailed on Safe Work Permit
Hazards on Critical Lift Permit
Hazards on Electrical Permit
Hazards Identified for Confined Space Entry
Hazards on Confined Space Entry Permit
Hazards on Hot/Cold Work Permit
Hazards on Underground/ Excavation, Permit
Hazards on Line Opening Permit

Emergency Equipment

Fire Extinguisher
Eyewash/Shower
All Conditions Met
Extraction Equipment
Permit Displayed
Alarm#

Overhead Or Working At Height Hazards

Harness Required/Appropriate Tie-off identified
Others Working Overhead/Below
Hoisting or moving loads overhead
Falls from Height
Hoisting or moving Loads Overhead/Around Task
Use of Scaffolds
Tasks Require You to Work Above Your Task
Objects / Debris Falling from Above
Overhead Power Line

Equipment Hazards

Operating Power Equipment
Operating Motor Vehicle / Heavy Equipment
Contact with/contact by
Working with:
Saws
Cutting Torch Equipment
Hand Tools
Grinders
Welding Machines
Cranes

Work Environment Hazards

Weather Conditions
Slips or Trips Possible
Waste Material Generated Performing Task

Limited Access / Egress
Foreign Bodies in Eyes
Exposure to Energized Electrical Systems
Lighting Levels Too High/Too Low
Position of Fingers / Hands - Pinch Points
Exposure to:
Chemicals
Dust/Particulates
Extreme Heat/Cold
Reactive Chemicals
Sharp Objects / Edges
Noise
Odors
Steam
Fogging of Monogoggles / Eye Protection
Flammable gases / Atmospheric hazards

Personal Limitations/Hazards

Procedure Not Available for Task
Confusing Instructions
No Training in Procedure / Task
No Training in Tools to be Used
First Time Performing This Task
Mental Limitations / Distractions / Loss of Focus
Not Physically Able to Perform Task
Complacency

Welding

Shields
Fire Blankets
Fire Extinguisher
Cylinder Secured / Secure Connections
Cylinder Caps On
Flashback Arrestor
Combustibles Moved
Sparks Contained
Ground within 18 inch
Fire Watch / Spark Watch

Physical Hazards

Manual Lifting
Load Too Heavy / Awkward to Lift
Over Reaching
Prolonged / Extreme Bending
Repetitive Motions
Unstable Position
Part(s) of Body in Line of Fire
Hands Not in Line of Sight
Working in Tight Clearances
Physical Limitation - Need Assistance
Uncontrolled Release of Energy / Force
Fall Potential

Personal Protective Equipment

Work Gloves
Chemical Gloves
Kevlar Gloves
Rain Gear
Thermal Suits
Rubber Boots
Monogoggles/Faceshield

Safety Glasses
Respiratory Protection
Hearing Protection
Safety Harness/Lanyard/Lifeline
Head Protection
Steel-toed Work Boots
Hi-Vis Vest
Fire Retardant Wear

Walk Around/Inspection

Leaks
Oil
Fuel
Tires
Lights
Windows
Hoses
Alarms
Bolts

Is this worker working alone? :

Task	Hazard	Hazard Level	Plans To Eliminate/Control Risk
------	--------	--------------	---------------------------------

Clean Up / Close Out- Job Completion

Waste containers sealed, labeled and dated?
All tools / equipment removed from Task Location?
Task area cleaned up at end of job / shift?