Lab 06


Goal

Create a new branch, add a “mark task complete” feature using if/else, and predict Git's behavior before checking it.

Starting in your tasktracker repository using git bash


- Print out the current git history and list the current branches

```
git log --oneline
git branch
```



- Create a new branch named “feature01”

```
git branch feature01
```



- **Predict first:** if you run git log right now, will it look any different than before you created the branch? Write your guess, then check:

Yes, it will show the 2 branches (whoops I guessed wrong).

```
d2dd402 (HEAD -> feature01, origin/main, origin/HEAD, main) Merge branch 'main
' of github.com:TxtrisSammi/Git-Course merge
7d9a80c bonus
b3b2482 Stop tracking class file
18a427f Add removed flag for tasks
7ab1a08 lab04
190fa27 lab03 + readme
835e99f added pdf for assignment
fb3d0a3 Add README, Add methods to Task Tracker
5a4c54e added pdf for assignment
d537862 init repo
```

```
git log --oneline
```

- Switch to the new “feature01” branch

```
git switch feature01
```

Add the “mark complete” feature

- Replace the contents of Main.java with the following. It adds a done flag for each task and uses if/else to pick a status symbol. Notice task2Removed is now false again so both tasks print:


```
void main() {
    String task1 = "Buy milk";
    String task2 = "Walk the dog";
    boolean task1Removed = false;
    boolean task2Removed = false;
    boolean task1Done = true;
    boolean task2Done = false;

    String status1 = "[ ]";
    if (task1Done) {
        status1 = "[x]";
    }
    String status2 = "[ ]";
    if (task2Done) {
        status2 = "[x]";
    }

    System.out.println("My Tasks:");
    if (!task1Removed) {
        System.out.println("1. " + status1 + " " + task1);
    }
    if (!task2Removed) {
        System.out.println("2. " + status2 + " " + task2);
    }
}
```

- **Predict first:** what do you expect the program to print? Write your guess, then compile and run it:


My Tasks:
1. [x] Buy milk
2. [ ] Walk the dog




```
javac Main.java
java Main
```

- Add the file and commit it, then print git history. (Main.class won't show up in git status thanks to the .gitignore you created in Lab 05.)

```
git add .
git commit -m "Add done flags for tasks"
git log –oneline
git push
```



Check what the other branch can see

- **Predict first:** if you switch back to main right now, will Main.java show the done flags or not? Write your guess.

It will not

- Switch back to the “main” branch and look at Main.java to see if your prediction was correct

yes.

```
git switch main
cat Main.java
```


Bonus challenge (if time permits)

- Switch back to feature01 and use a for loop to print a divider line under the “My Tasks:” heading:

```
git switch feature01
for (int i = 0; i < 20; i++) {
    System.out.print("-");
}
System.out.println();
```

- Compile, run, then commit it as a second commit on the branch and view the graph of both branches

```
javac Main.java
java Main
git add .
git commit -m "Add divider line"
git log --graph --oneline --all
```



Submitting your solution

- Upload a PDF with screenshots of each step above, including your predictions and whether they were correct
- Use the following Naming convention: Lab06_[Last Name].pdf

Example: Lab06_Maxwell.pdf