
KanjiMe — User Manual

User Manual

Version 1.0.0

June 28, 2026

Contents

1	Introduction	1
2	Mobile Application	2
2.1	Kanji Recognition	2
2.2	Kanji Search and Lookup	12
2.3	Calligraphy Practice	20
2.4	History	29
2.5	App Information	33
2.6	Theme and Language	34
3	Administration Panel	41
3.1	Authentication	41
3.2	Dashboard	44
3.3	Version Configuration	47
3.4	Error Reports	50
3.5	Error Detail	57
A	Special States	60
A.1	Startup capture	60
A.2	Update notice	61
A.3	Global error message	62

List of Figures

1	Image mode before a photograph or image has been supplied	3
2	the inline camera-preview state with capture and close controls	4
3	the controlled camera-capture error alert	5
4	image-classification results below the uploaded source	6
5	the crop overlay over an uploaded image	7
6	Drawing mode with an empty canvas	8
7	drawing classification while a stroke is being processed	9
8	drawing-classification results after strokes were entered	10
9	Recognition-model loading overlay	11
10	the Search screen before a query is entered	13
11	the intermediate search state before results are displayed	14
12	a completed search with no matching result	15
13	search results for the captured day/sun character query	16
14	the upper portion of a populated kanji detail screen	17
15	the lower detail view containing examples and stroke order	18
16	the kanji detail error state	19
17	the Calligraphy home screen with JLPT categories	21
18	the Calligraphy home screen with Joyo grade categories	22
19	the character list for the captured JLPT N5 route	23
20	a filtered calligraphy category list	24
21	the empty result state within a calligraphy category	25
22	the calligraphy practice canvas before drawing	26
23	the calligraphy practice canvas with visible strokes	27
24	the calligraphy evaluation overlay for the captured attempt	28
25	History with one recorded search entry	30
26	History with no visible entries in the selected category	31
31	the open language-selection sheet	36
38	the administrator login screen before authentication	42
39	the administrator authentication-in-progress state	43
40	the administrator authentication error state	44
41	Authenticated administration dashboard	45
42	Dashboard loading state	46
43	Dashboard error state	47
44	Authenticated version-configuration section	48
45	Version-configuration edit state	49
46	Version validation-error state	50
47	Authenticated error-report list	51
48	Empty error-report list	52
49	Error-report list filtered by OPEN	53
50	Error-report list filtered by IN PROGRESS	54
51	Error-report list filtered by RESOLVED	55
52	Error-report list filtered by CLOSED	56
53	Error-report list filtered by DISCARDED	57
54	Authenticated error-detail view	58
55	Error-detail recent-actions area	59

56	the captured startup file, which visibly matches the initial Recognition state	61
57	Application update toast	62
58	Global controlled-error alert	63

1 Introduction

KanjiMe supports kanji study through a mobile application and a separate administration panel. The mobile application provides character recognition, search, detailed lookup, calligraphy practice, history, and application information. The administration panel allows authorised technical-support users to configure versions and review error reports.

2 Mobile Application

2.1 Kanji Recognition

Recognition identifies kanji from a photograph, a stored image, or strokes entered on the drawing canvas. Image and Drawing modes share the Results area, where candidate characters are ordered without numeric confidence values.

Image mode accepts camera input and files from the device. Drawing mode sends the current canvas strokes for classification. Both paths expose processing and error states so that the user can distinguish an active operation from a completed result.

2.1.1 Initial Image Mode

Recognition opens in Image mode, as shown in Figure 1. The empty frame is followed by a camera button, an image-selection button, and an empty Results area.




Figure 1: Image mode before a photograph or image has been supplied

2.1.2 Camera Input

Opening the camera displays the inline preview shown in Figure 2. A camera control takes the photo, while the close control returns to the previous Recognition state.




Figure 2: the inline camera-preview state with capture and close controls

If the application cannot take a photo, it displays the centred alert shown in Figure 3. The alert contains the message “The photo could not be captured” and an OK action.




Figure 3: the controlled camera-capture error alert

2.1.3 Uploaded Image and Crop

After the user selects an image, it appears inside the image frame. The helper text explains that dragging over the image refines the area to classify.

The Results section in Figure 4 lists the predicted characters in order. Each row includes the character and its associated reading or level information.




Figure 4: image-classification results below the uploaded source

Dragging over the source creates the highlighted rectangular crop shown in Figure 5. The area outside the selection is shaded.




Figure 5: the crop overlay over an uploaded image

2.1.4 Drawing Input

Selecting Drawing replaces the image controls with the empty square canvas in Figure 6. A paper-bin control appears below the canvas and Results remains underneath.




Figure 6: Drawing mode with an empty canvas

While the application processes the drawing, the progress indicator shown in Figure 7 appears beside the Results heading.




Figure 7: drawing classification while a stroke is being processed

When processing finishes, the ranked list in Figure 8 appears beneath the drawing. Its rows show characters, readings, and levels without numeric confidence values.




Figure 8: drawing-classification results after strokes were entered

2.1.5 Recognition Loading

The model-loading overlay in Figure 9 informs the user that character recognition is being prepared.




Figure 9: Recognition-model loading overlay

2.2 Kanji Search and Lookup

Search accepts a kanji or reading and returns matching entries from the local data set. Each result combines the character with its principal readings and classification levels when those values are available.

Selecting a result opens its reference entry. The detail view separates meanings, readings, structural information, examples, and stroke order so that each category can be reviewed independently.

2.2.1 Search States

The Search screen in Figure 10 has a “Kanji or reading” field and a Results panel. Before a query is entered, the panel states that no matching kanji were found.




Figure 10: the Search screen before a query is entered

While a search is in progress, the query remains in the field and the Results panel is temporarily blank, as shown in Figure 11.




Figure 11: the intermediate search state before results are displayed

A query with no matches retains the entered text and displays the no-results message shown in [Figure 12](#).




Figure 12: a completed search with no matching result

A successful search displays the result rows shown in Figure 13. Each row combines a character, its readings, and any available JLPT or Joyo information.



Figure 13: search results for the captured day/sun character query

2.2.2 Character Lookup

The successful detail screen in Figure 14 displays the character at the top, followed by Meaning, Readings, Information, and Examples. Reference fields include radical, components, stroke count, and JLPT/Jōyo level. Back and copy controls appear in the header.




Figure 14: the upper portion of a populated kanji detail screen

Farther down the same detail view, the Stroke order section in Figure 15 displays a drawn stroke-order graphic.




Figure 15: the lower detail view containing examples and stroke order

An invalid lookup produces the error state shown in Figure 16. Red text states that the character details could not be loaded.




Figure 16: the kanji detail error state

2.3 Calligraphy Practice

Calligraphy Practice organises characters by JLPT level or Joyo grade before a practice session begins. Each category displays its number of available kanji, which defines the set presented in the selection view.

After selecting a character, the user reproduces it on a dedicated canvas and submits the attempt for evaluation. The result compares the attempt with the reference form using stroke and shape metrics.

2.3.1 Category Groups

The Calligraphy home screen in Figure 17 has JLPT and Joyo selectors. With JLPT active, the visible categories are N5 through N1 and Unclassified, each accompanied by a kanji count.



Figure 17: the Calligraphy home screen with JLPT categories

The Joyo variant in Figure 18 lists grade-based categories and their visible counts.



Figure 18: the Calligraphy home screen with Joyo grade categories

2.3.2 Character Selection

Opening a JLPT category presents the search field and scrollable character list shown in Figure 19. Each row includes a stroke count.




Figure 19: the character list for the captured JLPT N5 route

The filter narrows the list and preserves each character’s stroke count, as shown in Figure 20.




Figure 20: a filtered calligraphy category list

When the filter has no matches, the list area displays “No kanji are available in this category”, as shown in [Figure 21](#).




Figure 21: the empty result state within a calligraphy category

2.3.3 Practice and Evaluation

The initial practice view in Figure 22 has a large empty canvas. Back, delete, and validation controls appear in the top row. Delete and validation remain inactive until the user draws on the canvas.




Figure 22: the calligraphy practice canvas before drawing

As the user draws, the strokes appear on the canvas, as shown in Figure 23. The delete and validation controls remain available in the toolbar.




Figure 23: the calligraphy practice canvas with visible strokes

The evaluation overlay in Figure 24 shows the score and a short summary. It compares separate Reference and Attempt images and reports metrics for stroke count, stroke order, direction, and similarity.




Figure 24: the calligraphy evaluation overlay for the captured attempt

2.4 History

History separates recent activity into four icon-based categories. The categories cover searches, visited entries, image classifications, and drawing classifications.

Each populated row identifies the recorded kanji and retains the information needed to recognise the activity. The search tab in Figure 25 includes the character, readings, and date.




Figure 25: History with one recorded search entry

When the selected category has no entries, the four category controls remain available and the list stays empty, as shown in [Figure 26](#).




Figure 26: History with no visible entries in the selected category

The remaining tabs organise visited kanji, image classifications, and drawing classifications into separate history views. These views appear in Figures 27a, 27b, and 27c.



(a) History view for visited kanji



(b) History view for image classifications




(c) History view for drawing classifications


2.5 App Information

The About view identifies the installed KanjiMe version and records the application’s authorship. It also contains the notices required for the language and character data included with the mobile application.

The source acknowledgements name JMdict, KANJIDIC2, KanjiVG, ETL9B, and the Tanos JLPT kanji lists. Figure 28a presents the version, authorship, and first part of these notices. The continuation in Figure 28b contains the remaining acknowledgements and licence text.



(a) the upper portion of the About information




(b) the lower portion of the About acknowledgements


2.6 Theme and Language

The side menu provides access to Recognition, Search, History, Calligraphy, and About. Theme and language controls appear in the same navigation panel, keeping display preferences separate from study functions.

The selected theme applies to backgrounds, surfaces, borders, text, and accent colours throughout the mobile views. Figure 29a presents the complete menu in the light theme. Figure 29b records the same panel while it opens over Recognition.




(a) the navigation menu in the explicit light theme




(b) a partially visible side-menu state over the Recognition screen

Changing the theme updates the application background, surfaces, borders, text, and accent colours without changing the Recognition controls. The dark Recognition screen in Figure 30a retains the Image and Drawing choices, and the corresponding menu in Figure 30b retains the same destinations as its light counterpart.



(a) the Recognition screen in the dark theme



(b) the navigation menu in the dark theme

The language control opens the selection sheet shown in Figure 31. The available choices visible there include English variants and languages from Europe, Asia, and Africa, with a Cancel action for closing the sheet without selecting another language.






Figure 31: the open language-selection sheet


The available European language selections appear in Figures 32a, 32b, 32c, 33a, 33b, and 33c. Asian language selections appear in Figures 34a, 34b, 34c, 35a, and 35b. Figures 35c, 36a, 36b, 36c, 37a, and 37b show the remaining selections. Depending on the open view, translated text appears in the navigation menu or on the Recognition screen.




(a) the mobile interface with English (UK) selected




(b) the mobile interface with Spanish selected




(c) the mobile interface with French selected




(a) the mobile interface with German selected




(b) the mobile interface with Italian selected




(c) the mobile interface with Portuguese selected




(a) the mobile interface with Japanese selected




(b) the mobile interface with Simplified Chinese selected




(c) the mobile interface with Traditional Chinese selected




(a) the mobile interface with Korean selected




(b) the mobile interface with Hindi selected




(c) the mobile interface with Arabic selected




(a) the mobile interface with Kiswahili selected




(b) the mobile interface with Amharic selected



(c) the mobile interface with Hausa selected



(a) the mobile interface with Yorùbá selected



(b) the mobile interface with isiZulu selected

KanjiMe Admin

Administration Panel

3 Administration Panel

3.1 Authentication

The administration panel restricts access to authorised Google accounts. Authentication protects version configuration and error-report data from the public interface.

The initial form contains a single Google sign-in action, as shown in Figure 38. No account-registration or credential-recovery controls appear in this view. During authentication, the state in Figure 39 replaces the normal action label. A failed session displays the message in Figure 40.

KanjiMe Admin

Administrator sign in

Use a Google account to access version configuration and error reports.

SIGN IN WITH GOOGLE

Figure 38: the administrator login screen before authentication

KanjiMe Admin

Administrator sign in

Use a Google account to access version configuration and error reports.

SIGNING IN

Figure 39: the administrator authentication-in-progress state




Figure 40: the administrator authentication error state

3.2 Dashboard

The Dashboard is the first protected view after authentication. It summarises the administration area and provides access to the technical-support sections.

Dashboard data is loaded before the summary becomes available. The completed view appears in Figure 41. The loading state in Figure 42 and failure state in Figure 43 keep the administrator informed when that data is not ready.




Figure 41: Authenticated administration dashboard




Figure 42: Dashboard loading state




Figure 43: Dashboard error state

3.3 Version Configuration

Version Configuration stores the release information consumed by the mobile application. The protected view separates the current configuration from the form used to change it.

The configuration overview appears in Figure 44. Editing exposes the configurable fields in Figure 45. Validation prevents malformed values from being submitted, as shown in Figure 46.




Figure 44: Authenticated version-configuration section

KanjiMe Admin

DASHBOARDVERSIONSERRORSSIGN OUT

Version configuration

CANCEL

CURRENT VERSION

0.1.0

LATEST VERSION

0.1.0

MINIMUM SUPPORTED VERSION

0.1.0

UPDATED AT

2026-05-29T13:34:39.563Z

SAVE CONFIGURATION

Figure 45: Version-configuration edit state

The screenshot shows the KanjiMe Admin interface. At the top, there is a navigation bar with the text 'KanjiMe Admin' on the left and 'DASHBOARD', 'VERSIONS', 'ERRORS', and 'SIGN OUT' on the right. The main content area displays a 'Version configuration' modal. The modal has a title 'Version configuration' and a 'CANCEL' button. It contains four input fields: 'CURRENT VERSION' with the value '0.1.0', 'LATEST VERSION' with the value '0.1.z', 'MINIMUM SUPPORTED VERSION' with the value '0.1.0', and 'UPDATED AT' with the value '2026-05-29T13:34:39.563Z'. Below these fields, there is a red error message: 'Enter a valid semantic version.' At the bottom of the modal, there is a green 'SAVE CONFIGURATION' button.

Figure 46: Version validation-error state

3.4 Error Reports

Error Reports presents unexpected runtime failures reported by the mobile application. Each entry can be reviewed as a technical-support case without mixing report management with version configuration.

The report list appears in Figure 47. Status filters restrict the list to OPEN, IN PROGRESS, RESOLVED, CLOSED, or DISCARDED cases. An empty state distinguishes a valid query with no matching reports from a loading failure. These variants appear in Figures 48, 49, 50, 51, 52, and 53.

KanjiMe Admin

DASHBOARDVERSIONSERRORSSIGN OUT

Reported errors

REPORT FILTER

ALL

OPEN

IN_PROGRESS

RESOLVED

CLOSED

DISCARDED

REPORT STATUSES

OPEN

IN_PROGRESS

RESOLVED

CLOSED

DISCARDED

The category does not exist.

2026-06-28T12:06:23.719Z

0.1.0

unknown x86_64

OPEN

OPEN

The category does not exist.

2026-06-28T12:06:23.714Z

0.1.0

unknown x86_64

OPEN

OPEN

The category does not exist.

2026-06-28T12:06:23.709Z

0.1.0

unknown x86_64

OPEN

OPEN

The character details could not be loaded.

2026-06-28T12:06:06.979Z

0.1.0

unknown x86_64

OPEN

OPEN

Requested device not found

Figure 47: Authenticated error-report list




Figure 48: Empty error-report list




Figure 49: Error-report list filtered by OPEN

KanjiMe Admin

DASHBOARDVERSIONSERRORSSIGN OUT

Reported errors

REPORT FILTER

ALL

OPEN

IN_PROGRESS

RESOLVED

CLOSED

DISCARDED

REPORT STATUSES

OPEN

IN_PROGRESS

RESOLVED

CLOSED

DISCARDED

Cannot register public name 'IntVector' twice

2026-06-14T16:51:41.898Z

0.1.0

unknown 140.0

IN_PROGRESS

OPEN

Draw at least one stroke before evaluating the practice.

2026-06-14T11:11:47.352Z

0.1.0

unknown 140.0

IN_PROGRESS

OPEN

Draw at least one stroke before evaluating the practice.

2026-06-13T18:34:49.126Z

0.1.0

unknown 140.0

IN_PROGRESS

OPEN

Figure 50: Error-report list filtered by IN PROGRESS




Figure 51: Error-report list filtered by RESOLVED




Figure 52: Error-report list filtered by CLOSED




Figure 53: Error-report list filtered by DISCARDED

3.5 Error Detail

Error Detail presents the information attached to one selected report. The view keeps the report context and its current support status together.

The main detail content appears in Figure 54. A recent actions area records the report activity available to the administrator, as shown in Figure 55.

KanjiMe Admin

DASHBOARDVERSIONSERRORSSIGN OUT

Error detail

BACK TO ERRORS

IDENTIFIER

71b29275-1bbe-4378-9e90-0ba344a407a3

MESSAGE

The category does not exist.

OCCURRED AT

2026-06-28T12:06:23.719Z

APPLICATION VERSION

0.1.0

CURRENT STATUS

Current status: OPEN

ASSIGNABLE STATUSES

OPEN

IN_PROGRESS

RESOLVED

CLOSED

DISCARDED

WEB ENGINE

unknown

WEB ENGINE VERSION

x86.64

ANONYMOUS CLIENT

fyJK0cyuu7WrUU1XRQ1M7S

Figure 54: Authenticated error-detail view

KanjiMe Admin

DASHBOARDVERSIONSERRORSSIGN OUT

WEB ENGINE unknown
WEB ENGINE VERSION x86.64
ANONYMOUS CLIENT fyJK0cyuu7WrUU1XRQ1M7S
RECENT ACTIONS
preferences: changed 2026-06-28T12:06:23.487Z
preferences: changed 2026-06-28T12:06:23.487Z
preferences: changed 2026-06-28T12:06:23.487Z
preferences: changed 2026-06-28T12:06:23.487Z
error: captured 2026-06-28T12:06:23.655Z
error: captured 2026-06-28T12:06:23.684Z
error: captured 2026-06-28T12:06:23.702Z

Figure 55: Error-detail recent-actions area

A Special States

A.1 Startup capture

Startup prepares the local services required by the mobile application. Once initialisation completes, the primary Recognition route becomes active.

The resulting view opens Recognition in empty Image mode, as shown in Figure 56. The camera and image-selection controls are ready for input.




Figure 56: the captured startup file, which visibly matches the initial Recognition state

A.2 Update notice

KanjiMe checks the configured release information and compares it with the installed version. The normal study workflow remains visible while an available update is announced.

When a newer release is detected, the toast in Figure 57 informs the user without replacing the current view.




Figure 57: Application update toast

A.3 Global error message

Unexpected runtime failures are converted into a controlled user-facing state. The message avoids implementation details and confirms that the requested operation could not be completed.

The global alert appears in Figure 58. Errors tied to a specific task remain within that task, as shown by the camera error in Figure 3 and the lookup error in Figure 16.




Figure 58: Global controlled-error alert