

# Vectors, Matrices, and Factor Models

Exposure vectors, return matrices, factor models, risk decompositions, and attribution.

Library of the Quant

Educational reference manual

## Manual Profile

|            |                                              |
|------------|----------------------------------------------|
| LIBRARY ID | LOTQ-0011                                    |
| CATEGORY   | Linear Algebra                               |
| DIFFICULTY | Intermediate                                 |
| FORMAT     | Single-column field-guide manual             |
| USE        | Study, lookup, and research-system reference |

### Educational Use Only

This manual is educational material for quant research study. It is not financial advice, not a trading recommendation, and not a guarantee of correctness or live trading usefulness.

# Table of Contents

## Manual map

Each entry is a full-width, single reading path reference card.

|                                                   |    |
|---------------------------------------------------|----|
| How to use this manual                            | 4  |
| Notation and shapes                               | 5  |
| Why Vectors and Matrices Matter for Factor Models | 6  |
| Vectors as Lists with Direction                   | 7  |
| Matrix Shape Discipline                           | 8  |
| Matrix Multiplication as Weighted Combination     | 9  |
| Dot Product as Exposure Measurement               | 10 |
| Projection and Factor Exposure                    | 11 |
| Feature Matrix $X$                                | 12 |
| Design Matrix in Regression                       | 13 |
| Linear Regression as Projection                   | 14 |
| Factor Exposure Matrix $B$                        | 15 |
| Factor Return Vector $f$                          | 16 |
| Residual Vector $e$                               | 17 |
| Beta as a Slope and a Loading                     | 18 |
| Factor Contribution and Attribution               | 19 |
| Covariance Matrix for Risk                        | 20 |
| Correlation Matrix for Similarity                 | 21 |
| Factor Covariance Matrix                          | 22 |
| Portfolio Exposure Vector                         | 23 |
| Portfolio Return as Matrix Product                | 24 |
| Risk Contribution Vector                          | 25 |
| Factor Neutralization                             | 26 |
| Orthogonality and Independent Information         | 27 |
| Gram Matrix and Signal Similarity                 | 28 |
| Rank and Redundant Factors                        | 29 |
| Condition Number and Numerical Stability          | 30 |
| Singular Value Decomposition                      | 31 |
| PCA as Statistical Factor Extraction              | 32 |
| Eigenvectors and Eigenvalues                      | 33 |
| Diagonalization Intuition                         | 34 |
| Regularization in Factor Models                   | 35 |
| Cross-Sectional Factor Model                      | 36 |
| Time-Series Factor Model                          | 37 |

# Table of Contents (continued)

## Manual map

Each entry is a full-width, single reading path reference card.

|                                    |    |
|------------------------------------|----|
| Hedge Ratios as Linear Algebra     | 38 |
| Basis and Coordinate Systems       | 39 |
| Span and Model Coverage            | 40 |
| Column Space and Explained Returns | 41 |
| Factor Model Validation Checklist  | 42 |

# How to Use This Manual

Difficulty: Intermediate

## Study Path

- Read the first ten cards to connect vectors, matrices, dot products, regression, and the factor model equation.
- Then study risk and portfolio pages to see why covariance matrices and exposure vectors matter.
- Use the matrix shapes page as a debugging reference whenever an implementation produces strange results.
- Use the validation pages as a checklist before trusting any factor model in a backtest.

## What to memorize

- $r = Bf + e$ : return equals factor-explained return plus residual.
- $B$  shape is assets by factors;  $f$  shape is factors by one period;  $Bf$  gives predicted asset returns.
- Portfolio exposure is  $B^T w$ . Portfolio variance is  $w^T \Sigma w$ .
- Regression is projection; residuals are what remain outside the chosen explanatory space.

## How to connect this to your system

- Data layer: build aligned asset returns, factors, features, and exposure tables.
- Model layer: estimate exposures, factor premia, covariance, residuals, and diagnostics.
- Portfolio layer: convert forecasts to weights while controlling factor exposure and risk contribution.
- Validation layer: check stability, leakage, redundancy, conditioning, and out-of-sample behavior.

# Notation and Matrix Shapes

Difficulty: Intermediate

## Core Notation

|           |                                                                                   |
|-----------|-----------------------------------------------------------------------------------|
| $r$       | Asset return vector for one period, or return series depending on context.        |
| $B$       | Asset-by-factor exposure matrix. Rows are assets; columns are factors.            |
| $f$       | Factor return vector for one period.                                              |
| $e$       | Residual return vector, actual return minus factor-predicted return.              |
| $X$       | Feature or design matrix used in regression.                                      |
| $\beta$   | Coefficient vector or factor-loading vector.                                      |
| $w$       | Portfolio weight vector.                                                          |
| $\Sigma$  | Covariance matrix of asset or factor returns.                                     |
| $T$       | Transpose operation. $w^T r$ is a dot product.                                    |
| $\lambda$ | Factor premium in cross-sectional models, or eigenvalue in matrix decompositions. |

## Shape Check

$B_{(N \times K)} @ f_{(K \times 1)} = r_{(N \times 1)} \mid w_{(N \times 1)}^T @ r_{(N \times 1)} = \text{scalar portfolio return}$   
 Never let an array multiply until you know what each axis means.

## Shape Debugging Table

|              |                                                                          |
|--------------|--------------------------------------------------------------------------|
| $N$          | Number of assets, instruments, or rows in a cross-section.               |
| $K$          | Number of factors or features.                                           |
| $T$          | Number of time observations.                                             |
| $N \times K$ | Typical shape for exposure matrix $B$ or cross-sectional feature matrix. |
| $T \times K$ | Typical shape for time-series factor-return design matrix.               |

# Why Vectors and Matrices Matter for Facto...

Difficulty: Intermediate


## One-Sentence Meaning

Factor models use vectors and matrices to compress many asset returns into exposures, common drivers, and residual behavior.

## Memory Jogger

A factor model is just organized linear algebra with market meaning attached.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

Instead of looking at every asset separately, you represent portfolios as exposure vectors and returns as matrix operations.

## Simple Market / Trading Example

A stock can be modeled as market exposure plus value exposure plus momentum exposure plus stock-specific residual return.

## Formula Intuition

$$r = B f + e$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

This sits between raw return data and portfolio construction: returns  $\rightarrow$  exposure matrix  $\rightarrow$  factor returns  $\rightarrow$  risk and attribution.  
Implementation idea: Store asset returns, factor exposures, factor returns, residuals, and metadata as separate validated tables with aligned dates and identifiers.

## Confusions to Avoid + Related Terms

Do not treat factor names as magic. A named factor is only useful if its construction, exposure, return stream, and stability are defensible. Related terms: Vectors, matrices, exposures, factor returns, residuals

# Vectors as Lists with Direction

Difficulty: Intermediate


## One-Sentence Meaning

A vector is an ordered list of numbers that can represent a position, feature row, return stream, or exposure direction.

## Memory Jogger

A vector has entries, but the entries together point somewhere in a space.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

In quant research, vectors represent portfolio weights, expected returns, factor exposures, feature values, and signals.

## Simple Market / Trading Example

A portfolio weight vector  $w=[0.40, 0.35, 0.25]$  describes how capital is allocated across three assets.

## Formula Intuition

$$w = [w_1, w_2, \dots, w_n]^T$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Vectors are the basic containers passed between the data layer, model layer, optimizer, and portfolio layer. Implementation idea: Use explicit column names and index alignment before doing vector operations. Silent misalignment is a common source of bad research.

## Confusions to Avoid + Related Terms

A vector is not just a row of numbers. Order and meaning matter; swapping columns changes interpretation. Related terms: Portfolio weights, feature vectors, return vectors

# Matrix Shape Discipline

Difficulty: Intermediate

## One-Sentence Meaning

Matrix shape discipline means tracking rows, columns, and meaning before multiplying or aligning arrays.

## Memory Jogger

Most linear algebra bugs are shape bugs disguised as math bugs.

## Why It Matters in Quant Research

Factor models depend on compatible dimensions: assets x factors times factors x time must produce assets x time.

## Simple Market / Trading Example

If  $B$  is  $N$  assets by  $K$  factors and  $f_t$  is  $K$  by 1, predicted returns are  $N$  by 1.

## Formula Intuition

$$B_{(N \times K)} f_{(K \times 1)} = \hat{r}_{(N \times 1)}$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Shape checks are part of the data validation layer for every factor pipeline. Implementation idea: Assert shapes and label indexes before every matrix product: `assert B.columns.equals(f.index)`.

## Confusions to Avoid + Related Terms

A matrix that multiplies without an error can still be conceptually wrong if the axes are mislabeled. Related terms: Rows, columns, conformability, broadcasting



# Matrix Multiplication as Weighted Combina...

Difficulty: Intermediate

## One-Sentence Meaning

Matrix multiplication combines rows and columns through dot products, producing weighted sums.

## Memory Jogger

Each output entry asks: how much does this row line up with this column?

## Why It Matters in Quant Research

Factor-predicted return is a weighted combination of factor returns, where the weights are the asset exposures.

## Simple Market / Trading Example

If  $\text{beta\_market}=1.2$  and  $\text{market factor return}=1\%$ , the market contribution to predicted return is 1.2%.

## Formula Intuition

$$(AB)_{ij} = \sum_k A_{ik} B_{kj}$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

This is the calculation engine inside exposure models, regression prediction, and risk models. Implementation idea: Prefer named matrix wrappers or Pandas dot operations when learning; they reduce accidental column-order errors.

## Confusions to Avoid + Related Terms

Do not multiply in the order that “looks nice.” Matrix multiplication is order-sensitive. Related terms: Dot product, exposures, weighted sums

# Dot Product as Exposure Measurement

Difficulty: Intermediate


## One-Sentence Meaning

A dot product multiplies corresponding entries and sums them, measuring weighted alignment between two vectors.

## Memory Jogger

Dot product answers: how much of one vector is picked up by another?

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

Portfolio return is the dot product of weights and asset returns; factor contribution is the dot product of exposures and factor returns.

## Simple Market / Trading Example

$w \text{ dot } r = 0.5(1\%) + 0.3(0.4\%) + 0.2(-0.2\%) = \text{portfolio return.}$

## Formula Intuition

$$a \text{ dot } b = \sum_i a_i b_i$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

The dot product is the smallest unit of portfolio aggregation and factor attribution. Implementation idea: Use `np.dot` or `@`, but confirm both vectors use the same asset order.

## Confusions to Avoid + Related Terms

A high dot product can come from large magnitudes, strong alignment, or both. Inspect scale and angle separately when needed.  
Related terms: Weighted average, projection, portfolio return

# Projection and Factor Exposure

Difficulty: Intermediate

## One-Sentence Meaning

Projection measures how much of one vector lies in the direction of another vector.

## Memory Jogger

Projection is shadow length in factor space.

## Why It Matters in Quant Research

A signal can be projected onto a known factor to measure or remove unintended exposure.

## Simple Market / Trading Example

If a momentum signal is heavily projected onto market beta, part of its performance may be disguised market exposure.

## Formula Intuition

$$\text{proj}_b(a) = ((a \cdot b) / (b \cdot b)) b$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Projection is used in signal cleaning, factor neutralization, and decomposition. Implementation idea: Normalize factor vectors when comparing projection strengths across factors.

## Confusions to Avoid + Related Terms

Projection onto a factor is not proof the factor causes returns; it is a geometric overlap measurement. Related terms: Dot product, orthogonality, neutralization

# Feature Matrix X

Difficulty: Intermediate

## One-Sentence Meaning

The feature matrix X stores observations as rows and variables or features as columns.

## Memory Jogger

Rows are cases; columns are measurements.

## Why It Matters in Quant Research

Most regression, machine learning, and factor estimation workflows start with an X matrix.

## Simple Market / Trading Example

Rows may be stock-date pairs, while columns are valuation ratio, momentum score, volatility, liquidity, and sector controls.

## Formula Intuition

$X_{(T \times K)} \beta_{(K \times 1)} = \hat{y}_{(T \times 1)}$   
Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

X is created after data cleaning and before model fitting. Implementation idea: Build X with a reproducible feature pipeline and save feature definitions alongside the matrix.

## Confusions to Avoid + Related Terms

A feature matrix is not automatically valid. Missing values, stale fields, leakage, scaling, and survivorship bias can corrupt it. Related terms: Regression, design matrix, features

# Design Matrix in Regression

Difficulty: Intermediate


## One-Sentence Meaning

A design matrix is the structured matrix of explanatory variables used to estimate a linear model.

## Memory Jogger

Design matrix equals model inputs arranged for solving.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

Factor betas, style exposures, and cross-sectional return forecasts are commonly estimated through design matrices.

## Simple Market / Trading Example

A regression of stock returns on market, size, and value factors uses a design matrix with those factor returns as columns.

## Formula Intuition

$$y = X \text{ beta} + \text{eps}$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

The design matrix links statistical modeling to linear algebra operations. Implementation idea: Inspect X for missing values, scale differences, multicollinearity, and rank before fitting.

## Confusions to Avoid + Related Terms

Adding more columns can improve in-sample fit while damaging stability if columns are redundant or noisy. Related terms: OLS, beta, residuals, rank

# Linear Regression as Projection

Difficulty: Intermediate


## One-Sentence Meaning

Linear regression projects a target vector onto the column space of the design matrix.

## Memory Jogger

Regression finds the closest shadow of  $y$  inside the space spanned by  $X$ .

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

This explains why fitted returns are the factor-explained component and residuals are what remains outside the factor space.

## Simple Market / Trading Example

Regressing asset returns on factors splits actual returns into predicted factor return and residual return.

## Formula Intuition

$$\text{beta\_hat} = (X^T X)^{-1} X^T y$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

This is the estimation step in many factor models. Implementation idea: Use stable solvers instead of manually inverting  $X^T X$  in production code.

## Confusions to Avoid + Related Terms

A residual is unexplained by the chosen model, not necessarily pure alpha. Related terms: Least squares, residuals, column space

# Factor Exposure Matrix B

Difficulty: Intermediate


## One-Sentence Meaning

The exposure matrix B maps assets to their sensitivities against a set of factors.

## Memory Jogger

Rows are assets; columns are factor sensitivities.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

B lets you estimate predicted returns, risk, factor contribution, and unintended portfolio tilts.

## Simple Market / Trading Example

A stock row might show beta to market, size, value, momentum, and quality.

## Formula Intuition

$$\hat{r}_{t} = B f_t$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

B is the central object connecting assets to factor dynamics. Implementation idea: Version factor definitions and exposure calculation methods so backtests can be reproduced.

## Confusions to Avoid + Related Terms

Exposure estimates can be point-in-time, stale, model-based, or regression-based. Treat them as estimates, not truth. Related terms: Factor loadings, betas, asset returns

# Factor Return Vector $f$

Difficulty: Intermediate


## One-Sentence Meaning

The factor return vector contains the realized returns of each factor over a period.

## Memory Jogger

Exposures say what you are loaded on; factor returns say what those loads paid.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

Multiplying exposures by factor returns produces the factor-predicted asset return or portfolio contribution.

## Simple Market / Trading Example

If value factor returns 2% and a portfolio has value exposure 0.6, value contributes about 1.2%.

## Formula Intuition

$$\hat{r}_{i,t} = \sum_k B_{i,k} f_{k,t}$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Factor returns are the time-varying driver series in the model. Implementation idea: Store factor return streams with date alignment and construction methodology.

## Confusions to Avoid + Related Terms

A factor return is not the same as a factor exposure. One is payoff through time; the other is sensitivity. Related terms: Factor exposure, contribution, attribution



# Residual Vector $e$

Difficulty: Intermediate

## One-Sentence Meaning

The residual vector is the part of asset returns not explained by the modeled factors.

## Memory Jogger

Residual equals actual minus explained.

## Why It Matters in Quant Research

Residuals are used to evaluate model fit, search for alpha, and estimate idiosyncratic risk.

## Simple Market / Trading Example

If actual return is 1.5% and factor-predicted return is 1.1%, residual return is 0.4%.

## Formula Intuition

$$e_t = r_t - B f_t$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Residual analysis comes after fitting and before believing a factor model. Implementation idea: Plot cumulative residuals, residual autocorrelation, residual volatility, and residual correlation with known factors.

## Confusions to Avoid + Related Terms

Residual does not automatically mean skill. It can be noise, omitted factor exposure, bad data, or true idiosyncratic information. Related terms: Alpha, idiosyncratic risk, model error

# Beta as a Slope and a Loading

Difficulty: Intermediate


## One-Sentence Meaning

Beta is a factor loading that measures how strongly an asset, portfolio, or signal moves with a factor.

## Memory Jogger

Beta is slope with market interpretation.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

Betas tell you whether returns are coming from targeted exposure or accidental factor dependence.

## Simple Market / Trading Example

A market beta of 1.3 means the asset tends to move more than the market in the same direction.

## Formula Intuition

$$\text{beta} = \text{Cov}(r_i, f) / \text{Var}(f)$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Betas sit inside B and drive predicted returns and risk decomposition. Implementation idea: Estimate rolling betas and test whether they are stable enough to use in decisions.

## Confusions to Avoid + Related Terms

Beta is estimated from data and can drift across regimes. A single static beta can be misleading. Related terms: Loading, covariance, regression slope

# Factor Contribution and Attribution

Difficulty: Intermediate

## One-Sentence Meaning

Factor contribution decomposes a return into pieces caused by each modeled factor exposure times factor return.

## Memory Jogger

Contribution equals what you held times what got paid.

## Why It Matters in Quant Research

Attribution tells you whether performance came from market beta, style factors, sector factors, or residual behavior.

## Simple Market / Trading Example

A portfolio may look profitable but attribution may show most profit came from broad market exposure.

## Formula Intuition

$\text{contribution}_k = \text{exposure}_k * \text{factor\_return}_k$   
Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Attribution is the explanation layer after returns are realized. Implementation idea: Report contribution by factor, by asset, by sector, and by residual to avoid hiding concentration.

## Confusions to Avoid + Related Terms

Attribution depends on the factor model chosen. Different factor definitions can produce different stories. Related terms: Performance attribution, exposures, residual

# Covariance Matrix for Risk

Difficulty: Intermediate


## One-Sentence Meaning

A covariance matrix stores how each asset or factor varies with every other asset or factor.

## Memory Jogger

Risk is not just individual volatility; it is joint movement.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

Portfolio variance is computed from weights and the covariance matrix.

## Simple Market / Trading Example

Two volatile assets may reduce portfolio risk if their covariance is low or negative.

## Formula Intuition

$$\text{portfolio\_variance} = w^T \Sigma w$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

This is the core matrix inside portfolio risk and optimization. Implementation idea: Estimate covariance using enough data, shrinkage, or factor structure; sample covariance can be unstable.

## Confusions to Avoid + Related Terms

Covariance scale depends on units. Correlation is easier to read, but covariance is what enters variance calculations. Related terms: Correlation, variance, risk model

# Correlation Matrix for Similarity

Difficulty: Intermediate


## One-Sentence Meaning

A correlation matrix rescales covariance into standardized pairwise co-movement between -1 and 1.

## Memory Jogger

Correlation is unitless co-movement.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

It helps detect redundant assets, crowded signals, factor overlap, and diversification failures.

## Simple Market / Trading Example

If two signals have correlation 0.95, they are probably not two independent edges.

## Formula Intuition

$$\text{Corr}(X, Y) = \text{Cov}(X, Y) / (\text{std}(X) \text{ std}(Y))$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Correlation diagnostics belong in both feature analysis and portfolio construction. Implementation idea: Monitor correlation matrices through time, not just on the full sample.

## Confusions to Avoid + Related Terms

Low correlation does not guarantee low tail dependence. Correlation is a linear summary. Related terms: Covariance, diversification, redundancy

# Factor Covariance Matrix

Difficulty: Intermediate


## One-Sentence Meaning

The factor covariance matrix describes how factor returns co-move with one another.

## Memory Jogger

Factors can diversify each other or quietly overlap.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

Portfolio risk from factors depends on both exposures and factor covariance.

## Simple Market / Trading Example

A portfolio loaded on value and quality may not be diversified if those factors are strongly correlated in a regime.

## Formula Intuition

$$\text{risk\_factor} = \mathbf{b}_p^T \Sigma_f \mathbf{b}_p$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Factor covariance is the middle object between factor return history and portfolio risk. Implementation idea: Estimate factor covariance and inspect eigenvalues for hidden concentration.

## Confusions to Avoid + Related Terms

Naming two factors differently does not make them independent. Related terms: Factor risk, correlation, PCA

# Portfolio Exposure Vector

Difficulty: Intermediate

## One-Sentence Meaning

A portfolio exposure vector summarizes the portfolio sensitivity to each modeled factor.

## Memory Jogger

Portfolio exposure is asset exposure aggregated by weights.

## Why It Matters in Quant Research

It tells you what bets the portfolio is actually taking at the factor level.

## Simple Market / Trading Example

A long-short book intended to be market-neutral should have portfolio market exposure close to zero.

## Formula Intuition

$$b_p = B^T w$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

This is a pre-trade and post-trade control object. Implementation idea: Compute portfolio exposure after every rebalance and compare it against allowed bands.

## Confusions to Avoid + Related Terms

A portfolio can be dollar-neutral but not factor-neutral. Related terms: Weights, neutrality, risk constraints

# Portfolio Return as Matrix Product

Difficulty: Intermediate

## One-Sentence Meaning

Portfolio return is a matrix/vector aggregation of asset returns by portfolio weights.

## Memory Jogger

Weights choose how much of each asset return enters the total.

## Why It Matters in Quant Research

This calculation underlies backtests, attribution, and optimization.

## Simple Market / Trading Example

Given asset-return vector  $r_t$  and weight vector  $w_t$ , portfolio return is  $w_t \text{ dot } r_t$ .

## Formula Intuition

$$R_{p,t} = w_t^T r_t$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

This is the final aggregation step from asset-level forecasts to portfolio-level outcomes. Implementation idea: Carefully lag weights relative to returns in backtests.

## Confusions to Avoid + Related Terms

Use weights known before returns are realized. Using future or same-day closing weights incorrectly can leak information. Related terms: Dot product, portfolio weights, backtest



# Risk Contribution Vector

Difficulty: Intermediate


## One-Sentence Meaning

Risk contribution decomposes total portfolio risk into components associated with holdings or factors.

## Memory Jogger

Return attribution asks who made money; risk contribution asks who consumed risk.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

It shows concentration that weight-based views can miss.

## Simple Market / Trading Example

A 10% position can contribute 40% of risk if it is highly volatile or highly correlated with the rest of the book.

## Formula Intuition

$\text{marginal\_risk} = \text{Sigma } w$  ;  $\text{component\_risk\_i}$  proportional to  $w_i (\text{Sigma } w)_i$   
 Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Risk contribution belongs in portfolio diagnostics and position sizing. Implementation idea: Normalize component risk contributions so they sum to one for readable dashboards.

## Confusions to Avoid + Related Terms

Capital weight and risk contribution are not the same. Related terms: Covariance, weights, risk budget

# Factor Neutralization

Difficulty: Intermediate


## One-Sentence Meaning

Factor neutralization removes linear exposure to selected factors from a signal or portfolio.

## Memory Jogger

Keep the signal part you want; remove the factor shadow you do not want.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

Used to avoid accidentally harvesting known factor premia when claiming a new alpha.

## Simple Market / Trading Example

A stock-selection signal can be neutralized against market beta and sector exposures before testing.

## Formula Intuition

$$\text{signal\_neutral} = \text{signal} - X \text{ beta\_hat}$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Neutralization sits between raw signal generation and backtesting. Implementation idea: Regress signal on unwanted exposures and use residuals as the neutralized signal.

## Confusions to Avoid + Related Terms

Neutralization can remove useful information if the factor is part of the edge you meant to trade. Related terms: Residualization, projection, orthogonality

# Orthogonality and Independent Information

Difficulty: Intermediate


## One-Sentence Meaning

Orthogonality means vectors have zero dot product, so they do not overlap linearly in the chosen space.

## Memory Jogger

Orthogonal signals point in different directions.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

It helps evaluate whether a new signal adds information beyond existing factors.

## Simple Market / Trading Example

A new return stream that is nearly orthogonal to market, value, and momentum is more likely to diversify existing exposures.

## Formula Intuition

$$a \cdot b = 0$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Orthogonality analysis belongs in signal validation and portfolio combination. Implementation idea: Compute correlations and regression residuals across time windows to check whether orthogonality persists.

## Confusions to Avoid + Related Terms

Orthogonal in-sample does not guarantee independent out-of-sample behavior. Related terms: Correlation, residual, diversification

# Gram Matrix and Signal Similarity

Difficulty: Intermediate

## One-Sentence Meaning

A Gram matrix contains pairwise dot products between vectors, making it a similarity matrix.

## Memory Jogger

Gram matrix equals all-against-all overlap.

## Why It Matters in Quant Research

Useful for checking whether many signals, features, or strategies are just variants of the same exposure.

## Simple Market / Trading Example

If several alpha signals have high Gram similarity, combining them may add little new information.

## Formula Intuition

$$G = X X^T \text{ or } G = X^T X$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Feature library analysis and strategy library analysis both benefit from Gram-style similarity checks. Implementation idea: Use standardized features and visualize the Gram matrix as a heatmap.

## Confusions to Avoid + Related Terms

Similarity depends on scaling. Standardize vectors before interpreting pairwise dot products. Related terms: Dot products, correlation matrix, redundancy

# Rank and Redundant Factors

Difficulty: Intermediate


## One-Sentence Meaning

Rank measures how many independent directions a matrix really contains.

## Memory Jogger

More columns do not always mean more information.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

Rank problems appear when factors, features, or assets are linearly redundant.

## Simple Market / Trading Example

A model with value factor, earnings yield, and book-to-price may have overlapping columns that reduce stability.

## Formula Intuition

$\text{rank}(X)$  = number of linearly independent columns

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Rank diagnostics belong before regression, PCA, and optimization. Implementation idea: Check matrix rank, condition number, and singular values before fitting.

## Confusions to Avoid + Related Terms

A matrix can look large but have low effective dimension. Related terms: Collinearity, singular values, conditioning

# Condition Number and Numerical Stability

Difficulty: Intermediate


## One-Sentence Meaning

The condition number measures how sensitive a matrix problem is to small input errors.

## Memory Jogger

Bad conditioning means tiny data noise can cause huge coefficient noise.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

Unstable regressions and optimizers often trace back to poorly conditioned matrices.

## Simple Market / Trading Example

Highly correlated factors can make beta estimates swing wildly even if returns change only slightly.

## Formula Intuition

$$\text{condition\_number} = \text{largest\_singular\_value} / \text{smallest\_singular\_value}$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Conditioning is a model-reliability diagnostic. Implementation idea: Use regularization, feature pruning, shrinkage, or PCA when conditioning is poor.

## Confusions to Avoid + Related Terms

A model can have high R-squared and still be numerically unstable. Related terms: Singular values, regularization, multicollinearity

# Singular Value Decomposition

Difficulty: Intermediate

## One-Sentence Meaning

SVD decomposes a matrix into orthogonal directions and strengths of variation.

## Memory Jogger

SVD shows the hidden axes and how much each axis matters.

## Why It Matters in Quant Research

It supports PCA, dimensionality reduction, rank diagnostics, and stable least-squares methods.

## Simple Market / Trading Example

A return matrix may have a few dominant singular values showing that a few common drivers explain much of the variation.

## Formula Intuition

$$X = U S V^T$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

SVD is a diagnostic and compression tool for large feature or return matrices. Implementation idea: Use `np.linalg.svd` or `sklearn PCA`; inspect explained variance before choosing components.

## Confusions to Avoid + Related Terms

SVD components are mathematical directions; you still need interpretation before calling them economic factors. Related terms: PCA, eigenvectors, rank

# PCA as Statistical Factor Extraction

Difficulty: Intermediate


## One-Sentence Meaning

PCA finds orthogonal directions that explain the most variance in a dataset.

## Memory Jogger

PCA discovers the biggest directions of movement.

## Visual Block



Synthetic visual created for this manual. Use it to anchor the concept, not as market data.

## Why It Matters in Quant Research

Used to extract latent factors, compress return matrices, and diagnose hidden common risk.

## Simple Market / Trading Example

A universe of stock returns may have a first principal component resembling market movement.

## Formula Intuition

$$C v = \lambda v$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

PCA is an unsupervised factor discovery tool, not a guaranteed economic explanation. Implementation idea: Standardize inputs where appropriate, fit PCA on training windows only, and test component stability over time.

## Confusions to Avoid + Related Terms

Principal components can flip sign, drift, or be hard to interpret economically. Related terms: Eigenvectors, covariance matrix, latent factors



# Eigenvectors and Eigenvalues

Difficulty: Intermediate

## One-Sentence Meaning

An eigenvector keeps its direction under a matrix transformation, while its eigenvalue tells how much it is stretched.

## Memory Jogger

Same direction, different scale.

## Why It Matters in Quant Research

In risk models, eigenvectors reveal principal risk directions and eigenvalues show their variance strength.

## Simple Market / Trading Example

A large eigenvalue in a covariance matrix can indicate a dominant market-like mode.

## Formula Intuition

$$A \mathbf{v} = \lambda \mathbf{v}$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Eigenanalysis is a core tool for understanding covariance structure. Implementation idea: Plot the eigenvalue spectrum to detect concentration and instability.

## Confusions to Avoid + Related Terms

Large eigenvalue does not automatically mean tradable edge; it may simply mean common risk. Related terms: PCA, covariance, spectral analysis

# Diagonalization Intuition

Difficulty: Intermediate

## One-Sentence Meaning

Diagonalization rewrites a matrix in a coordinate system where the main action happens along independent axes.

## Memory Jogger

Choose the right basis and the matrix becomes simpler.

## Why It Matters in Quant Research

This is the intuition behind PCA and covariance decomposition.

## Simple Market / Trading Example

Portfolio risk is easier to inspect when expressed along principal risk directions rather than raw asset names.

## Formula Intuition

$A = Q \Lambda Q^T$  for symmetric matrices with orthonormal eigenvectors  
Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Diagonalization is mainly a conceptual tool for understanding transformations and risk modes. Implementation idea: For covariance matrices, use stable symmetric eigensolvers like `np.linalg.eigh`.

## Confusions to Avoid + Related Terms

Not every matrix is nicely diagonalizable, and numerical data can make decompositions unstable. Related terms: Eigenvectors, basis, covariance

# Regularization in Factor Models

Difficulty: Intermediate

## One-Sentence Meaning

Regularization stabilizes estimates by penalizing overly large or unstable coefficients.

## Memory Jogger

Trade a little bias for a lot less variance.

## Why It Matters in Quant Research

Helpful when factors are correlated, data is limited, or model coefficients overreact to noise.

## Simple Market / Trading Example

Ridge regression can prevent factor betas from exploding when exposures overlap.

## Formula Intuition

$$\min_{\beta} ||y - X\beta||^2 + \lambda ||\beta||^2$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Regularization belongs in estimation when raw least squares is fragile. Implementation idea: Tune regularization on validation windows, not on the full historical sample.

## Confusions to Avoid + Related Terms

Regularization is not a substitute for good features or clean data. Related terms: Ridge, lasso, shrinkage

# Cross-Sectional Factor Model

Difficulty: Intermediate

## One-Sentence Meaning

A cross-sectional factor model explains differences across assets at one time using asset characteristics or exposures.

## Memory Jogger

Across assets, same date.

## Why It Matters in Quant Research

Used to rank stocks, estimate factor premia, and attribute cross-sectional returns.

## Simple Market / Trading Example

At month-end, regress next-month stock returns on valuation, momentum, size, and quality scores.

## Formula Intuition

$$r_{i,t} = \beta_{0,t} + \sum_k X_{i,k,t} \lambda_{k,t} + e_{i,t}$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

This connects feature engineering to alpha modeling. Implementation idea: Run by-date regressions and analyze the time series of factor premia  $\lambda_{k,t}$ .

## Confusions to Avoid + Related Terms

Cross-sectional relationships can be unstable and regime-dependent. Related terms: Fama-MacBeth, factor premia, characteristics

# Time-Series Factor Model

Difficulty: Intermediate

## One-Sentence Meaning

A time-series factor model explains one asset or portfolio return through factor return histories over time.

## Memory Jogger

Through time, same asset.

## Why It Matters in Quant Research

Used to estimate market beta, style loadings, hedge ratios, and residual alpha.

## Simple Market / Trading Example

Regress a portfolio's daily returns on market, value, and momentum factor returns.

## Formula Intuition

$$r_t = \alpha + \beta^T f_t + e_t$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

This is common in performance attribution and risk explanation. Implementation idea: Use rolling windows and compare full-sample, recent, and regime-specific betas.

## Confusions to Avoid + Related Terms

Time-series beta estimates can change if the relationship is regime-dependent. Related terms: Beta, alpha, residual return

# Hedge Ratios as Linear Algebra

Difficulty: Intermediate

## One-Sentence Meaning

A hedge ratio is a linear coefficient chosen to offset exposure to another asset or factor.

## Memory Jogger

A hedge is a subtraction designed in vector space.

## Why It Matters in Quant Research

Pairs trading, beta hedging, futures overlays, and factor-neutral portfolios all rely on hedge-ratio logic.

## Simple Market / Trading Example

If a stock has market beta 1.2, a market hedge might short 1.2 units of market exposure per unit of stock exposure.

## Formula Intuition

$$\text{hedged\_return} = r_{\text{asset}} - h r_{\text{hedge}}$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Hedge ratios are produced by estimation and enforced by portfolio construction. Implementation idea: Estimate hedge ratios with rolling regression and monitor hedge residual variance.

## Confusions to Avoid + Related Terms

A hedge ratio estimated in calm conditions can fail when correlations shift. Related terms: Beta, residualization, neutralization

# Basis and Coordinate Systems

Difficulty: Intermediate

## One-Sentence Meaning

A basis is a set of independent directions used to describe vectors in a space.

## Memory Jogger

Coordinates only make sense relative to a basis.

## Why It Matters in Quant Research

Assets, factors, and principal components are different coordinate systems for describing the same return behavior.

## Simple Market / Trading Example

A portfolio can be described by asset weights or by factor exposures; both are coordinate views.

## Formula Intuition

$$x = c_1 v_1 + c_2 v_2 + \dots + c_k v_k$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Basis thinking helps move between raw assets and abstract risk factors. Implementation idea: When decomposing portfolios, report both asset-level and factor-level representations.

## Confusions to Avoid + Related Terms

Changing basis can clarify structure, but it can also hide intuitive asset-level details. Related terms: Span, PCA, factor basis

# Span and Model Coverage

Difficulty: Intermediate

## One-Sentence Meaning

The span of a set of vectors is everything that can be formed from their linear combinations.

## Memory Jogger

Span is the territory your factors can explain.

## Why It Matters in Quant Research

If a return vector is outside the span of your factors, the model cannot explain it linearly.

## Simple Market / Trading Example

A factor set with only market beta cannot explain sector rotation, value, momentum, and idiosyncratic stock moves.

## Formula Intuition

$$\text{span}(v_1, \dots, v_k) = \{\sum_i c_i v_i\}$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Span defines the coverage limit of a linear factor model. Implementation idea: Use residual diagnostics to see what sits outside the factor span.

## Confusions to Avoid + Related Terms

Adding factors expands span only if they add independent directions. Related terms: Rank, residuals, column space



# Column Space and Explained Returns

Difficulty: Intermediate

## One-Sentence Meaning

The column space of  $X$  is the set of all predictions that a linear model can produce from its features.

## Memory Jogger

Regression can only explain  $y$  using the space its columns create.

## Why It Matters in Quant Research

This explains why omitted factors show up in residuals.

## Simple Market / Trading Example

If sector exposure is missing from  $X$ , sector-driven returns cannot be cleanly explained by the model.

## Formula Intuition

$\hat{y}$  in  $\text{Col}(X)$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Column-space thinking helps debug model misspecification. Implementation idea: Inspect residuals by sector, size bucket, volatility bucket, and time period to detect missing directions.

## Confusions to Avoid + Related Terms

A low residual does not prove the chosen explanation is causal; it only proves the fit is close in the modeled space. Related terms: Projection, residuals, span

# Factor Model Validation Checklist

Difficulty: Intermediate

## One-Sentence Meaning

Factor model validation checks whether exposures, returns, residuals, and risk decomposition behave consistently and robustly.

## Memory Jogger

A factor model is a measuring instrument. Calibrate it.

## Why It Matters in Quant Research

Prevents you from trusting a model that only looks good because of leakage, instability, or bad definitions.

## Simple Market / Trading Example

A model may explain in-sample returns but fail if factor loadings drift or if residuals remain correlated with known risks.

## Formula Intuition

$$\text{actual\_return} = \text{factor\_return\_component} + \text{residual\_component}$$

Read the formula as the operational shortcut behind the concept.

## Research-System Fit + Implementation

Validation is the gate before using a factor model for sizing or attribution. Implementation idea: Test residual distribution, beta stability, factor correlations, contribution concentration, out-of-sample fit, and transaction-cost sensitivity.

## Confusions to Avoid + Related Terms

A high R-squared does not automatically mean the model is useful for trading. Related terms: Diagnostics, backtesting, stability

# Worked Example - One Asset Factor Predic...

Difficulty: Intermediate

## Setup

A stock has exposures: market beta 1.1, value beta 0.4, momentum beta -0.2. Factor returns today are market 1.0%, value 0.5%, and momentum -0.4%.

## Calculation

Predicted return =  $1.1(1.0\%) + 0.4(0.5\%) + (-0.2)(-0.4\%) = 1.10\% + 0.20\% + 0.08\% = 1.38\%$ .

## Interpretation

The stock is predicted to rise 1.38% from factor movement before adding residual or idiosyncratic return.

## System note

This is a single-row version of  $\mathbf{rhat} = \mathbf{Bf}$ . The full model does the same operation for every asset at once.

## Sanity Checks

- Confirm the signs: positive exposure times positive factor return adds; negative exposure times negative factor return also adds.
- Confirm the units: percent returns must be handled consistently as decimals or percentages, not mixed.
- Confirm timing: exposures and weights must be known before the return period being explained.

## Implementation Sketch

- Represent inputs as labeled Pandas Series or DataFrames before using dot products.
- Write one test case with hand-computed numbers so the matrix implementation can be checked.
- Store actual, predicted, contribution, and residual outputs separately for later attribution.

## Quick Recall

- What is being multiplied?
- What does the result represent?
- What would make this calculation misleading in a backtest?

# Worked Example - Portfolio Factor Exposure

Difficulty: Intermediate

## Setup

Portfolio weights are 60% in asset A and 40% in asset B. Asset A has market beta 1.2 and value beta 0.5. Asset B has market beta 0.3 and value beta -0.2.

## Calculation

Portfolio market exposure =  $0.6(1.2) + 0.4(0.3) = 0.84$ . Portfolio value exposure =  $0.6(0.5) + 0.4(-0.2) = 0.22$ .

## Interpretation

The portfolio is not market-neutral. It also has a positive value tilt.

## System note

This is  $b_p = B^T w$ . Compute it before and after every rebalance.

## Sanity Checks

- Confirm the signs: positive exposure times positive factor return adds; negative exposure times negative factor return also adds.
- Confirm the units: percent returns must be handled consistently as decimals or percentages, not mixed.
- Confirm timing: exposures and weights must be known before the return period being explained.

## Implementation Sketch

- Represent inputs as labeled Pandas Series or DataFrames before using dot products.
- Write one test case with hand-computed numbers so the matrix implementation can be checked.
- Store actual, predicted, contribution, and residual outputs separately for later attribution.

## Quick Recall

- What is being multiplied?
- What does the result represent?
- What would make this calculation misleading in a backtest?

# Worked Example - Residual Return

Difficulty: Intermediate

## Setup

Actual portfolio return today is 1.80%. Factor model predicted 1.25% from factor exposures.

## Calculation

Residual return = actual return - factor-predicted return = 1.80% - 1.25% = 0.55%.

## Interpretation

The positive residual may be alpha, omitted factor exposure, news, luck, or data/model error. It requires diagnostics.

## System note

Track cumulative residuals and test whether residuals still correlate with known factors.

## Sanity Checks

- Confirm the signs: positive exposure times positive factor return adds; negative exposure times negative factor return also adds.
- Confirm the units: percent returns must be handled consistently as decimals or percentages, not mixed.
- Confirm timing: exposures and weights must be known before the return period being explained.

## Implementation Sketch

- Represent inputs as labeled Pandas Series or DataFrames before using dot products.
- Write one test case with hand-computed numbers so the matrix implementation can be checked.
- Store actual, predicted, contribution, and residual outputs separately for later attribution.

## Quick Recall

- What is being multiplied?
- What does the result represent?
- What would make this calculation misleading in a backtest?

# Formula Summary Sheet

Difficulty: Intermediate

## Factor Model

$$r = B f + e \mid \hat{r} = B \hat{f} \mid e = r - \hat{r}$$

Core decomposition for asset returns.

## Regression

$$y = X \beta + \epsilon \mid \hat{\beta} = (X^T X)^{-1} X^T y$$

Use stable solvers instead of direct inverse in production.

## Portfolio

$$R_p = w^T r \mid b_p = B^T w \mid \text{risk} = w^T \Sigma w$$

Aggregation, exposure, and risk formulas.

## Decomposition

$$X = U S V^T \mid A v = \lambda v \mid G = X^T X$$

SVD, eigenvectors, and Gram similarity.

# Diagnostic Table - Factor Model Failure Mo...

Difficulty: Intermediate

## Failure Modes

|                                               |                                                                                        |
|-----------------------------------------------|----------------------------------------------------------------------------------------|
| High R-squared, weak trading result           | Model explains historical movement but does not forecast tradable returns after costs. |
| Unstable betas                                | Rolling estimates drift, suggesting regime dependence or noisy exposure estimation.    |
| Residuals correlate with known factors        | The model omitted an important factor or neutralization failed.                        |
| Exploding coefficients                        | Design matrix is poorly conditioned or factors are redundant.                          |
| Attribution tells different stories           | Factor definitions are inconsistent or too overlapping.                                |
| Portfolio looks neutral but loses with market | Neutrality was measured on the wrong factor set or exposure changed after sizing.      |

## Immediate Fixes

|                            |                                                                        |
|----------------------------|------------------------------------------------------------------------|
| Check shapes and alignment | Confirm dates, assets, and columns are matched before every operation. |
| Check rank and condition   | Inspect singular values before trusting coefficients.                  |
| Check out-of-sample        | Validate on later periods and separate regimes.                        |
| Check costs                | Turn gross factor advantage into net strategy results.                 |

# Validation Checklist

Difficulty: Intermediate

## Model Construction Checks

- Are factor definitions point-in-time and reproducible?
- Are exposures aligned to the date when they would have been known?
- Are returns, weights, and exposures using compatible identifiers and calendars?
- Are missing values handled explicitly rather than silently filled?

## Statistical Checks

- Inspect rank, singular values, and condition number.
- Track rolling betas and factor correlations.
- Test residual autocorrelation and residual correlation with omitted factors.
- Compare full-sample fit to out-of-sample fit.

## Trading Checks

- Attribute gross and net returns separately.
- Evaluate factor concentration and risk contribution.
- Stress factor shocks and regime changes.
- Verify the model improves decisions after transaction costs and constraints.



# Comparison Sheet - Model Types

Difficulty: Intermediate

## Model Comparison

|                                     |                                                                                               |
|-------------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Time-series factor model</b>     | Explains one asset or portfolio through time using factor return histories.                   |
| <b>Cross-sectional factor model</b> | Explains differences across many assets at one date using characteristics or exposures.       |
| <b>Statistical factor model</b>     | Extracts latent factors from data using methods such as PCA.                                  |
| <b>Fundamental factor model</b>     | Uses economically named or accounting-based factors such as value, size, quality, and sector. |
| <b>Risk factor model</b>            | Focuses on explaining and forecasting covariance or portfolio risk.                           |
| <b>Alpha factor model</b>           | Focuses on forecasting expected returns or ranking assets.                                    |

# Quick Recall Review I

Difficulty: Intermediate

## Quick Questions

- What does each row of  $B$  represent?
- What does each column of  $B$  represent?
- Why is  $r = Bf + e$  not the same as  $\alpha$ ?
- How does  $b_p = B^T w$  summarize a portfolio?
- Why can a dollar-neutral portfolio still have market beta?

## Mini Exercises

- Given two assets and two factors, manually compute  $Bf$ .
- Given portfolio weights and asset exposures, compute portfolio factor exposure.
- Given actual return and predicted return, compute residual return.
- Explain rank deficiency in plain English.

# Quick Recall Review II

Difficulty: Intermediate

## Debugging Questions

- Did I lag weights correctly relative to returns?
- Do feature columns have the same units or need standardization?
- Are factors independent enough to estimate stable coefficients?
- Are residuals clean or still exposed to known factors?
- Did the factor model survive out-of-sample and after costs?

## Common Confusions

- Exposure versus factor return.
- Residual versus alpha.
- Correlation versus covariance.
- High fit versus predictive usefulness.
- Named factor versus economically valid factor.


# Final Concept Map

Difficulty: Intermediate

## Big Picture

The manual compresses factor modeling into one flow: collect return and feature data, arrange it into matrices, estimate or define factor exposures, multiply exposures by factor returns, separate explained and residual return, then use covariance and portfolio weights to control risk.

## Concept Map



# Related-Term Index

Difficulty: Intermediate

## Index Notes

Use this index as a final memory jogger. A useful test: pick any term and explain its role in data, modeling, portfolio construction, or validation. For quant research, the term is not learned until you know what table, vector, matrix, or diagnostic it becomes in code.

## Grouped Term Map

|                             |                                                                                                                                                               |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Core containers</b>      | Vector, matrix, feature matrix $X$ , exposure matrix $B$ , return vector $r$ , factor return vector $f$ , residual vector $e$ , portfolio weight vector $w$ . |
| <b>Geometry concepts</b>    | Dot product, projection, orthogonality, span, basis, column space, Gram matrix, coordinate system.                                                            |
| <b>Factor-model objects</b> | Beta, factor loading, factor exposure, factor return, factor contribution, residual, alpha, hedge ratio, neutralization.                                      |
| <b>Risk objects</b>         | Covariance matrix, correlation matrix, factor covariance, portfolio exposure, risk contribution, factor risk.                                                 |
| <b>Decomposition tools</b>  | Eigenvalue, eigenvector, PCA, singular value, SVD, rank, condition number, diagonalization.                                                                   |
| <b>Model types</b>          | Time-series factor model, cross-sectional factor model, statistical factor model, fundamental factor model, risk factor model, alpha factor model.            |
| <b>Validation ideas</b>     | Out-of-sample fit, beta drift, residual correlation, rank deficiency, conditioning, leakage, transaction-cost sensitivity.                                    |

## Final Self-Test

- Can you write  $r = Bf + e$  and explain every symbol without looking?
- Can you compute portfolio exposure from asset weights and asset factor exposures?
- Can you explain why residual return is not automatically alpha?
- Can you name two ways a factor model can look good in-sample and fail in trading?
- Can you describe the difference between PCA factors and economically named factors?

## Term List

Alpha, asset return vector, beta, basis, column space, condition number, correlation matrix, covariance matrix, design matrix, dot product, eigenvalue, eigenvector, exposure matrix, factor correlation, factor loading, factor model, factor neutralization, factor return, factor risk, Gram matrix, hedge ratio, matrix multiplication, PCA, portfolio exposure, projection, rank, regression, residual, risk contribution, singular value, span, SVD, time-series factor model, cross-sectional factor model, vector, weights.