CSCI 3104 Fall 2022 Instructors: Prof. Grochow and Chandra Kanth Nagesh

Quiz 8 S23

Due Date	. Thursday Nov 10, 2022 8pm MT
Name	Tyler Huynh
Student ID	$\dots \dots $
Quiz Code (enter in Canvas to get access to the LaTeX template)	JCVBA
Contents	
Instructions	1
Honor Code (Make Sure to Virtually Sign)	2
23 Standard 23: Dynamic Programming: Solve using recurrence	3

Instructions

- You may either type your work using this template, or you may handwrite your work and embed it as an image in this template. If you choose to handwrite your work, the image must be legible, and oriented so that we do not have to rotate our screens to grade your work. We have included some helpful LaTeX commands for including and rotating images commented out near the end of the LaTeX template.
- You should submit your work through the **class Gradescope page** only. Please submit one PDF file, compiled using this LATEX template.
- You may not need a full page for your solutions; pagebreaks are there to help Gradescope automatically find where each problem is. Even if you do not attempt every problem, please submit this document with no fewer pages than the blank template (or Gradescope has issues with it).
- You may not collaborate with other students. Copying from any source is an Honor Code violation. Furthermore, all submissions must be in your own words and reflect your understanding of the material. If there is any confusion about this policy, it is your responsibility to clarify before the due date.
- Posting to any service including, but not limited to Chegg, Discord, Reddit, StackExchange, etc., for help on an assignment is a violation of the Honor Code.
- You **must** virtually sign the Honor Code (see Section). Failure to do so will result in your assignment not being graded.

Honor Code (Make Sure to Virtually Sign)

Problem HC. • My submission is in my own words and reflects my understanding of the material.

- Any collaborations and external sources have been clearly cited in this document.
- I have not posted to external services including, but not limited to Chegg, Reddit, StackExchange, etc.
- I have neither copied nor provided others solutions they can copy.

agree to the above, Tyler Huynh.	
----------------------------------	--

23 Standard 23: Dynamic Programming: Solve using recurrence

Problem 23. The Subset-Sum problem is defined as follows.

- Input: We are given n items with positive weights $w_1, \ldots, w_n > 0$, as well as a target threshold W > 0.
- Decide: Is there a subsequence w_{i_1}, \ldots, w_{i_k} such that:

$$\sum_{j=1}^{k} w_{i_j} = W.$$

That is, can we select a subsequence of items whose combined weights add to W?

For example, consider the input array A = [4, 15, 8, 16, 23, 42]. If w = 31 then the answer is "TRUE" since there is a subsequence [15, 16] where the sum is equal to 15 + 16 = 31. However, if w = 13 then the answer is "FALSE" since no subsequence of A has sum equal 13.

The Subset-Sum problem satisfies the following recurrence. For $0 \le i \le n$, and $0 \le w \le W$, define T[i, w] be to TRUE if and only if there exists a subsequence of the first i elements $[w_1, \ldots, w_i]$ that sum to w. Then we have:

$$T[i, w] = \begin{cases} TRUE & w = 0 \\ FALSE & i = 0 \text{ and } w > 0 \\ T[i - 1, w] & i > 0 \text{ and } w_i > w \\ T[i - 1, w] \text{ OR } T[i - 1, w - w_i] & i > 0 \text{ and } w_i \le w \end{cases}$$

(Note that in the final case, "OR" is the Boolean OR operation.)

Consider A = [3, 4, 2, 1] and W = 5. Design and fill in a lookup table for this problem. Clearly indicate whether a solution exists, and which cell of the table tells you this.

Answer. Here is some LaTeX code for the start of a table that you may find useful:

	0	1	2	3	4	5
0	Т	F	F	F	F	F
1	Т	F	F	Т	F	F
2	Т	F	F	Т	Т	F
3	Т	F	Т	Т	Т	Т
4	Т	Т	Т	Т	Т	Т

From the above this will the lookup table for this problem when A = [3, 4, 2, 1] and W = 5.

There exists a subsequence when the index of the table is at i = 4 and when the weight is at w = 5, the cell of the table is reflects as it is **True**.

This means that there exists a subsequence when the input array is A = [3, 4, 2, 1] that will sum to the W = 5.