

Figure 5-1: Bus Line Map with Bus Stops

Original map excerpt for style reference. Not the current team's data or analysis.



Figure 6-17: Year 1 Bus Line Map (Shanghai)



Figure 6-18: Year 3 Bus Line Map (Shanghai)

Original map excerpt for style reference. Not the current team's data or analysis.



Figure 2: Spatial distribution of normalized indicator values across 22 candidate Super Bowl host cities. Darker color indicates better sustainability performance.

Original map excerpt for style reference. Not the current team's data or analysis.



Figure 4.5: Urban Tree Canopy Coverage for U.S. Super Bowl Host Cities. The map illustrates the significant variation in green infrastructure, a key component of a city's environmental capacity. Data Source: U.S. Forest Service, "Urban Tree Canopy Cover in the United States" [**9**].

Original map excerpt for style reference. Not the current team's data or analysis.



Figure 4.1: A map of all 14 locations considered, containing ten locations shown in Table 4.2 that one of the investigated plants has invaded and four locations shown in Table 4.3 occupied by four major climate types.

Original map excerpt for style reference. Not the current team's data or analysis.



Figure 4.3: Las Vegas transportation map



Figure 4.4: New York City transportation map



Figure 8 Climate zones of Brazil (left) [11] and India (right) [12]. Rio de Janeiro is located in the southeast of Brazil. Mumbai is located on the west coast of India.

Original map excerpt for style reference. Not the current team's data or analysis.



Figure 6-9: Year 1 Bus Line Map (Chicago)



Figure 6-10: Year 3 Bus Line Map (Chicago)

Original map excerpt for style reference. Not the current team's data or analysis.

Figure 6-19: Year 6 Bus Line Map (Shanghai)



Figure 6-20: Year 10 Bus Line Map (Shanghai)

Original map excerpt for style reference. Not the current team's data or analysis.

Figure 2: A simple bathymetric map of a reference lake. [