### typetogether

### **SENSEI PROJECT**

GLYPH REFERENCE. 30.06.3023

### Precursive

Default set of lower case letters. These are completely unjoined.

a	b	C	d	е	$\int$	g
h	·	j	K		m	n
0	p	q	<u>r</u>	S	t	U
V	$\bigvee$	X	y	Z		
CO	nne	ctio	η,			

### **Modern cursive**

Look like precursive in isolated shape but it is a semi-connected typesetting.

Uses .mod suffix (eg. n.mod)

Note: there is a .mod version of all lowercases a-z

## Fully joined odern cursive Adds loops to descenders and connecting strokes to letters that did not connect in .mod. Uses .jmc suffix (eg. g.jmc)

connection nubon

## **Full Cursive** Construction os several glyphs change to match a continuous cursive style. Uses .ful suffix (eg. s.ful)

## 

connection nnebn

# **Curver entry stroke** Changes the lead-in connection at x-heigh level for several letters. Uses .cnt suffix (eg. n.cnt)

connection nown

### Mirrored loops

Adds loops in to two letters and switches loop direction in "f".

Uses .mrr suffix (eg. n.cnt)

connection nonfor

# Microloops Adds knots or small loops to mark stroke direction change in some letters. Uses .mlp suffix (eg. o.mlp)



connection nnon

## B C D F F Default set of upper case letters. These are completely unjoined. $H \cup I \cup M$ OPQRST V W X 7 connection Hn.

Print

#### **Cursive uppercase**

Cursive capitals. Some of these connect with the next letter while others dont.

Uses .cur suffix (eq. A.cur)

GBCDE J X L III PQR37 V W X Y connection Hn ()n

#### **Decorative uppercase**

Secondary set of decorative caps to match certain handwriting models. These are semi-connected.

Uses .dec suffix (eq. G.dec)

