




Introducing

**ComfortSmart Hybrid
Thermally Broken Slimline Awning Sash**

Phase 1

A&L
WINDOWS | DOORS

Contents

1. GAPS IN OUR RANGE
2. EE SOLUTIONS
3. COMPETITIVE PRICING & STEP CHANGE
4. COMFORTSMART HYBRID
5. THE DIFFERENCE – SERIES COMPARISON
6. PERFORMANCE
7. IDENTIFYING HYBRID SASH ON QUOTES
8. RESOURCES



Performance Comparison


Glass Change

Standard 2023

			U-Value/SHGC			
Cool Climate - 28% glass			Worse		Better	Best
Brand	Series	Glass	4+	3.8 - 3	2.8 - 2	1.8
A&L	Standard	Clr/Clr		3.5/.54		
Stegbar	Residential	Clr/Clr	4.0/.56			
Trend	Synergy	Clr/Clr	4.1/.56			
Bradnam's		Clr/Clr		3.7/0.43		
Southern Star	100	Clr/Clr		3.8/.58		
	100					
	150					
	150					
	350					
AWS	516	Clr/Clr		3.6/.50		
	516					
	516					
	755 (Emb)					
Wideline	Standard	Clr/Clr	4.0/.58			
Dowell	Elite	Clr/Clr		3.9/.58		
MTM		Clr/Clr	4.6/.54			
		PT2	4.6/.54			

			U-Value/SHGC			
Cool Climate - 28% glass			Worse		Better	Best
Brand	Series	Glass	4+	3.8 - 3	2.8 - 2	1.8
Glass Change Standard 2023 ↓ Single Low-E	A&L	Standard		3.5/.54	2.8/.42	
	Stegbar	Residential	4.0/.56	3.1/.45		
	Trend	Synergy	4.1/.56	3.3/.45		
	Bradnam's	Clr/Clr L/B		3.7/0.43 3.3/.42		
	Southern Star	100		3.8/.58		
		100		3.1/.50		
		150			2.5/.46	
		150				
	AWS	350				
		516		3.6/.50		
		516		3.5/.43		
		516				
		755 (Emb)				
	Wideline	Standard	4.0/.58	3.2/.45		
	Dowell	Clr/Clr AS2		3.9/.58		
		L/B		3.0/.45		
	MTM	Clr/Clr	4.6/.54			
		PT2	4.6/.54			

			U-Value/SHGC			
Cool Climate - 28% glass			Worse		Better	Best
Brand	Series	Glass	4+	3.8 - 3	2.8 - 2	1.8
A&L	Standard	Clr/Clr		3.5/.54		
		L/B			2.8/.42	
		Dbl Low-E			2.5/.39	
Stegbar	Residential	Clr/Clr	4.0/.56	3.1/.45		
		L/B		3.0/.41		
		Dbl Low-E				
Trend	Synergy	Clr/Clr	4.1/.56	3.3/.45		
		L/B		3.0/.41		
		Dbl Low-E				
Bradnam's		Clr/Clr		3.7/0.43		
		L/B		3.3/.42		
		i89 Dbl		3.2/.40		
Southern Star	100	Clr/Clr		3.8/.58		
	100	L/B (ET)		3.1/.50		
	150	LB			2.5/.46	
	150					
	350					
AWS	516	Clr/Clr		3.6/.50		
	516	L/B		3.5/.43		
	516	i89 Dbl		3.2/.41		
	755 (Emb)					
Wideline	Standard	Clr/Clr	4.0/.58			
		AS2		3.2/.45		
Dowell	Elite	Clr/Clr		3.9/.58		
		L/B		3.0/.45		
MTM		Clr/Clr	4.6/.54			
		PT2	4.6/.54			



Standard 2023


Single Low-E


Double Low-E

i89 Double Coat

Glass Change


			U-Value/SHGC			
Cool Climate - 28% glass			Worse		Better	Best
Brand	Series	Glass	4+	3.8 - 3	2.8 - 2	1.8
A&L	Standard	Clr/Clr		3.5/.54		
		L/B			2.8/.42	
		Dbl Low-E			2.5/.39	
		Best Dbl			2.5/.41	
Stegbar	Residential	Clr/Clr	4.0/.56			
		L/B		3.1/.45		
		Dbl Low-E		3.0/.41		
		Best Dbl		3.0/.43		
Trend	Synergy	Clr/Clr	4.1/.56			
		L/B		3.3/.45		
		Dbl Low-E		3.0/.41		
		Best Dbl		3.0/.44		
Bradnam's		Clr/Clr		3.7/0.43		
		L/B		3.3/.42		
		i89 Dbl		3.2/.40		
Southern Star	100	Clr/Clr		3.8/.58		
	100	L/B (ET)		3.1/.50		
	150	LB			2.5/.46	
	150	i89 Dbl			2.5/.46	
	350	i89 Dbl			2.5/.46	
AWS	516	Clr/Clr		3.6/.50		
	516	L/B		3.5/.43		
	516	i89 Dbl		3.2/.41		
	755 (Emb)	i89			2.1/.43	
Wideline	Standard	Clr/Clr	4.0/.58			
		AS2		3.2/.45		
Dowell	Elite	Clr/Clr		3.9/.58		
		L/B		3.0/.45		
		Dbl H/C				
MTM		Clr/Clr	4.6/.54			
		PT2	4.6/.54			





			U-Value/SHGC			
Cool Climate - 28% glass			Worse		Better	Best
Brand	Series	Glass	4+	3.8 - 3	2.8 - 2	1.8
A&L	Standard	Clr/Clr		3.5/.54		
		L/B			2.8/.42	
		Dbl Low-E			2.5/.39	
		Best Dbl			2.5/.41	
		TB				1.8/.40
Stegbar	Residential	Clr/Clr	4.0/.56			
		L/B		3.1/.45		
		Dbl Low-E		3.0/.41		
		Best Dbl		3.0/.43	2.0/.40	
Trend	Synergy	Clr/Clr	4.1/.56			
		L/B		3.3/.45		
		Dbl Low-E		3.0/.41		
		Best Dbl		3.0/.44	2.0/.40	
Bradnam's		Clr/Clr		3.7/0.43		
		L/B		3.3/.42		
		i89 Dbl		3.2/.40	2.0/.39	
Southern Star	100	Clr/Clr		3.8/.58		
	100	L/B (ET)		3.1/.50		
	150	LB			2.5/.46	
	150	i89 Dbl			2.5/.46	
AWS	350	i89 Dbl			2.5/.46	
	516	Clr/Clr		3.6/.50		
	516	L/B		3.5/.43		
	516	i89 Dbl		3.2/.41	2.6/.34	
Wideline	Standard	755 (Emb)			2.1/.43	
		i89				
		Clr/Clr	4.0/.58			
		AS2		3.2/.45		
Dowell	Elite	Clr/Clr		3.9/.58		
		L/B		3.0/.45		
		Dbl H/C				1.8/.46
MTM		Clr/Clr	4.6/.54			
		PT2	4.6/.54			


Market Advantages



			U-Value/SHGC			
Cool Climate - 28% glass			Worse		Better	Best
Brand	Series	Glass	4+	3.8 - 3	2.8 - 2	1.8
A&L	Standard	Clr/Clr		3.5/.54		
		L/B			2.8/.42	
		Dbl Low-E			2.5/.39	
		Best Dbl			2.5/.41	
		TB Sash			2.2/.44	1.8/.40
Stegbar	Residential	Clr/Clr	4.0/.56			
		L/B		3.1/.45		
		Dbl Low-E		3.0/.41		
		Best Dbl		3.0/.43	2.0/.40	
Trend	Synergy	Clr/Clr	4.1/.56			
		L/B		3.3/.45		
		Dbl Low-E		3.0/.41		
		Best Dbl		3.0/.44	2.0/.40	
Bradnam's		Clr/Clr		3.7/0.43		
		L/B		3.3/.42		
		i89 Dbl		3.2/.40	2.0/.39	
Southern Star	100	Clr/Clr		3.8/.58		
	100	L/B (ET)		3.1/.50		
	150	LB			2.5/.46	
	150	i89 Dbl			2.5/.46	
	350	i89 Dbl			2.5/.46	
AWS	516	Clr/Clr		3.6/.50		
	516	L/B		3.5/.43		
	516	i89 Dbl		3.2/.41	2.6/.34	
	755 (Emb)	i89			2.1/.43	
Wideline	Standard	Clr/Clr	4.0/.58			
		AS2		3.2/.45		
Dowell	Elite	Clr/Clr		3.9/.58		
		L/B		3.0/.45		
		Dbl H/C				1.8/.46
MTM		Clr/Clr	4.6/.54			
		PT2	4.6/.54			

Market Intel

- Sometimes we just miss out on 7 Stars with our standard products. We need a higher performing product.
- **ComfortSmart** & **ComfortSmart Ultra** is a high-performance product. But a lot of the time this is overkill for the energy requirements, which is not a good value proposition for the builders.
- **ComfortSmart Hybrid** is our Goldilocks solution (providing U-Value coverage to meet 7-Star requirements at a competitive price point).
- Traditional aluminium frame with a thermally broken sash
- Trademarking
- Patent Pending
- Uniquely designed by our RDE team



A young girl with freckles and blue eyes is looking out a window. The background outside the window shows a blue sky and a body of water. The text "Making energy efficiency easy." is overlaid on the left side of the image.

Making energy efficiency easy.

A&L
WINDOWS | DOORS

A&L

WINDOWS | DOORS

7-star energy efficiency requirements are here.

Whether you are a builder, designer, architect, energy rater or homeowner, A&L makes energy efficiency easy through education, solutions and support.

Icons



7 Star



Comfort




Energy



Heating



Cooling




Competitive Pricing

Faced with a market downturn, it is critical that A&L continues to deliver greater value above our competitors to support our customers, while also making energy efficiency as easy as possible.

BENEFITS

- Making it easier for Sales & Customers
- Consuming cost to help customers in the downturn market



Modelling Houses

using Hybrid Windows

Unfortunately, not all of our new WERS codes have been loaded into the NatHERS Library.

Your Energy Rater will need to use Proxy Codes to complete an Energy Rating in the approved software.

A&L DG	WERS	U Value	SHGC
Awning	A&L-004-012	3.5	0.54
Boutique Awning	A&L-024-012	3.8	0.49
Fixed (Standard)	A&L-046-001	2.9	0.68
Sliding Door	A&L-013-004	3.5	0.63
Boutique Door	A&L-032-001	4.0	0.54

A&L DG Clear (Good)	WERS	U Value	SHGC
Hybrid Awning Sash	A&L-120-001	3.2	0.56
Boutique Awning	A&L-024-049	3.2	0.39
Fixed (Standard)	A&L-046-001	2.9	0.68
Sliding Door	A&L-013-TBA	3.3	0.66
Boutique Door	A&L-032-042	3.4	0.44

A&L DG Single Coat Low-E (Better)	WERS	U Value	SHGC
Hybrid Awning Sash	A&L-120-002	2.5	0.44
Boutique Awning	A&L-024-300	3.0	0.36
Fixed (Standard)	A&L-046-301	1.9	0.53
Sliding Door	A&L-013-TBA	2.3	0.50
Boutique Door	A&L-043-304	3.3	0.42

A&L DG Double Coat Low-E (Best)	WERS	U Value	SHGC
Hybrid Awning Sash	A&L-120-006	2.2	0.39
Boutique Awning	A&L-115-011	2.0	0.35
Fixed (Standard)	A&L-046-304	1.6	0.48
Sliding Door	A&L-013-TBA	2.1	0.45
Boutique Door	A&L-109-034	2.1	0.47



NatHERS Proxy	U Value	SHGC
TND-038-003	3.2	0.54
A&L-024-047	3.2	0.39
A&L-046-001	2.9	0.68
A&L-026-023	3.3	0.65
A&L-032-039	3.3	0.42

NatHERS Proxy	U Value	SHGC
TND-007-017	2.5	0.46
A&L-004-020	3.0	0.36
TND-202-018	1.9	0.53
A&L-038-005	2.3	0.51
A&L-037-008	3.2	0.39


NatHERS Proxy	U Value	SHGC
STG-053-051	2.2	0.40
A&L-034-009	1.9	0.35
TND-214-056	1.9	0.47
STG-020-334	2.1	0.45
STG-020-045	2.1	0.47

Achieving 7 Stars in



GOOD ✓	BETTER ✓ ✓	BEST ✓ ✓ ✓
 A&L ComfortSmart Hybrid Series Double Glazed Clear with Thermally Broken Sash/Panel	 A&L ComfortSmart Hybrid Series Double Glazed Soft Coat Low-E with Thermally Broken Sash/Panel	 A&L ComfortSmart Hybrid Series Double Glazed Double Coat Low-E with Thermally Broken Sash/Panel
 A&L Standard & Boutique Series Single Glazed Clear Hard Coat Low-E	 A&L Standard & Boutique Series Single Glazed Neutral Hard Coat Low-E	 A&L Standard & Boutique Series Single Glazed Grey Hard Coat Low-E


Achieving 7 Stars in Victoria.



Victoria has 3 main climate zones 6, 7 and 8 which are considered heating climate zones, so it is important that your Windows and Doors have:


- A Low U Value (which denotes better insulation)
- A High Solar Heat Gain Co-efficient (SHGC);

In a heating climate like Victoria, you want to capture natural heating from the sun therefore a higher SHGC is beneficial.


GOOD ✓	BETTER ✓ ✓	BEST ✓ ✓ ✓
 A&L ComfortSmart Hybrid Series Double Glazed Clear with Thermally Broken Sash/Panel A good upgrade from A&L's Standard Clear Double-Glazing is our 'ComfortSmart Hybrid' with Clear Double Glazed as standard. This is a newly developed Hybrid Series that uses A&L's Standard Frames with an enhanced Thermally Broken Sash or Panel, while maintaining high energy rating requirements without a significant change to build cost.	 A&L ComfortSmart Hybrid Series Double Glazed Soft Coat Low-E with Thermally Broken Sash/Panel For even better performance for more demanding climate zones, orientations or house designs, you can upgrade the glass to a Double-Glazed Soft Coat Low-E unit. This Double-Glazing unit applies a high-performance Soft Coat Low-E coating to surface 2, to minimise heat loss to the external environment and will significantly reduce the windows U Value in order to meet 7 Star compliance requirements.	 A&L ComfortSmart Hybrid Series Double Glazed Double Coat Low-E with Thermally Broken Sash/Panel Our best performing glass to achieve superior energy efficiency in Victoria is a Double-Glazed Double Coat Low-E unit, using a soft and hard Low-E coating on both panes. The 2 coatings lower the U Value even more, for exceptional comfort inside your home. The combination is our best performance glass, and the enhanced ComfortSmart Hybrid Sash and Panel will help with compliance, for even the more complex projects.

Series Comparison


Double Glazed Awning Windows



A&L Standard Series
Standard Slimline Double Glazed Awning Window



ComfortSmart Hybrid
Thermally Broken Slimline Sash



ComfortSmart Ultra
Thermally Broken Semi-Commercial Awning Window

ComfortSmart Hybrid

Quoting Available Now



Configuration
1X1 | O



Configuration
2X2 | OF/FF



Configuration
1X3 | (OFO)



ComfortSmart Hybrid – Slimline TB Sash

A&L Standard Frame with Thermally Broken Sash

Key Features

PERFORMANCE

Acoustic Performance	
Performance Criteria	Glass Type
RW32	Double glazing – 6/8Ar/4
Wind & Water Performance	
Performance Criteria	Rating
SLS	800Pa
ULS	2000Pa
Water	300Pa
N rating	N3 Corner
Thermal Performance	
Performance Criteria	Rating
Double Glazed Uw Range	2.2 – 3.4
Double Glazed SHGC Range	0.25 – 0.56

COLOUR OPTIONS



Black (matt) Monument (matt) White (gloss) Surfmist (satin)


Remainder colours available 1st Jan 2025

HARDWARE OPTIONS



Colour matched A&L Winder as standard

CONFIGURATIONS



Standard Awnings – Slimline sashes available up to 15H

GLAZING OPTIONS




A range of glazing options to achieve exceptional energy efficiency, acoustic performance and privacy. Available in double glazing as standard.



ComfortSmart Hybrid

Future Developments – Coming Soon



Identifying TB Sash on A&L Quotes



A&L Windows Pty Ltd
131-149 National Drive
DANDENONG SOUTH VIC 3175
ABN 77 064 692 888
Ph 03 8786 0000
Fax 03 8786 0100

QUOTATION 2064195800

A&L Copy

Created by Initial Quote Date
LNGUYEN 31/07/2024
Last Revision Date Quote Expiry
29/10/2024

Customer

A&L WINDOWS (RD&E_MARKTG_TRAINING)
SUITE 2
131-149 NATIONAL DRIVE
DANDENONG SOUTH VIC 3175


Deliver To
A&L WINDOWS (RD&E_MARKTG_TRAINING)
SUITE 2
131-149 NATIONAL DRIVE
DANDENONG SOUTH VIC 3175
Map Ref Customer PO
Site Contacts BAL Rating
No BAL Rating Supplied

Terms Payable immediately Due net

Customer No. 1000738 Account Manager
Ph
Fax
Email

Matching Energy Report Required for this Quote

In order for A&L to supply compliant product and to ensure your build achieves final compliance, please provide an energy report that matches the specifications in this quote, with either A&L WERS codes (best option) or Generic-Default WERS codes.

WAAW1215 Aluminium Standard Awning Window N2										
Line	000100	Location	Level	Location	Ground Floor	Schedule	Qty	1	EA	Price
 ALL PRODUCTS ARE VIEWED FROM THE OUTSIDE	Details		Accessories					Reveal		
	Colour	Black	Flashing	Default Flashing	Lite Op	Operable	Wall Type	90mm Stud +		
	Platform	Standard	Bulbseal	Std Bulbseal	Rescode	Not Applicable		40mm Cav +		
	Glazing	Double Glaze	Lock Type	Lockable	Sash Type	ComfortSmart Hybrid Slim		110mm Brick		
	Height	1,200 mm	Lock Colour	Black			Material	Primed MDF		
	Width	1,450 mm					Style	Boxed		
	Layout	Equal Lites					Size	120 mm		
	Config	Standard					Alum Size	45 mm		
							O/All	165 mm		
	Glass									
0101-I-4.00-CLEAR TOUGH					0101-O-4.00-CLEAR TOUGH			0201-I-4.00-CLEAR ANN		
0201-O-4.00-CLEAR ANN										

Energy Efficiency

Marketing Plan



ComfortSmart Hybrid Sash


- Product Page website
- Size chart
- Spec Sheets
- Showroom Upgrade

Available Now



Social Posts


ELEMENTAL
Website Landing Page




- Cross-section samples
 - Email Campaigns
- EE Case Studies** – 2x Builders & 2x Energy Raters
EE Blogs – 4x Expert Energy Efficiency
New Products EDM & Campaigns – Hybrid Models




Resources



WERS Codes




A&L Size Charts



Spec Sheets



7 Star Folder



Good Better Best Flyer



Contact Us

GET IN TOUCH

Account Manager Name

Account Manager
accountmanager@alwindows.com.au

Adam Winterbon

National Product Manager
awinterbon@alwindows.com.au

Lyanna Nguyen

National Marketing Coordinator
Inguyen@alwindows.com.au

A&L
WINDOWS | DOORS