

PowerEdge Server GPU Matrix

Brand	Model	GPU Memory	Memory ECC	Memory Bandwidth	Max Power Consumption	Host Interface (BW)	GPU-to-GPU Peer Interconnect (BW)	Slot Width	GPU Height/Length ⁵	Auxiliary Cable	Workload ¹
AMD	MI350P	144 GB HBM3e	Y	4 TB/sec	600W	PCIe Gen5x16 (128 GB/sec)	N/A	DW	FHFL	N/A	AI / HPC
AMD	MI300X OAM	192 GB HBM3	Y	5.3 TB/sec	750W	PCIe Gen5x16 (128 GB/sec)	Infinity Fabric Link (4th Gen-896 GB/sec)	N/A	N/A	N/A	AI / HPC
AMD	MI355X DLC (x8)	288 GB HBM3	Y	8 TB/sec	1400W	PCIe Gen5x16 (128 GB/sec)	Infinity Fabric Link (4th Gen-896 GB/sec)	N/A	N/A	N/A	AI / HPC
AMD	MI355X AC	288 GB HBM3	Y	8 TB/sec	1400W	PCIe Gen5x16 (128 GB/sec)	Infinity Fabric Link (4th Gen-896 GB/sec)	N/A	N/A	N/A	AI / HPC
AMD	MI210	64 GB HBM2e	Y	1638 GB/sec	300W	PCIe Gen4x16 (64 GB/sec)	Infinity Fabric Link bridge8	DW	FHFL	CPU 8 pin	HPC/Machine learning training
Intel	Gaudi 3 PCIe	128 GB HBM3	Y	3.7 TB/s	600W	PCIe Gen5x16 (128 GB/sec)	RoCE (900GB/s)	DW	FHFL		AI / HPC
Intel	Gaudi 3 OAM	128 GB HBM3	Y	3.6TB/s	850W	PCIe Gen5x16 (128 GB/sec)	RoCE (1,200GB/s)	N/A	N/A	N/A	AI / HPC
Intel	Flex 140	12 GB GDDR6	Y	336 GB/Sec	75W	PCIe Gen4 x8 (32 GB/sec)	XeLink bridge8 (336 GB/sec)	SW	HHHL/ FHHL	N/A	Inferencing/ Edge
NVIDIA	H200 NVL	141 GB HBM3e	Y	4.8 TB/sec	600W	PCIe Gen 5x16 (128 GB/sec)	NVLink (4th Gen - 900 GB/s)	DW	FHFL	PCIe 16 pin	AI/HPC
NVIDIA	H100 NVL	94 GB HBM3	Y	3.9 TB/sec	350W- 400W	PCIe Gen 5x16 (128 GB/sec)	NVLink (4th Gen - 900 GB/s)	DW	FHFL	PCIe 16 pin	AI / HPC
NVIDIA	RTX Pro 6000 BSE	96 GB GDDR7	Y	1.8 TB/sec	600W	PCIe Gen 5x16 (128 GB/sec)	PCIe Gen 5x16 (128 GB/sec)	DW	FHFL	PCIe 16 pin	AI / HPC
NVIDIA	RTX Pro 4500 BSE	32 GB GDDR7		800 GB/sec	165W	PCIe Gen 5x16 (128 GB/sec)	N/A	SW	FHFL		AI / HPC
NVIDIA	B300 SXM(x8) AC	2.1 TB HBM3e	Y	14.4 TB/sec	1000W			N/A	N/A	N/A	AI / HPC
NVIDIA	B200 SXM (x8) AC	141 GB HBM3e	Y	7.7 TB/sec	1000W	PCIe Gen 5x16 (128 GB/sec)	NVLink (5th Gen - 1.8 TB/s)	N/A	N/A	N/A	AI / HPC
NVIDIA	B200 SXM(x8) DLC	180 GB HBM3e	Y	7.7 TB/sec	1000W	PCIe Gen 5x16 (128 GB/sec)	NVLink (5th Gen - 1.8 TB/s)	N/A	N/A	N/A	AI / HPC
NVIDIA	B300 SXM(x8) DLC	180 GB HBM3e	Y	7.7 TB/sec	1000W	PCIe Gen 5x16 (128 GB/sec)	NVLink (5th Gen - 1.8 TB/s)	N/A	N/A	N/A	AI / HPC
NVIDIA	H200 SXM5 (x8) DLC	141 GB HBM3e	Y	4.8 TB/s	700W	PCIe Gen 5x16 (128 GB/sec)	NVLink (4th Gen - 900 GB/s)	DW			AI / HPC
NVIDIA	H200 SXM5 (x8)	141 GB HBM3e	Y	4.8 TB/s	700W	PCIe Gen 5x16 (128 GB/sec)	NVLink (4th Gen - 900 GB/s)	N/A	N/A	N/A	AI / HPC
NVIDIA	H100 SXM5 (x8)	80 GB HBM3	Y	3 TB/sec	1200W	PCIe Gen 5 (128 GB/sec)	NVLink (4th Gen - 900 GB/s)	N/A	N/A	N/A	AI / HPC
NVIDIA	H100 SXM5 (x4)	80 GB HBM3	Y	8 TB/sec	1400W	PCIe Gen 5 (256 GB/sec)	NVLink (4th Gen - 900 GB/s)	N/A	N/A	N/A	AI / HPC
NVIDIA	GB200 NVL4	186 GB HBM3	Y	8 TB/sec	700W	PCIe Gen 5x16 (128 GB/sec)	NVLink (5th Gen - 1.8 TB/s)	N/A	N/A	N/A	
NVIDIA	GB300 NVL72	279 GB HBM3	Y	3 TB/sec	700W	PCIe Gen 5x16 (128 GB/sec)	NVLink (5th Gen - 1.8 TB/s)	N/A	N/A	N/A	

Brand	Model	GPU Memory	Memory ECC	Memory Bandwidth	Max Power Consumption	Host Interface (BW)	GPU-to-GPU Peer Interconnect (BW)	Slot Width	GPU Height/Length ⁵	Auxiliary Cable	Workload ¹
NVIDIA	L40S	48 GB GDDR6	Y	864 GB/sec	350W	PCIe Gen4 x16 (64 GB/sec)	N/A	DW	FHFL	PCIe 16 pin	AI/ Performance graphics/VDI
NVIDIA	L40	48 GB GDDR6	Y	864 GB/sec	300W	PCIe Gen4 x16 (64 GB/sec)	N/A	DW	FHFL	PCIe 16 pin	Performance graphics/VDI
NVIDIA	A16	64 GB GDDR6	Y	800 GB/sec	250W	PCIe Gen4 x16 (64GB/sec)	N/A	DW	FHFL	CPU 8 pin	VDI
NVIDIA	L4	24 GB GDDR6	Y	300 GB/s	72W	PCIe Gen4 x16 (64GB/sec)	N/A	SW	HHHL	N/A	Inferencing/ Edge/VDI
NVIDIA	L4	24 GB GDDR6	Y	300 GB/s	72W	PCIe Gen4 x16 (64GB/sec)	N/A	SW	FHHL	N/A	Inferencing/ Edge/VDI
NVIDIA	A2 (v2)	16 GB GDDR6	Y	200 GB/sec	60W	PCIe Gen4 x8 (32 GB/sec)	N/A	SW	HHHL	N/A	Inferencing/ Edge/VDI
NVIDIA	A2 (v2)	16 GB GDDR6	Y	200 GB/sec	60W	PCIe Gen4 x8 (32 GB/sec)	N/A	SW	FHHL	N/A	Inferencing/ Edge/VDI
NVIDIA	A10	24 GB GDDR6	Y	600 GB/sec	150W	PCIe Gen4 x16 (64GB/sec)	N/A	SW	FHFL	PCIe 8 pin	mainstream graphics/VDI

Brand	Model	Tied SKU ²			Customer Kit SKU ²	
AMD	MI350P					
AMD	MI300X OAM	490-BJZD				
AMD	MI355X DLC (x8)	490-BKXW				
AMD	MI355X AC	490-BLFX				
AMD	MI210	490-BHUU	490-BJYD		490-BHUT	490-BJYF
Intel	Gaudi 3 PCIe	490-BLCC				
Intel	Gaudi 3 OAM	489-BBGR				
Intel	Flex 140	490-BIIQ	490-BIIM		490-BIIK	490-BIIO
NVIDIA	H200 NVL	490-BKRM				
NVIDIA	H100 NVL	330-BCFX				
NVIDIA	H200 NVL					
NVIDIA	B200 NVL					
NVIDIA	RTX Pro 6000 BSE					
NVIDIA	RTX Pro 4500 BSE	490-BLRT				
NVIDIA	B200 SXM (x8) AC					
NVIDIA	B200 SXM (x8) DLC					
NVIDIA	B300 SXM (x8) DLC					
NVIDIA	H200 SXM5 (x8) DLC					
NVIDIA	H200 SXM5 (x8)	490-BHHF				
NVIDIA	H100 SXM5 (x8)	489-BBGD				
NVIDIA	H100 SXM5 (x4)	489-BBGJ				
NVIDIA	GB200 NVL4					
NVIDIA	GB300 NVL72					
NVIDIA	L40S	490-BJVT			490-BJVV	
NVIDIA	L40	490-BJHP	490-BJHQ		490-BJHN	
NVIDIA	A16	490-BHER	490-BHET		490-BHES	
NVIDIA	L4 (HHHL)	490-BJRN			490-BJRR	
NVIDIA	L4 (FHHL)	490-BJRP			490-BJRV	
NVIDIA	A2 (v2) (HHHL)	490-BHVO			490-BHVQ	
NVIDIA	A2 (v2) (FHHL)	490-BHVR			490-BHVP	
NVIDIA	A10	490-BGKF	490-BGLB	490-BGYD	490-BGKH	

PowerEdge 17th Generation servers															
Brand	Model	XE9780	XE9785	XE9785L	XE7740	XE7745	XE8712	R6715	R6725	R7715	R7725	R570	R470	R670	R770
AMD	MI300X OAM														
AMD	MI355X DLC (X8)			✓											
AMD	MI355X AC		✓												
AMD	MI210														
Intel	Gaudi 3 PCIe				✓										
Intel	Gaudi 3 OAM														
Intel	Flex 140														
NVIDIA	H200 NVL				✓	✓				✓	✓				✓
NVIDIA	H100 NVL				✓	✓				✓	✓	✓			✓
NVIDIA	B200 DLC														
NVIDIA	RTX Pro 6000 BSE				✓	✓					✓				✓
NVIDIA	RTX Pro 4500 BSE				✓	✓				✓	✓	✓			✓
NVIDIA	B200 SXM (x8) AC														
NVIDIA	B200 SXM (x8) DLC														
NVIDIA	B300 SXM5 (x8) DLC														
NVIDIA	H200 SXM5 (x8) DLC														
NVIDIA	H200 SXM5 (x8)														
NVIDIA	H100 SXM5 (x8)														
NVIDIA	H100 SXM5 (x4)														
NVIDIA	GB200 NVL4														
NVIDIA	L40S					✓				✓	✓	✓			
NVIDIA	L40														
NVIDIA	A16				✓					✓	✓				✓
NVIDIA	L4 (HHHL)				✓	✓		✓	✓	✓	✓	✓	✓	✓	✓
NVIDIA	L4 (FHHL)														
NVIDIA	A2 (v2) (HHHL)														
NVIDIA	A2 (v2) (FHHL)														
NVIDIA	A10														

Server Compatibility Legend: ✓ = Supported

16th Generation servers											
Brand	Model	XE9685L	XE9680L	XE9680	XE9640	XE8640	R760xa	R760	R760xs	R760xd2	R660
AMD	MI300X OAM			✓							
AMD	MI210						✓				
Intel	Gaudi 3 PCIe										
Intel	Gaudi 3 OAM			✓							
Intel	Flex 140						✓	✓			✓
NVIDIA	H200 NVL										
NVIDIA	H100 NVL						✓				
NVIDIA	B200 SXM (x8) DLC	✓	✓								
NVIDIA	H200 SXM5 (x8) DLC		✓								
NVIDIA	H200 SXM5 (x8) AC			✓							
NVIDIA	H100 SXM5 (x8)			✓							
NVIDIA	H100 SXM5 (x4)				✓	✓					
NVIDIA	L40S						✓	✓			
NVIDIA	L40						✓	✓			
NVIDIA	A16						✓	✓			
NVIDIA	L4 (HHHL)										✓
NVIDIA	L4 (FHHL)						✓	✓		✓	✓
NVIDIA	A2 (v2) (HHHL)						✓		✓		
NVIDIA	A2 (v2) (FHHL)										
NVIDIA	A10										

Server Compability Legend: ✓ = Supported

		16th Generation servers											
Brand	Model	R7625	R7615	R6625	R6615	R960	T360	T560	C6620	XR8620t	XR7620	XR5610	HS5620
AMD	MI300X OAM												
AMD	MI210	✓	✓										
Intel	Gaudi 3 PCIe												
Intel	Gaudi 3 OAM												
Intel	Flex 140												
NVIDIA	H200 NVL												
NVIDIA	H100 NVL	✓	✓										
NVIDIA	B200 SXM (x8) DLC												
NVIDIA	H200 SXM5 (x8) DLC												
NVIDIA	H200 SXM5 (x8) AC												
NVIDIA	H100 SXM5 (x8)												
NVIDIA	H100 SXM5 (x4)												
NVIDIA	L40S	✓	✓			✓					✓		
NVIDIA	L40	✓	✓					✓					
NVIDIA	A16	✓	✓			✓							
NVIDIA	L4 (HHHL)										✓		
NVIDIA	L4 (FHHL)	✓	✓	✓	✓			✓		✓	✓	✓	
NVIDIA	A2 (v2) (HHHL)								✓		✓		✓
NVIDIA	A2 (v2) (FHHL)	✓	✓	✓	✓		✓	✓			✓	✓	
NVIDIA	A10												

Server Compability Legend: ✓ = Supported

		15th Generation servers						
Brand	Model	R750	R650	R6525	R7525	XR4520C	XR12	XR11
AMD	MI300X OAM							
AMD	MI210				✓			
Intel	Gaudi 3 PCIe							
Intel	Gaudi 3 OAM							
Intel	Flex 140	✓	✓				✓	✓
NVIDIA	H200 NVL							
NVIDIA	H100 NVL							
NVIDIA	B200 SXM (x8) DLC							
NVIDIA	H200 SXM5 (x8) DLC							
NVIDIA	H200 SXM5 (x8) AC							
NVIDIA	H100 SXM5 (x8)							
NVIDIA	H100 SXM5 (x4)							
NVIDIA	L40S							
NVIDIA	L40	✓			✓			
NVIDIA	A16	✓			✓			
NVIDIA	L4 (HHHL)	✓	✓		✓		✓	✓
NVIDIA	L4 (FHHL)	✓	✓		✓	✓	✓	✓
NVIDIA	A2 (v2) (HHHL)	✓	✓	✓	✓			✓
NVIDIA	A2 (v2) (FHHL)	✓	✓	✓	✓	✓	✓	✓
NVIDIA	A10	✓			✓			

Server Compability Legend: ✓ = Supported

PLATFORM	NVIDIA GPUs								
	GB200 NVL4	GB300 NVL72	B200 AC (X8)	B200 DLC (X8)	B300 AC (X8)	B300 DLC (X8)	RTX Pro 6000 BSE	RTX Pro 4500 BSE	H200 NVL
XE8712	Shipping								
XE9712	Shipping (4)								
XE9785					Shipping				
XE9780	Shipping			Shipping					
XE9785L						Shipping			
XE9780L	Shipping			Shipping		Shipping			
XE7745							Shipping Min (1) Max (8)	Shipping	Shipping (8)
XE7740							Shipping Min (1) Max (8)	Shipping	Shipping (8)
R770							Shipping (2)	Shipping (2)	Shipping (2)
R670									
R570								Shipping (3)	
R470									
R7725							Shipping (2)	Shipping (2)	Shipping (2)
R7715							Shipping (2)	Shipping (3)	
R6725									
R6715									
XE9685L									
XE9680L									
XE9680									
XE9640									
XE8640									
R760xa									
R760									
R760xs									
R760xd2									
R660									
R7625									
R7615									

(qty) - max number of GPUs allowed, maximum number of GPUs allowed might differ in different configurations on the same platform

PLATFORM	NVIDIA GPUs				
	H200 SXM5 (x8) DLC	H200 SXM5 (x8) AC	L40S	L4	A16
XE8712					
XE9712					
XE9785					
XE9780					
XE9785L					
XE9780L					
XE7745			Shipping (8)		
XE7740					
R770			Shipping (2)	Shipping (6)	Shipping (2)
R670				Shipping (3)	
R570				Shipping (4)	
R470				Shipping (4)	
R7725			Shipping (2)	Shipping (6)	Shipping (2)
R7715			Shipping (3)	Shipping (6)	Shipping (3)
R6725				Shipping (3)	
R6715				Shipping (3)	
XE9685L					
XE9680L	Shipping				
XE9680		Shipping			
XE9640					
XE8640					
R760xa			Shipping (4 ³)	Shipping (8 ³)	Shipping (4 ³)
R760			Shipping (2)	Shipping (4)	Shipping (2)
R760xs					
R760xd2				Shipping (2)	
R660				Shipping (3)	
R7625			Shipping (2)	Shipping (4)	Shipping (2)
R7615			Shipping (3)	Shipping (4)	Shipping (3)

(qty) - max number of GPUs allowed, maximum number of GPUs allowed might differ in different configurations on the same platform

PLATFORM	NVIDIA GPUs		
	L40S	L4	A16
R6625		Shipping (3)	
R6615	Shipping (2)		
R960	Shipping (4)		Shipping (4)
T560	Shipping (5)		
R360			
T360			
C6620			
XR7620	Shipping (2)	Shipping (5)	
XR5610		Shipping (2)	
XR8620t	Shipping (3)		
HS5620			
R750		Shipping (6)	Shipping (2)
R650		Shipping (3)	
R7525		Shipping (6)	Shipping (3)
R6525			
XR4520c	Shipping (2)		
XR12		Shipping (3)	
XR11	Shipping (3)		

(qty) - max number of GPUs allowed, maximum number of GPUs allowed might differ in different configurations on the same platform

PLATFORM	AMD GPUs				Intel GPUs	
	MI210	MI350P	MI355X DLC (x8)	MI355X AC (x8)	Gaudi 3 PCIe (x8)	Gaudi 3 OAM (x8)
XE9785				Shipping		
XE9785L			Shipping			
XE7745						
XE7740					Shipping	
R770						
R660						
R570						
R470						
R7725						
R7715						
R6725						
R6715						
XE9685L						
XE9680L						
XE9680		Shipping				Shipping
XE9640						
XE8640						
R760xa	Shipping (4 ³)					
R760						
R760xs						
R760xd2						
R660						
R7625	Shipping (2)					
R7615	Shipping (3)					
R6625						
R6615						
R960						
T560						
C6620						
XR7620						
XR5610						
XR8620t						
R750						
R650						
R7525	Shipping (3)					
R6525						
XR4520c						
XR12						
XR11						

(qty) - max number of GPUs allowed, maximum number of GPUs allowed might differ in different configurations on the same platform

Suggested ideal workloads, but can be used for other workloads

Different SKUs are mentioned because different platforms might support different SKUs. This sheet doesn't specifically call out platform-SKU associations up to 600GB/sec for H100 when NVLink bridge is used, up to 200GB/sec when NVLink bridge is used, up to 112.5GB/sec when NVLink bridge is used, up to 300GB/sec for MI210 when Infinity Fabric Link bridge is used

w/NVLink bridge is supported on R760xa, w/NVLink bridge is supported on R760xa, MI210 w/Infinity Fabric Link bridge is supported on R760xa

DW - Double Wide, SW - Single Wide, FH- Full Height, FL - Full Length, HH - Half Height, HL - Half Length

* Currently available as Customer Install only



Learn more about
Dell solutions



Contact a Dell
Technologies Expert



View more resources



Follow on Dell.com



Follow on LinkedIn



Follow on X

Join the conversation
with #DellTechnologies