


Q1:

```
select d.dept_id, e.emp_name, e.salary from employee  
e inner join department d on
```

```
d.dept_id = e.dept_id where e.salary >
```

```
(select avg(e2.salary) from employee e2 where  
e2.dept_id = e.dept_id
```

```
group by e2.dept_id having count(e2.dept_id) >= 3)
```



	dept_id integer	emp_name character varying (50)	salary numeric (10,2)
1	1	Aman	90000.00
2	2	Priya	80000.00

Q2

```
create or replace function log_customer_changes()
```

```
returns trigger as $$
```

```
begin
```

```
    if tg_op = 'INSERT' then
```

```
        insert into customer_audit
```

```
            (customer_id, customer_name, action,  
            action_time)
```

```
        values
            (new.customer_id, new.customer_name,
'ADDED', current_timestamp);

    return new;

elsif tg_op = 'DELETE' then
    insert into customer_audit
        (customer_id, customer_name, action,
action_time)
        values
            (old.customer_id, old.customer_name,
'REMOVED', current_timestamp);

    return old;

end if;

return new;

end;

$$ language plpgsql;
```

```
create trigger customer_audit_trigger
after insert or delete on bank_customer
for each row
execute function log_customer_changes();
INSERT INTO bank_customer VALUES
(1, 'Rahul', 50000),
(2, 'Neha', 75000);
select * from customer_audit
```

	audit_id [PK] integer	customer_id integer	customer_name character varying (50)	action character varying (20)	action_time timestamp without time zone
1	1	1	Rahul	ADDED	2026-09-28 10:07:16.103078
2	2	2	Neha	ADDED	2026-09-28 10:07:16.103078