Transport Poverty Index
A replicable multi-dimensional and multi-modal measure of transport poverty

Alice Anonymous[a,*], Bob Security[a], Cat Memes[a], Filipe Moura

[a] *CERIS, Instituto Superior Técnico - Universidade de Lisboa, Av Rovisco Pais 1, 1049-001 Lisbon, Portugal*

Abstract

This is the abstract. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum augue turpis, dictum non malesuada a, volutpat eget velit. Nam placerat turpis purus, eu tristique ex tincidunt et. Mauris sed augue eget turpis ultrices tincidunt. Sed et mi in leo porta egestas. Aliquam non laoreet velit. Nunc quis ex vitae eros aliquet auctor nec ac libero. Duis laoreet sapien eu mi luctus, in bibendum leo molestie. Sed hendrerit diam diam, ac dapibus nisl volutpat vitae. Aliquam bibendum varius libero, eu efficitur justo rutrum at. Sed at tempus elit.

Keywords: keyword1, keyword2

Please make sure that your manuscript follows the guidelines in the Guide for Authors of the relevant journal. It is not necessary to typeset your manuscript in exactly the same way as an article, unless you are submitting to a camera-ready copy (CRC) journal.

For detailed instructions regarding the elsevier article class, see https://www.elsevier.com/authors/policies-and-guidelines/latex-instructions

*Corresponding author

Email addresses: alice@example.com (Alice Anonymous), bob@example.com (Bob Security), cat@example.com (Cat Memes), fmoura@tecnico.pt (Filipe Moura)

1. Heading 1

Here are two sample references: Pereira et al. (2021) INE (2018). If citing the other way (Lovelace et al., 2022).

1.1. Heading 2

If `cite-method` is set to `citeproc` in `elsevier_article()`, then pandoc is used for citations instead of `natbib`. In this case, the `csl` option is used to format the references. By default, this template will provide an appropriate style, but alternative `csl` files are available from https://www.zotero.org/styles?q=elsevier. These can be downloaded and stored locally, or the url can be used as in the example header.

2. Equations

Here is an equation in latex:

$$f_X(x) = \left(\frac{\alpha}{\beta}\right)\left(\frac{x}{\beta}\right)^{\alpha-1} e^{-\left(\frac{x}{\beta}\right)^{\alpha}}; \alpha, \beta, x > 0.$$

Inline equations work as well: $\sum_{i=2}^{\infty}\{\alpha_i^{\beta}\}$

3. Figures and tables

Figure 1 is generated using an R chunk.

4. Tables coming from R

Tables can also be generated using R chunks, as shown in Table 1 example.

```r
knitr::kable(head(mtcars)[,1:4])
```

Table 1: Caption centered above table

	mpg	cyl	disp	hp
Mazda RX4	21.0	6	160	110
Mazda RX4 Wag	21.0	6	160	110

Table 1: Caption centered above table

	mpg	cyl	disp	hp
Datsun 710	22.8	4	108	93
Hornet 4 Drive	21.4	6	258	110
Hornet Sportabout	18.7	8	360	175
Valiant	18.1	6	225	105

References

INE, I.N.d.E., 2018. Inquérito à mobilidade nas Áreas metropolitanas do porto e de lisboa — imob 2017. URL: https://www.ine.pt/xurl/pub/349495406.

Lovelace, R., Félix, R., Carlino, D., 2022. Jittering: A computationally efficient method for generating realistic route networks from origin-destination data. Findings doi:10.32866/001c.33873.

Pereira, R.H.M., Saraiva, M., Herszenhut, D., Braga, C.K.V., Conway, M.W., 2021. r5r: Rapid realistic routing on multimodal transport networks with R5 in R. Findings doi:10.32866/001c.21262.



Figure 1: A meaningless scatterplot