



 FontAwesome.WPF автор: charri WPF (+UWP) controls for the iconic font and CSS toolkit Font Awesome. For examples https://github.com/charri/Font-Awesome-WPF	4.7.0.9
 LiveCharts.Wpf автор: Beto Rodriguez Simple, flexible, interactive and powerful data visualization for Wpf	0.9.7



```

<ResourceDictionary xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
    xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
    xmlns:fa="http://schemas.fontawesome.io/icons/">
    <Style TargetType="Button" x:Key="menuButton">
        <Setter Property="Background" Value="Transparent" />
        <Setter Property="Foreground" Value="#5076A1" />
        <Setter Property="Margin" Value="0 0 5" />
        <Setter Property="Height" Value="45" />
        <Setter Property="Cursor" Value="Hand" />
        <Setter Property="FocusVisualStyle" Value="{x:Null}" />
        <Setter Property="Tag" Value="#6673B7" />
        <Setter Property="Template">
            <Setter.Value>
                <ControlTemplate TargetType="Button">
                    <Border Background="{TemplateBinding Background}"
                        BorderThickness="4 0 0 0"
                        BorderBrush="Transparent">
                        <ContentPresenter HorizontalAlignment="Stretch"
                            VerticalAlignment="Center"/>
                    </Border>
                </ControlTemplate>
            </Setter.Value>
        </Setter>
        <Style.Triggers>
            <Trigger Property="IsMouseOver" Value="True">
                <Setter Property="Foreground" Value="FFFFFF" />
                <Setter Property="Tag" Value="FFFFFF" />
                <Setter Property="Background">
                    <Setter.Value>
                        <LinearGradientBrush StartPoint="0,0.5" EndPoint="1,0.5">
                            <GradientStop Color="#5076A1" Offset="0"/>
                            <GradientStop Color="#5076A1" Offset="3"/>
                        </LinearGradientBrush>
                    </Setter.Value>
                </Setter>
            </Trigger>
        </Style.Triggers>
    </Style>

```

```

        <Setter Property="Template">
            <Setter.Value>
                <ControlTemplate TargetType="Button">
                    <Border Background="{TemplateBinding Background}"
                        BorderThickness="4 0 0 0"
                        BorderBrush="#5076A1">
                        <ContentPresenter HorizontalAlignment="Stretch"
                            VerticalAlignment="Center"/>
                    </Border>
                </ControlTemplate>
            </Setter.Value>
        </Setter>
    </Trigger>
</Style.Triggers>
</Style>

<Style TargetType="fa:ImageAwesome" x:Key="menuButtonIcon">
    <Setter Property="Width" Value="23" />
    <Setter Property="Height" Value="23" />
    <Setter Property="Margin" Value="35 0 20 0" />
    <Setter Property="Foreground" Value="{Binding Path=Tag,
        RelativeSource={RelativeSource FindAncestor,
            AncestorType={x:Type Button}}}" />
</Style>

<Style TargetType="TextBlock" x:Key="menuButtonText">
    <Setter Property="FontSize" Value="13" />
    <Setter Property="VerticalAlignment" Value="Center" />
    <Setter Property="Foreground" Value="{Binding Path=Foreground,
        RelativeSource={RelativeSource FindAncestor,
            AncestorType={x:Type Button}}}" />
</Style>

```

```

<Style TargetType="Button" x:Key="menuButtonActive">
    <Setter Property="Foreground" Value="■" #BCCAF1" />
    <Setter Property="Margin" Value="0 0 0 5" />
    <Setter Property="Height" Value="45" />
    <Setter Property="Cursor" Value="Hand" />
    <Setter Property="FocusVisualStyle" Value="{x:Null}" />
    <Setter Property="Background">
        <Setter.Value>
            <LinearGradientBrush StartPoint="0,0.5" EndPoint="1,0.5">
                <GradientStop Color="■" #5076A1" Offset="0" />
                <GradientStop Color="■" #5076A1" Offset="3" />
            </LinearGradientBrush>
        </Setter.Value>
    </Setter>
    <Setter Property="Tag" Value="FFFFFF" />
    <Setter Property="Template">
        <Setter.Value>
            <ControlTemplate TargetType="Button">
                <Border Background="{TemplateBinding Background}"
                    BorderThickness="4 0 0 0"
                    BorderBrush="■" #FFFFFF">
                    <ContentPresenter HorizontalAlignment="Stretch"
                        VerticalAlignment="Center"/>
                </Border>
            </ControlTemplate>
        </Setter.Value>
    </Setter>
</Style>

```

```


<Style TargetType="Button" x:Key="topMenuButton">
    <Setter Property="Background" Value="■" Transparent" />
    <Setter Property="Foreground" Value="■" #FFFFFF" />
    <Setter Property="Margin" Value="5 10 0 0" />
    <Setter Property="Height" Value="30" />
    <Setter Property="Width" Value="80" />
    <Setter Property="Cursor" Value="Hand" />
    <Setter Property="FocusVisualStyle" Value="{x:Null}" />
    <Setter Property="BorderThickness" Value="0" />
    <Setter Property="Template">
        <Setter.Value>
            <ControlTemplate TargetType="Button">
                <Border Background="{TemplateBinding Background}"
                    CornerRadius="15">
                    <ContentPresenter HorizontalAlignment="Center"
                        VerticalAlignment="Center"/>
                </Border>
            </ControlTemplate>
        </Setter.Value>
    </Setter>

    <Style.Triggers>
        <Trigger Property="IsMouseOver" Value="True">
            <Setter Property="Background" Value="■" #1A3F69" />
            <Setter Property="Foreground" Value="■" #BCCAF1" />
        </Trigger>
    </Style.Triggers>
</Style>

<Style TargetType="TextBlock" x:Key="titleText">
    <Setter Property="Foreground" Value="■" #FFFFFF" />
    <Setter Property="FontSize" Value="18" />
    <Setter Property="FontWeight" Value="SemiBold" />
    <Setter Property="Margin" Value="10 0 0 0" />
    <Setter Property="VerticalAlignment" Value="Center" />
</Style>

<Style TargetType="fa:ImageAwesome" x:Key="titleIcon">
    <Setter Property="Width" Value="18" />
    <Setter Property="Height" Value="18" />
    <Setter Property="Margin" Value="0 3 0 0" />
    <Setter Property="Foreground" Value="■" #218E59" />
</Style>
</ResourceDictionary>

```




```
<UserControl x:Class="UI_TASK_28.View.UserControls.InfoCardUserControl"
  xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
  xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
  xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"
  xmlns:d="http://schemas.microsoft.com/expression/blend/2008"
  xmlns:local="clr-namespace:UI_TASK_28.View.UserControls"
  xmlns:fa="http://schemas.fontawesome.io/icons/"
  mc:Ignorable="d"
  Height="140"
  Width="316"
  Name="infoCardUC">
  <Border Margin="0 0 25 0">
    <Border.Background>
      <LinearGradientBrush StartPoint="0,0" EndPoint="1,2">
        <GradientStop Color="{Binding Path=BorderBackground1, ElementName=infoCardUC}"
          Offset="0"/>
        <GradientStop Color="{Binding Path=BorderBackground2, ElementName=infoCardUC}"
          Offset="1"/>
      </LinearGradientBrush>
    </Border.Background>
    <Border.Clip>
      <RectangleGeometry RadiusX="15"
        RadiusY="15"
        Rect="0 0 291 140"/>
    </Border.Clip>
    <Grid>
      <Ellipse Width="230"
        Height="230"
        Margin="0 -130 -90 0"
        HorizontalAlignment="Right">
        <Ellipse.Fill>
          <LinearGradientBrush StartPoint="0,0" EndPoint="1,2">
            <GradientStop Color="{Binding Path=EllipseBackground1, ElementName=infoCardUC}"
              Offset="0"/>
            <GradientStop Color="{Binding Path=EllipseBackground2, ElementName=infoCardUC}"
              Offset="1"/>
          </LinearGradientBrush>
        </Ellipse.Fill>
      </Ellipse>
    </Grid>
  </Border>
</UserControl>
```

```

<fa:ImageAwesome Icon="{Binding Path=Icon, ElementName=infoCardUC}"
    Margin="0 0 25 25"
    Width="60"
    Height="60"
    Foreground="■ #FFFFFF"
    HorizontalAlignment="Right"
    VerticalAlignment="Center"/>
<StackPanel Margin="35 0 0 20"
    VerticalAlignment="Bottom">
    <TextBlock Text="{Binding Path=Title, ElementName=infoCardUC}"
        Foreground="■ #E9E9E9"
        FontSize="14"/>
    <TextBlock Text="{Binding Path=Number, ElementName=infoCardUC}"
        Foreground="■ #FFFFFF"
        FontSize="28"
        FontWeight="SemiBold"/>
</StackPanel>
</Grid>
</Border>
</UserControl>

```



```

Ссылка: 11
public partial class InfoCardUserControl : UserControl
{
    Ссылка: 0
    public InfoCardUserControl()
    {
        InitializeComponent();
    }

    Ссылка: 0
    public string Title
    {
        get => (string)GetValue(TitleProperty);
        set => SetValue(TitleProperty, value);
    }

    public static readonly DependencyProperty TitleProperty = DependencyProperty.Register("Title",
        typeof(string), typeof(InfoCardUserControl));

    Ссылка: 0
    public string Number
    {
        get => (string)GetValue(NumberProperty);
        set => SetValue(NumberProperty, value);
    }

    public static readonly DependencyProperty NumberProperty = DependencyProperty.Register("Number",
        typeof(string), typeof(InfoCardUserControl));

    Ссылка: 0
    public FontAwesome.WPF.FontAwesomeIcon Icon
    {
        get => (FontAwesome.WPF.FontAwesomeIcon)GetValue(IconProperty);
        set => SetValue(IconProperty, value);
    }

    public static readonly DependencyProperty IconProperty = DependencyProperty.Register("Icon",
        typeof(FontAwesome.WPF.FontAwesomeIcon), typeof(InfoCardUserControl));
}

```

```

public Color BorderBackground1
{
    get => (Color)GetValue(BorderBackground1Property);
    set => SetValue(BorderBackground1Property, value);
}

public static readonly DependencyProperty BorderBackground1Property = DependencyProperty.Register("BorderBackground1",
    typeof(Color), typeof(InfoCardUserControl));

Ссылка 0
public Color BorderBackground2
{
    get => (Color)GetValue(BorderBackground2Property);
    set => SetValue(BorderBackground2Property, value);
}

public static readonly DependencyProperty BorderBackground2Property = DependencyProperty.Register("BorderBackground2",
    typeof(Color), typeof(InfoCardUserControl));


Ссылка 0
public Color EllipseBackground1
{
    get => (Color)GetValue(EllipseBackground1Property);
    set => SetValue(EllipseBackground1Property, value);
}

public static readonly DependencyProperty EllipseBackground1Property = DependencyProperty.Register("EllipseBackground1",
    typeof(Color), typeof(InfoCardUserControl));

Ссылка 0
public Color EllipseBackground2
{
    get => (Color)GetValue(EllipseBackground2Property);
    set => SetValue(EllipseBackground2Property, value);
}

public static readonly DependencyProperty EllipseBackground2Property = DependencyProperty.Register("EllipseBackground2",
    typeof(Color), typeof(InfoCardUserControl));


```




```

<UserControl x:Class="UI_TASK_28.View.UserControls.OrderUserControl"
    xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
    xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
    xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"
    xmlns:d="http://schemas.microsoft.com/expression/blend/2008"
    xmlns:fa="http://schemas.fontawesome.io/icons/"
    mc:Ignorable="d"
    x:Name="orderUC">
    <Border Padding="5"
        Margin="0 5"
        HorizontalAlignment="Stretch">
        <Border.Style>
            <Style TargetType="Border">
                <Setter Property="Background" Value="■"Transparent" />
                <Style.Triggers>
                    <Trigger Property="IsMouseOver" Value="True">
                        <Setter Property="Background" Value="■"#364C8F" />
                    </Trigger>
                </Style.Triggers>
            </Style>
        </Border.Style>
        <StackPanel Orientation="Horizontal">
            <Grid Width="45"
                Height="45"
                Margin="25 0 0 0">
                <Border CornerRadius="10"
                    Background="■"#152457"/>
                <fa:ImageAwesome Icon="{Binding Path=Icon, ElementName=orderUC}"
                    Foreground="■"#BCC6E6"
                    Width="25"/>
            </Grid>
            <StackPanel Margin="10 0 0 0"
                VerticalAlignment="Center">
                <TextBlock Text="{Binding Path=Title, ElementName=orderUC}"
                    FontSize="14"
                    Foreground="■"#7C8DC3"/>
                <TextBlock Text="{Binding Path=Desc, ElementName=orderUC}"
                    FontSize="11"
                    Foreground="■"#7C8DC3"
                    Margin="0 3 0 0"/>
            </StackPanel>
        </StackPanel>
    </Border>
</UserControl>

```




```

public partial class OrderUserControl : UserControl
{
    Ссылка: 0
    public OrderUserControl()
    {
        InitializeComponent();
    }

    Ссылка: 0
    public string Title
    {
        get => (string)GetValue(TitleProperty);
        set => SetValue(TitleProperty, value);
    }

    public static readonly DependencyProperty TitleProperty = DependencyProperty.Register("Title",
                                                                                          typeof(string), typeof(OrderUserControl));


    Ссылка: 0
    public string Desc
    {
        get => (string)GetValue(DescProperty);
        set => SetValue(DescProperty, value);
    }

    public static readonly DependencyProperty DescProperty = DependencyProperty.Register("Desc",
                                                                                          typeof(string), typeof(OrderUserControl));

    Ссылка: 0
    public FontAwesome.WPF.FontAwesomeIcon Icon
    {
        get => (FontAwesome.WPF.FontAwesomeIcon)GetValue(IconProperty);
        set => SetValue(IconProperty, value);
    }

    public static readonly DependencyProperty IconProperty = DependencyProperty.Register("Icon",
                                                                                          typeof(FontAwesome.WPF.FontAwesomeIcon), typeof(OrderUserControl));
}

```



```

<Window x:Class="UI_TASK_28.MainWindow"
  xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
  xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
  xmlns:d="http://schemas.microsoft.com/expression/blend/2008"
  xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"
  xmlns:uc="clr-namespace:UI_TASK_28.View.UserControls"
  xmlns:fa="http://schemas.fontawesome.io/icons/"
  xmlns:lvc="clr-namespace:LiveCharts.Wpf;assembly=LiveCharts.Wpf"
  mc:Ignorable="d"
  Height="740"
  Width="1280"
  WindowStartupLocation="CenterScreen"
  WindowStyle="None"
  ResizeMode="NoResize"
  AllowsTransparency="True"
  Background="Transparent"
  <Grid>
    <Grid.ColumnDefinitions>
      <ColumnDefinition Width="250"/>
      <ColumnDefinition Width="*/>
    </Grid.ColumnDefinitions>

    <Border CornerRadius="10 0 0 10">
      <Border.Background>
        <LinearGradientBrush StartPoint="0.5,0" EndPoint="0.5,1">
          <GradientStop Color="#1A3F69" Offset="0"/>
          <GradientStop Color="#1A3F69" Offset="1"/>
        </LinearGradientBrush>
      </Border.Background>

      <StackPanel>
        <StackPanel Orientation="Horizontal"
          HorizontalAlignment="Center"
          Margin="0 35 0 0">
          <Border CornerRadius="10"
            Width="40"
            Height="40">
            <Border.Background>
              <LinearGradientBrush StartPoint="0,0" EndPoint="1,2">
                <GradientStop Color="#5076A1" Offset="0"/>
                <GradientStop Color="#5076A1" Offset="1"/>
              </LinearGradientBrush>
            </Border.Background>

```

```

        <TextBlock Text="ИИР"
            Foreground="■" "#1A3F69"
            FontSize="22"
            FontWeight="SemiBold"
            TextAlignment="Center"
            VerticalAlignment="Center"
            Margin="3 0 0 2"/>
    </Border>

    <StackPanel Margin="10 0 0 0"
        VerticalAlignment="Center">
        <TextBlock Text="Практическая работа"
            FontSize="15"
            Margin="0 0 0 5"
            Foreground="■" "#5076A1"/>
        <TextBlock Text="№ 28"
            FontSize="11"
            Margin="0 0 0 5"
            Foreground="■" "#5076A1"/>
    </StackPanel>
</StackPanel>

<Separator Height="0.8"
    Margin="20 30"
    Background="■" "#5076A1"/>

<Button Style="{StaticResource menuButtonActive}">
    <StackPanel Orientation="Horizontal">
        <fa:ImageAwesome Icon="Home"
            Style="{StaticResource menuButtonIcon}"/>
        <TextBlock Text="Главная"
            Style="{StaticResource menuButtonText}"/>
    </StackPanel>
</Button>

<Button Style="{StaticResource menuButton}">
    <StackPanel Orientation="Horizontal">
        <fa:ImageAwesome Icon="FilesOutline"
            Style="{StaticResource menuButtonIcon}"/>
        <TextBlock Text="Данные"
            Style="{StaticResource menuButtonText}"/>
    </StackPanel>
</Button>

```

```

<Button Style="{StaticResource menuButton}">
    <StackPanel Orientation="Horizontal">
        <fa:ImageAwesome Icon="EnvelopeOutlinepenOutline"
            Style="{StaticResource menuButtonIcon}"/>
        <TextBlock Text="Сообщения"
            Style="{StaticResource menuButtonText}"/>
    </StackPanel>
</Button>

<Button Style="{StaticResource menuButton}">
    <StackPanel Orientation="Horizontal">
        <fa:ImageAwesome Icon="ShoppingCart"
            Style="{StaticResource menuButtonIcon}"/>
        <TextBlock Text="Заказы"
            Style="{StaticResource menuButtonText}"/>
    </StackPanel>
</Button>

<Button Style="{StaticResource menuButton}">
    <StackPanel Orientation="Horizontal">
        <fa:ImageAwesome Icon="AreaChart"
            Style="{StaticResource menuButtonIcon}"/>
        <TextBlock Text="Статистика"
            Style="{StaticResource menuButtonText}"/>
    </StackPanel>
</Button>

<Button Style="{StaticResource menuButton}">
    <StackPanel Orientation="Horizontal">
        <fa:ImageAwesome Icon="Bitcoin"
            Style="{StaticResource menuButtonIcon}"/>
        <TextBlock Text="Доход"
            Style="{StaticResource menuButtonText}"/>
    </StackPanel>
</Button>

<Button Style="{StaticResource menuButton}">
    <StackPanel Orientation="Horizontal">
        <fa:ImageAwesome Icon="FlagCheckered"
            Style="{StaticResource menuButtonIcon}"/>
        <TextBlock Text="Реклама"
            Style="{StaticResource menuButtonText}"/>
    </StackPanel>
</Button>

```

```

        <Button Style="{StaticResource menuButton}">
            <StackPanel Orientation="Horizontal">
                <fa:ImageAwesome Icon="Cog"
                    Style="{StaticResource menuButtonIcon}"/>
                <TextBlock Text="Настройки"
                    Style="{StaticResource menuButtonText}"/>
            </StackPanel>
        </Button>

        <Button Style="{StaticResource menuButton}">
            <StackPanel Orientation="Horizontal">
                <fa:ImageAwesome Icon="PowerOff"
                    Style="{StaticResource menuButtonIcon}"/>
                <TextBlock Text="Выйти"
                    Style="{StaticResource menuButtonText}"/>
            </StackPanel>
        </Button>
    </StackPanel>
</Border>

<Border Grid.Column="1"
    CornerRadius="0 10 10 0"
    MouseDown="Border_MouseDown">
    <Border.Background>
        <LinearGradientBrush StartPoint="1,0" EndPoint="0,1">
            <GradientStop Color="#5076A1" Offset="0"/>
            <GradientStop Color="#5076A1" Offset="1"/>
        </LinearGradientBrush>
    </Border.Background>

    <Grid>
        <Grid.RowDefinitions>
            <RowDefinition Height="Auto"/>
            <RowDefinition Height="200"/>
            <RowDefinition Height="*/>
        </Grid.RowDefinitions>

        <StackPanel Orientation="Horizontal"
            VerticalAlignment="Bottom"
            HorizontalAlignment="Right"
            Margin="0 0 30 20">
            <Button Content="Сегодня"
                Style="{StaticResource topMenuButton}"/>
            <Button Content="Неделя"
                Style="{StaticResource topMenuButton}"
                Background="#1A3F69"/>
            <Button Content="Месяц"
                Style="{StaticResource topMenuButton}"/>
        </StackPanel>
    </Grid>
</Border>

```

```

        <Button Content="Год"
                Style="{StaticResource topMenuButton}"/>
    </StackPanel>

    <TextBlock Text="Практическая работа  №28"
                FontSize="26"
                Foreground=■ "#1A3F69"
                HorizontalAlignment="Left"
                Margin="50 35 0 20"/>
    <Grid Grid.Row="1"
          Margin="50 20 15 40">
        <Grid.ColumnDefinitions>
            <ColumnDefinition Width="*"/>
            <ColumnDefinition Width="*"/>
            <ColumnDefinition Width="*"/>
        </Grid.ColumnDefinitions>
        <uc:InfoCardUserControl Grid.Column="0"
                                Title="Всего просмотров"
                                Number="10236"
                                Icon="Eye"
                                BorderBackground1=■ "#33BEFF"
                                BorderBackground2=□ "#000000"
                                EllipseBackground1=■ "#345DB8"
                                EllipseBackground2=■ "#0099C0"/>

        <uc:InfoCardUserControl Grid.Column="1"
                                Title="Всего заказов"
                                Number="12649"
                                Icon="FirstOrder"
                                BorderBackground1=■ "#DF2166"
                                BorderBackground2=■ "#EF617D"
                                EllipseBackground1=■ "#9814B3"
                                EllipseBackground2=■ "#CC1253"/>

        <uc:InfoCardUserControl Grid.Column="2"
                                Title="Текущий баланс"
                                Number="2190"
                                Icon="Viacoin"
                                BorderBackground1=■ "#218E59"
                                BorderBackground2=■ "#75BD4C"
                                EllipseBackground1=■ "#75BD4C"
                                EllipseBackground2=■ "#DBE62F"/>
    </Grid>

```

```

<Grid Grid.Row="2">
  <Grid.ColumnDefinitions>
    <ColumnDefinition Width="*" />
    <ColumnDefinition Width="300" />
  </Grid.ColumnDefinitions>
  <Border CornerRadius="20"
    Padding="35 25"
    Background="#1A3F69"
    Margin="50 0 10 40"
    Grid.Column="0">
    <Grid>
      <Grid.RowDefinitions>
        <RowDefinition Height="Auto" />
        <RowDefinition Height="*" />
      </Grid.RowDefinitions>

      <StackPanel Orientation="Horizontal"
        Margin="0 0 0 25">
        <fa:ImageAwesome Icon="Circle"
          Style="{StaticResource titleIcon}" />
        <TextBlock Text="Прибыль: "
          Style="{StaticResource titleText}" />
      </StackPanel>

      <StackPanel HorizontalAlignment="Left"
        VerticalAlignment="Bottom"
        Margin="0 0 0 25"
        Grid.Row="1">
        <TextBlock Text="70000"
          Foreground="#717EB2"
          Margin="0 0 0 25" />
        <TextBlock Text="60000"
          Foreground="#717EB2"
          Margin="0 0 0 25" />
        <TextBlock Text="50000"
          Foreground="#717EB2"
          Margin="0 0 0 25" />
        <TextBlock Text="40000"
          Foreground="#717EB2"
          Margin="0 0 0 25" />
        <TextBlock Text="30000"
          Foreground="#717EB2"
          Margin="0 0 0 25" />
      </StackPanel>
    </Grid>
  </Border>
  <TextBlock Text="30000" />

```



```

    <TextBlock Text="20000"
              Foreground=■ "#717EB2"
              Margin="0 0 0 25"/>
    <TextBlock Text="10000"
              Foreground=■ "#717EB2"
              Margin="0 0 0 25"/>
    <TextBlock Text="0"
              Foreground=■ "#717EB2"
              Margin="0 0 0 25"
              HorizontalAlignment="Right"/>
</StackPanel>

<StackPanel HorizontalAlignment="Center"
              VerticalAlignment="Bottom"
              Margin="50 0 0 0"
              Orientation="Horizontal"
              Grid.Row="1">
    <TextBlock Text="1"
              Foreground=■ "#717EB2"/>
    <TextBlock Text="2"
              Foreground=■ "#717EB2"
              Margin="41 0 0 0"/>
    <TextBlock Text="3"
              Foreground=■ "#717EB2"
              Margin="41 0 0 0"/>
    <TextBlock Text="4"
              Foreground=■ "#717EB2"
              Margin="41 0 0 0"/>
    <TextBlock Text="5"
              Foreground=■ "#717EB2"
              Margin="41 0 0 0"/>
    <TextBlock Text="6"
              Foreground=■ "#717EB2"
              Margin="41 0 0 0"/>
    <TextBlock Text="7"
              Foreground=■ "#717EB2"
              Margin="41 0 0 0"/>
    <TextBlock Text="8"
              Foreground=■ "#717EB2"
              Margin="41 0 0 0"
              HorizontalAlignment="Right"/>

```

```

<TextBlock Text="9"
    Foreground=■ "#717EB2"
    Margin="41 0 0 0"
    HorizontalAlignment="Right"/>
<TextBlock Text="10"
    Foreground=■ "#717EB2"
    Margin="41 0 0 0"
    HorizontalAlignment="Right"/>
<TextBlock Text="11"
    Foreground=■ "#717EB2"
    Margin="41 0 0 0"
    HorizontalAlignment="Right"/>
<TextBlock Text="12"
    Foreground=■ "#717EB2"
    Margin="41 0 0 0"
    HorizontalAlignment="Right"/>
</StackPanel>

<lvc:CartesianChart Grid.Row="1"
    Margin=" 45 0 0 25">
    <lvc:CartesianChart.Background>
        <LinearGradientBrush StartPoint="0.5,0" EndPoint="0.5,1">
            <GradientStop Color=■ "#26376F" Offset="0"/>
            <GradientStop Color=■ "#6A6AE4" Offset="1.5"/>
        </LinearGradientBrush>
    </lvc:CartesianChart.Background>

    <lvc:CartesianChart.DataTooltip>
        <lvc:DefaultGeoMapTooltip Background=■ "#24336A"
            Foreground=■ "#D5E2FF"/>
    </lvc:CartesianChart.DataTooltip>

    <lvc:CartesianChart.AxisX>
        <lvc:Axis MinValue="1"
            MaxValue="5"
            Foreground=■ "#717EB2"
            ShowLabels="False">
            <lvc:Axis.Separator>
                <lvc:Separator StrokeThickness="0"/>
            </lvc:Axis.Separator>
        </lvc:Axis>
    </lvc:CartesianChart.AxisX>

```

```

</lvc:CartesianChart.AxisY>
    <lvc:Axis MinValue="0"
        MaxValue="60000"
        Foreground="■"#717EB2"
        ShowLabels="False">
        <lvc:Axis.Separator>
            <lvc:Separator StrokeThickness="0"/>
        </lvc:Axis.Separator>
        </lvc:Axis>
    </lvc:CartesianChart.AxisY>

    <lvc:CartesianChart.Series>
        <lvc:LineSeries Stroke="■"#ADA4FD"
            StrokeThickness="2"
            PointGeometrySize="0"
            Values="20000,17000,30000,15000,50000,30000,20000">
            <lvc:LineSeries.Fill>
                <LinearGradientBrush StartPoint="0.5,0" EndPoint="0.5,1">
                    <GradientStop Color="■"#B397E2" Offset="0.4"/>
                    <GradientStop Color="■"#6A6AE4" Offset="1.2"/>
                </LinearGradientBrush>
            </lvc:LineSeries.Fill>
        </lvc:LineSeries>
    </lvc:CartesianChart.Series>
</lvc:CartesianChart>
</Grid>
</Border>

<Border CornerRadius="20"
    Padding="0 25"
    Background="■"#1A3F69"
    Margin="15 0 47 40"
    Grid.Column="1">
    <Grid>
        <Grid.RowDefinitions>
            <RowDefinition Height="Auto"/>
            <RowDefinition Height="*/>
        </Grid.RowDefinitions>

        <StackPanel Orientation="Horizontal"
            Margin="20 0 0 15">
            <fa:ImageAwesome Icon="Circle"
                Style="{StaticResource titleIcon}"/>
            <TextBlock Text="Прошлые заказы: "
                Style="{StaticResource titleText}"/>
        </StackPanel>

```

```

        <StackPanel Grid.Row="1">
            <uc:OrderUserControl Title="ПР №22"
                Desc="Разработка кода - с 08:00"
                Icon="Code"/>
            <uc:OrderUserControl Title="ПР №23"
                Desc="Разработка кода - с 08:00"
                Icon="Code"/>
            <uc:OrderUserControl Title="ПР №24"
                Desc="Разработка кода - с 08:00"
                Icon="Code"/>
            <uc:OrderUserControl Title="ПР №25"
                Desc="Разработка кода - с 08:00"
                Icon="Code"/>
            <uc:OrderUserControl Title="ПР №26"
                Desc="Разработка кода - с 08:00"
                Icon="Code"/>
        </StackPanel>
    </Grid>
</Border>
</Grid>
</Grid>
</Border>
</Grid>
</Window>

```