Scan Report

October 27, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was "6ae0401cf65d1852a226a94c-6ae0401df65d1852a226a9a3-97f0242c". The scan started at Tue Oct 27 06:09:52 2026 UTC and ended at Tue Oct 27 07:54:19 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 185.199.108.153 . . . 2
2.1.1 Low general/tcp . . . 3
2.1.2 Low general/icmp . . . 4
2.1.3 Log 80/tcp . . . 5
2.1.4 Log 443/tcp . . . 9
2.1.5 Log general/tcp . . . 26
2.1.6 Log general/CPE-T . . . 30
2.2 185.199.110.153 . . . 31
2.2.1 Low general/icmp . . . 31
2.2.2 Low general/tcp . . . 32
2.2.3 Log 80/tcp . . . 34
2.2.4 Log general/tcp . . . 37
2.2.5 Log general/CPE-T . . . 42
2.2.6 Log 443/tcp . . . 42
2.3 185.199.111.153 . . . 60
2.3.1 Low general/tcp . . . 60
2.3.2 Low general/icmp . . . 61
2.3.3 Log 443/tcp . . . 62

2.3.4 Log 80/tcp . . . 80
2.3.5 Log general/tcp . . . 84
2.3.6 Log general/CPE-T . . . 88
2.4 185.199.109.153 . . . 89
2.4.1 Low general/icmp . . . 89
2.4.2 Low general/tcp . . . 90
2.4.3 Log 80/tcp . . . 92
2.4.4 Log general/CPE-T . . . 95
2.4.5 Log general/tcp . . . 96
2.4.6 Log 443/tcp . . . 100
2.5 2606:50c0:8000::153 . . . 118
2.5.1 Log general/tcp . . . 118
2.6 2606:50c0:8001::153 . . . 119
2.6.1 Log general/tcp . . . 120
2.7 2606:50c0:8002::153 . . . 121
2.7.1 Log general/tcp . . . 121
2.8 2606:50c0:8003::153 . . . 122
2.8.1 Log general/tcp . . . 122

HostedScan Free Trial Report

1 Result Overview

Host	High	Medium	Low	Log	False Positive
185.199.108.153 u77w41.github.io	0	0	2	33	0
185.199.110.153 u77w41.github.io	0	0	2	33	0
185.199.111.153 u77w41.github.io	0	0	2	33	0
185.199.109.153 u77w41.github.io	0	0	2	33	0
2606:50c0:8000::153 u77w41.github.io	0	0	0	2	0
2606:50c0:8001::153 u77w41.github.io	0	0	0	2	0
2606:50c0:8002::153 u77w41.github.io	0	0	0	2	0
2606:50c0:8003::153 u77w41.github.io	0	0	0	2	0
Total: 8	0	0	8	140	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Only results with a minimum QoD of 70 are shown.

This report contains all 148 results selected by the filtering described above. Before filtering there were 148 results.

2 Results per Host

2.1 185.199.108.153

Host scan start	Tue Oct 27 06:10:56 2026 UTC
Host scan end	Tue Oct 27 07:54:06 2026 UTC

Service (Port)	Threat Level
general/tcp	Low
general/icmp	Low
80/tcp	Log
443/tcp	Log
general/tcp	Log

. . . (continues) . . .

... (continued) ...

Service (Port)	Threat Level
general/CPE-T	Log

2.1.1 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 4290974969
Packet 2: 3842821064
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

... continues on next page ...

... continued from previous page ...

References
url: https://datatracker.ietf.org/doc/html/rfc1323
url: https://datatracker.ietf.org/doc/html/rfc7323
url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d
↪ownload/details.aspx?id=9152
url: https://www.fortiguard.com/psirt/FG-IR-16-090

[return to 185.199.108.153]

2.1.2 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: ICMP Timestamp Reply Information Disclosure

... continues on next page ...

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.103190
Version used: 2025-01-21T05:37:33Z

References
cve: CVE-1999-0524
url: https://datatracker.ietf.org/doc/html/rfc792
url: https://datatracker.ietf.org/doc/html/rfc2780
cert-bund: CB-K15/1514
cert-bund: CB-K14/0632
dfn-cert: DFN-CERT-2014-0658

[return to 185.199.108.153]

2.1.3 Log 80/tcp

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was possible to enumerate the following HTTP server banner(s):
Server banner   | Enumeration technique
--------------------------------------------------------------------------------
Server: Varnish | Valid HTTP 1.1 GET request (with extended headers) to '/'
```

Solution:

Log Method
Details: HTTP Server Banner Enumeration
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: HTTP TRACE Method Enabled

Summary
Transparent or reverse HTTP proxies may be implement on some sites.

Quality of Detection (QoD): 70%

. . . continues on next page . . .

... continued from previous page ...

Vulnerability Detection Result
The GET method revealed those proxies on the way to this web server :
HTTP/1.1 varnish

Solution:

Log Method
Details: HTTP TRACE Method Enabled
OID:1.3.6.1.4.1.25623.1.0.11040
Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: Response Time / No 404 Error Code Check

Summary
This VT tests if the remote web server does not reply with a 404 error code and checks if it is replying to the scanners requests in a reasonable amount of time.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The host returns a 30x (e.g. 301) error code when a non-existent file is request
↪ed. Some HTTP-related checks have been disabled.

Solution:

Vulnerability Insight
This web server might show the following issues:
- it is [mis]configured in that it does not return '404 Not Found' error codes when a non-existent file is requested, perhaps returning a site map, search page, authentication page or redirect instead.
The Scanner might enabled some counter measures for that, however they might be insufficient. If a great number of security issues are reported for this port, they might not all be accurate.
- it doesn't response in a reasonable amount of time to various HTTP requests sent by this VT. In order to keep the scan total time to a reasonable amount, the remote web server might not be tested. If the remote server should be tested it has to be fixed to have it reply to the scanners requests in a reasonable amount of time.
Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.

Log Method
Details: Response Time / No 404 Error Code Check
OID:1.3.6.1.4.1.25623.1.0.10386
Version used: 2025-04-11T15:45:04Z

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`An HTTP proxy is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The Hostname/IP "u77w41.github.io" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
http://u77w41.github.io/
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
```

Solution:

Log Method
Details: Web Application Scanning Consolidation / Info Reporting
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: 2026-02-24T05:57:09Z

References

. . . continues on next page . . .

... continued from previous page ...

url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 185.199.108.153]

2.1.4 Log 443/tcp

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Header Name                | Header Value
-------------------------------------------
Strict-Transport-Security | max-age=31556952
Missing Headers                    | More Information
-------------------------------------------------------------------------------
↪-------------------------------------------------------------------------------
↪-------------------------------------------------------------------------------
↪----------
Content-Security-Policy            | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy       | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy         | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy       | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                    | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Expect-CT                          | https://owasp.org/www-project-secure-headers
↪/#expect-ct, Note: This is an upcoming header
Feature-Policy                     | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                 | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Public-Key-Pins                    | Please check the output of the VTs including
↪ 'SSL/TLS:' and 'HPKP' in their name for more information and configuration he
↪lp. Note: Most major browsers have dropped / deprecated support for this heade
↪r in 2020.
```

... continues on next page ...

... continued from previous page ...

```
Referrer-Policy                   | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options            | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options                   | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                  | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

Log Method
Details: HTTP Security Headers Detection
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: 2025-03-21T15:40:43Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-secure-headers/#div-headers
url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

... continues on next page ...

... continued from previous page ...

```
It was possible to enumerate the following HTTP server banner(s):
Server banner   | Enumeration technique
--------------------------------------------------------------------------------
Server: Varnish | Valid HTTP 1.1 GET request (with extended headers) to '/'
```

Solution:

Log Method
Details: `HTTP Server Banner Enumeration`
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote HTTP Server banner is:
Server: GitHub.com
```

Solution:

Log Method
Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: HTTP TRACE Method Enabled

Summary
Transparent or reverse HTTP proxies may be implement on some sites.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The GET method revealed those proxies on the way to this web server :
HTTP/1.1      varnish
```

... continues on next page ...

... continued from previous page ...

Solution:

Log Method
Details: `HTTP TRACE Method Enabled`
OID:1.3.6.1.4.1.25623.1.0.11040
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A TLScustom server answered on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port through SSL`

Solution:

... continues on next page ...

... continued from previous page ...

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`An HTTP proxy is running on this port through SSL`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: SSL/TLS: ‘includeSubDomains‘ Missing in HSTS Header

Summary
The remote web server is missing the ’includeSubDomains’ attribute in the HTTP Strict Transport Security (HSTS) header.

Quality of Detection (QoD): 80%

... continues on next page ...

... continued from previous page ...

Vulnerability Detection Result
The remote web server is missing the "includeSubDomains" attribute in the HSTS h
↪eader.
HSTS Header:
Strict-Transport-Security: max-age=31556952

Solution:
Solution type: Workaround
Add the 'includeSubDomains' attribute to the HSTS header.

Log Method
Details: SSL/TLS: ‘includeSubDomains‘ Missing in HSTS Header
OID:1.3.6.1.4.1.25623.1.0.105877
Version used: 2024-02-08T05:05:59Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transpor
↪t_Security_Cheat_Sheet.html
url: https://owasp.org/www-project-secure-headers/#http-strict-transport-securit
↪y-hsts
url: https://tools.ietf.org/html/rfc6797
url: https://securityheaders.io/

Log (CVSS: 0.0)
NVT: SSL/TLS: ‘preload‘ Missing in HSTS Header

Summary
The remote web server is missing the 'preload' attribute in the HTTP Strict Transport Security (HSTS) header.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The remote web server is missing the "preload" attribute in the HSTS header.
HSTS Header:
Strict-Transport-Security: max-age=31556952

Solution:
Solution type: Workaround
Submit the domain to the 'HSTS preload list' and add the 'preload' attribute to the HSTS header.

Log Method

... continues on next page ...

... continued from previous page ...

Details: SSL/TLS: ‘preload‘ Missing in HSTS Header
OID:1.3.6.1.4.1.25623.1.0.105878
Version used: 2024-02-08T05:05:59Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transpor
↪t_Security_Cheat_Sheet.html
url: https://owasp.org/www-project-secure-headers/#http-strict-transport-securit
↪y-hsts
url: https://tools.ietf.org/html/rfc6797
url: https://hstspreload.appspot.com/
url: https://securityheaders.io/

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details

Summary
This script collects and reports the details of all SSL/TLS certificates.
This data will be used by other tests to verify server certificates.

Quality of Detection (QoD): 98%

Vulnerability Detection Result
The following certificate details of the remote service were collected.
Certificate details:

fingerprint (SHA-1)	142D52A3ECDBFE52FFF89966A8A744D171998BCB
fingerprint (SHA-256)	F2F9A159CE50A0A168B3EAEAF2FCED5ADDD49BA38E2BF6 ↪3248F057A139FC7856
issued by	CN=YR1,O=Let’s Encrypt,C=US
public key algorithm	RSA
public key size (bits)	2048
serial	06A65E5D3279BA564A4DE74EB5D64478DBB8
signature algorithm	sha256WithRSAEncryption
subject	CN=*.github.io
subject alternative names (SAN)	*.github.com, *.github.io, *.githubusercontent ↪.com, github.com, github.io, githubusercontent.com
valid from	2026-09-30 23:44:46 UTC
valid until	2026-12-29 23:44:45 UTC

Solution:

Log Method
Details: SSL/TLS: Collect and Report Certificate Details
OID:1.3.6.1.4.1.25623.1.0.103692
Version used: 2026-04-17T15:51:27Z

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing

Summary
The remote web server is not enforcing HTTP Public Key Pinning (HPKP).
Note: Most major browsers have dropped / deprecated support for this header in 2020.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote web server is not enforcing HPKP.
HTTP-Banner:
HTTP/1.1 200 OK
Connection: close
Content-Length: ***replaced***
Server: GitHub.com
Content-Type: text/html; charset=utf-8
Last-Modified: ***replaced***
Access-Control-Allow-Origin: *
Strict-Transport-Security: max-age=31556952
ETag: "***replaced***"
expires: ***replaced***
Cache-Control: max-age=600
x-proxy-cache: MISS
X-GitHub-Request-Id: CBFA:1E0307:122C94:13BE99:6AE0408F
x-github-edge-region: iad
Accept-Ranges: bytes
Date: ***replaced***
Via: 1.1 varnish
Age: 12
X-Served-By: cache-pdk-kfty8610028-PDK
X-Cache: HIT
X-Cache-Hits: 1
X-Timer: S1793081500.916912,VS0,VE1
Vary: Accept-Encoding
X-Fastly-Request-ID: 7dac2423c8e04f299cb63041b8362b5b5068ea5f
```

Solution:
Solution type: Workaround
Enable HPKP or add / configure the required directives correctly following the guides linked in the references.
Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code.
- Apache: Use 'Header always set' instead of 'Header set'.
- nginx: Append the 'always' keyword to each 'add_header' directive.
For different applications or web severs please refer to the related documentation for a similar configuration possibility.

. . . continues on next page . . .

... continued from previous page ...

Log Method
Details: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing
OID:1.3.6.1.4.1.25623.1.0.108247
Version used: 2025-03-21T15:40:43Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-secure-headers/#public-key-pinning-extension-for-http-hpkp
url: https://tools.ietf.org/html/rfc7469
url: https://securityheaders.io/
url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header
url: https://nginx.org/en/docs/http/ngx_http_headers_module.html#add_header

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Strict Transport Security (HSTS) Detection

Summary
Checks if the remote web server has HTTP Strict Transport Security (HSTS) enabled.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The remote web server is sending the "HTTP Strict-Transport-Security" header.
HSTS-Header:
Strict-Transport-Security: max-age=31556952

Solution:

Log Method
Details: SSL/TLS: HTTP Strict Transport Security (HSTS) Detection
OID:1.3.6.1.4.1.25623.1.0.105876
Version used: 2024-09-27T05:05:23Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html
url: https://owasp.org/www-project-secure-headers/#http-strict-transport-security-hsts
url: https://tools.ietf.org/html/rfc6797
url: https://securityheaders.io/

Log (CVSS: 0.0)
NVT: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection

Summary
This routine identifies services supporting the following extensions to TLS:
- Application-Layer Protocol Negotiation (ALPN)
- Next Protocol Negotiation (NPN).
Based on the availability of this extensions the supported Network Protocols by this service are gathered and reported.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote service advertises support for the following Network Protocol(s) via
↪the ALPN extension:
SSL/TLS Protocol:Network Protocol
TLSv1.2:HTTP/1.1
TLSv1.2:HTTP/2
```

Solution:

Log Method
Details: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection
OID:1.3.6.1.4.1.25623.1.0.108099
Version used: 2024-09-27T05:05:23Z

References
```
url: https://tools.ietf.org/html/rfc7301
url: https://tools.ietf.org/html/draft-agl-tls-nextprotoneg-04
```

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites

Product detection result
```
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)
```

Summary
This routine reports all Medium SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result
```
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:
```

... continues on next page ...

... continued from previous page ...

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_GCM_SHA256
'Medium' cipher suites accepted by this service via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256

Solution:

Vulnerability Insight
Any cipher suite considered to be secure for only the next 10 years is considered as medium.

Log Method
Details: SSL/TLS: Report Medium Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.902816
Version used: 2024-09-27T05:05:23Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary
This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result
'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256
'Non Weak' cipher suites accepted by this service via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256

... continues on next page ...

... continued from previous page ...

TLS_AES_256_GCM_SHA384
TLS_CHACHA20_POLY1305_SHA256

Solution:

Log Method
Details: SSL/TLS: Report Non Weak Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.103441
Version used: 2024-09-27T05:05:23Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary
This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).

Quality of Detection (QoD): 98%

Vulnerability Detection Result
Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv
↪ice via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256
Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv
↪ice via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256
TLS_AES_256_GCM_SHA384
TLS_CHACHA20_POLY1305_SHA256

Solution:

... continues on next page ...

... continued from previous page ...

Log Method
Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.105018
Version used: 2026-03-13T05:54:58Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites

Summary
This routine reports all SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
'Strong' cipher suites accepted by this service via the TLSv1.2 protocol:
KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), x25519
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_GCM_SHA256
No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol.
'Strong' cipher suites accepted by this service via the TLSv1.3 protocol:
KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), x25519, X25519MLKEM7
↪68 (PQC)
PQC KEX groups: X25519MLKEM768
TLS_AES_256_GCM_SHA384
TLS_CHACHA20_POLY1305_SHA256
'Medium' cipher suites accepted by this service via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256
No 'Weak' cipher suites accepted by this service via the TLSv1.3 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.3 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.3 protocol.
Server Key Exchange Group(s):
TLSv1.3  128 bits  secp256r1 (NIST P-256)
TLSv1.3  192 bits  secp384r1 (NIST P-384)
TLSv1.3  128 bits  x25519
TLSv1.3  192 bits  X25519MLKEM768
```

... continues on next page ...

... continued from previous page ...

```
TLSv1.2  128 bits  secp256r1 (NIST P-256)
TLSv1.2  192 bits  secp384r1 (NIST P-384)
TLSv1.2  128 bits  x25519
PQC KEX group(s): TLSv1.3 X25519MLKEM768
Post Quantum Key Exchange algorithms:
TLSv1.3  192 bits  X25519MLKEM768
```

Solution:

Vulnerability Insight
Notes:
- As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead.
- SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.

Log Method
Details: SSL/TLS: Report Supported Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.802067
Version used: 2026-03-13T05:54:58Z

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status

Summary
Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
Protocol Version | Safe/Secure Renegotiation Support Status
-------------------------------------------------------------------------------
↪-------------------------------------------------------------------------------
↪-----------------------------------
SSLv3            | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.0          | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.1          | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.2          | Enabled, Note: While the remote service announces the support
↪ of safe/secure renegotiation it still might not support / accept renegotiatio
```

... continues on next page ...

... continued from previous page ...

```
↪n at all.
TLSv1.3          | Disabled (The TLSv1.3 protocol generally doesn't support rene
↪gotiation so this is always reported as 'Disabled')
```

Solution:

Log Method
Details: `SSL/TLS: Safe/Secure Renegotiation Support Status`
OID:1.3.6.1.4.1.25623.1.0.117757
Version used: `2026-03-13T05:54:58Z`

References
`url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html`
`url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation`
`url: https://datatracker.ietf.org/doc/html/rfc5746`

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection

Summary
Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote SSL/TLS service supports the following SSL/TLS protocol version(s):
TLSv1.2
TLSv1.3
```

Solution:

Log Method
Sends multiple SSL/TLS client hello messages to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the received SSL/TLS server hello message.
Notes:
- The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers.
- Additional debug logging can be enabled by setting the preferences 'Log verbosity' to 'Debug' and 'Debug level' to '1' within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288). The relevant logs will end up in the scanner log file.
Details: `SSL/TLS: Version Detection`
OID:1.3.6.1.4.1.25623.1.0.105782
Version used: `2026-05-22T06:54:41Z`

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The Hostname/IP "u77w41.github.io" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
https://u77w41.github.io/
https://u77w41.github.io/anurup
https://u77w41.github.io/anurup/background-removal
https://u77w41.github.io/anurup/crop-rotate
https://u77w41.github.io/anurup/format-converter
https://u77w41.github.io/anurup/passport-photo
https://u77w41.github.io/anurup/pdf-compressor
https://u77w41.github.io/anurup/pdf-merger
https://u77w41.github.io/anurup/pdf-page-manager
https://u77w41.github.io/anurup/pdf-sign
https://u77w41.github.io/anurup/pdf-splitter
https://u77w41.github.io/anurup/pdf-stamp
https://u77w41.github.io/anurup/pdf-to-images
https://u77w41.github.io/anurup/pdf-unlock
```

... continues on next page ...

... continued from previous page ...

https://u77w41.github.io/anurup/pdf-viewer
https://u77w41.github.io/anurup/signature-cleaner
https://u77w41.github.io/anurup/size-targeter
https://u77w41.github.io/archives
https://u77w41.github.io/categories/data-mining
https://u77w41.github.io/categories/deep-learning
https://u77w41.github.io/categories/machine-learning
https://u77w41.github.io/categories/open-source
https://u77w41.github.io/categories/power-bi
https://u77w41.github.io/categories/web-tools
https://u77w41.github.io/certificates
https://u77w41.github.io/links
https://u77w41.github.io/p/analysis-on-complete-works-of-swami-vivekananda
https://u77w41.github.io/p/anurup
https://u77w41.github.io/p/brain-tumour-classification
https://u77w41.github.io/p/forecasting-and-anomaly-detection
https://u77w41.github.io/p/nsescraper
https://u77w41.github.io/p/paris-summer-olympic-games-2024-dashboard
https://u77w41.github.io/p/starbucks-drinks-dashboard
https://u77w41.github.io/p/visualizing-microsoft-adventureworks-data
https://u77w41.github.io/page
https://u77w41.github.io/publications
https://u77w41.github.io/resume
https://u77w41.github.io/scss
https://u77w41.github.io/search
https://u77w41.github.io/support-my-work
https://u77w41.github.io/support-my-work/assets
https://u77w41.github.io/tags/anomaly-detection
https://u77w41.github.io/tags/computer-vision
https://u77w41.github.io/tags/dashboard
https://u77w41.github.io/tags/data-analytics
https://u77w41.github.io/tags/data-mining
https://u77w41.github.io/tags/data-visualization
https://u77w41.github.io/tags/deep-learning
https://u77w41.github.io/tags/eda
https://u77w41.github.io/tags/machine-learning
https://u77w41.github.io/tags/pdf
https://u77w41.github.io/tags/power-bi
https://u77w41.github.io/tags/privacy
https://u77w41.github.io/tags/pwa
https://u77w41.github.io/tags/react
https://u77w41.github.io/tags/regression
https://u77w41.github.io/tags/statistics
https://u77w41.github.io/tags/stock-market
https://u77w41.github.io/tags/text-analysis
https://u77w41.github.io/tags/text-mining
https://u77w41.github.io/tags/time-series

... continues on next page ...

... continued from previous page ...

```
https://u77w41.github.io/tags/web-scraping
https://u77w41.github.io/tags/webassembly
https://u77w41.github.io/ts
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following directories were excluded from web application scanning because th
↪e "Regex pattern to exclude directories from CGI scanning" setting of the VT "
↪Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was
↪: "/(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graph
↪ic|grafik|picture|bilder|thumbnail|media/|skins?/)"
https://u77w41.github.io/anurup/image-compressor
https://u77w41.github.io/anurup/image-to-pdf
https://u77w41.github.io/img
https://u77w41.github.io/tags/image-classification
https://u77w41.github.io/tags/image-processing
The following CGIs were discovered:
Syntax : cginame (arguments [default value])
https://u77w41.github.io/anurup/ (c [photo] )
```

Solution:

Log Method
Details: Web Application Scanning Consolidation / Info Reporting
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: 2026-02-24T05:57:09Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 185.199.108.153]

2.1.5 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Hostname determination for IP 185.199.108.153:
Hostname|Source

... continues on next page ...

... continued from previous page ...

u77w41.github.io|Forward-DNS

Solution:

Log Method
Details: Hostname Determination Reporting
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: 2022-07-27T10:11:28Z

Log (CVSS: 0.0)
NVT: nginx Detection Consolidation

Summary
Consolidation of Nginx detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Detected Nginx
Version:       unknown
Location:      80/tcp
CPE:           cpe:/a:nginx:nginx
Concluded from version/product identification result:
<hr><center>nginx</center>
Concluded from version/product identification location:
http://u77w41.github.io/
```

Solution:

Log Method
Details: nginx Detection Consolidation
OID:1.3.6.1.4.1.25623.1.0.113787
Version used: 2026-06-18T07:15:20Z

References
url: https://nginx.org
url: https://www.f5.com/products/nginx

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary

... continues on next page ...

... continued from previous page ...

This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Linux Kernel
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.102002 (Operating System (OS) Detection (ICM
↪P))
Concluded from ICMP based OS fingerprint
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method
Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-10-20T05:48:09Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: SSL/TLS: Hostname discovery from server certificate

Summary
It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
The following additional and resolvable hostnames pointing to a different host i
↪p were detected:
github.com
github.io
The following additional but not resolvable hostnames were detected:
githubusercontent.com
```

... continues on next page ...

... continued from previous page ...

Solution:

Log Method
Details: `SSL/TLS: Hostname discovery from server certificate`
OID:1.3.6.1.4.1.25623.1.0.111010
Version used: `2021-11-22T15:32:39Z`

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Network route from scanner (172.18.0.8) to target (185.199.108.153):
172.18.0.8
10.0.2.1
10.204.5.191
10.204.35.53
10.204.64.37
74.207.239.105
23.203.144.38
23.192.0.106
23.192.1.103
23.192.1.123
185.199.108.153
Network distance between scanner and target: 11
```

Solution:

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `2022-10-17T11:13:19Z`

Log (CVSS: 0.0)
NVT: Unknown OS and Service Banner Reporting

Summary
This VT consolidates and reports the information collected by the following VTs:
- Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154)
- Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286)
- Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525)
- OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937)
If you know any of the information reported here, please send the full output to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Unknown banners have been collected which might help to identify the OS running
↪on this host. If these banners containing information about the host OS please
↪ report the following information to https://forum.greenbone.net/c/vulnerabili
↪ty-tests/7:
Banner: Server: GitHub.com
Identified from: HTTP Server banner on port 443/tcp
Banner: Server: GitHub.com
Identified from: HTTP Server banner on port 80/tcp
```

Solution:

Log Method
Details: Unknown OS and Service Banner Reporting
OID:1.3.6.1.4.1.25623.1.0.108441
Version used: 2023-06-22T10:34:15Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 185.199.108.153]

2.1.6 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background:

. . . continues on next page . . .

... continued from previous page ...

After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
185.199.108.153|cpe:/a:f5:nginx
185.199.108.153|cpe:/a:ietf:transport_layer_security:1.2
185.199.108.153|cpe:/a:ietf:transport_layer_security:1.3
185.199.108.153|cpe:/a:nginx:nginx
185.199.108.153|cpe:/o:linux:kernel

Solution:

Log Method
Details: CPE Inventory
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: 2022-07-27T10:11:28Z

References
url: https://nvd.nist.gov/products/cpe

[return to 185.199.108.153]

2.2 185.199.110.153

Host scan start Tue Oct 27 06:10:56 2026 UTC
Host scan end Tue Oct 27 07:54:07 2026 UTC

Service (Port)	Threat Level
general/icmp	Low
general/tcp	Low
80/tcp	Log
general/tcp	Log
general/CPE-T	Log
443/tcp	Log

2.2.1 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

... continues on next page ...

... continued from previous page ...

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

References
```
cve: CVE-1999-0524
url: https://datatracker.ietf.org/doc/html/rfc792
url: https://datatracker.ietf.org/doc/html/rfc2780
cert-bund: CB-K15/1514
cert-bund: CB-K14/0632
dfn-cert: DFN-CERT-2014-0658
```

[return to 185.199.110.153]

2.2.2 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 2747355512
Packet 2: 517273622
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled'
Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
```
url: https://datatracker.ietf.org/doc/html/rfc1323
url: https://datatracker.ietf.org/doc/html/rfc7323
url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d
↪ownload/details.aspx?id=9152
url: https://www.fortiguard.com/psirt/FG-IR-16-090
```

[return to 185.199.110.153]

2.2.3 Log 80/tcp

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner   | Enumeration technique
--------------------------------------------------------------------------------
Server: Varnish | Valid HTTP 1.1 GET request (with extended headers) to '/'
```

Solution:

Log Method
Details: HTTP Server Banner Enumeration
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: HTTP TRACE Method Enabled

Summary
Transparent or reverse HTTP proxies may be implement on some sites.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The GET method revealed those proxies on the way to this web server :
HTTP/1.1     varnish
```

Solution:

Log Method
Details: HTTP TRACE Method Enabled
OID:1.3.6.1.4.1.25623.1.0.11040
Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: Response Time / No 404 Error Code Check

Summary
This VT tests if the remote web server does not reply with a 404 error code and checks if it is replying to the scanners requests in a reasonable amount of time.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`The host returns a 30x (e.g. 301) error code when a non-existent file is request ↪ed. Some HTTP-related checks have been disabled.`

Solution:

Vulnerability Insight
This web server might show the following issues:
- it is [mis]configured in that it does not return '404 Not Found' error codes when a non-existent file is requested, perhaps returning a site map, search page, authentication page or redirect instead.
The Scanner might enabled some counter measures for that, however they might be insufficient. If a great number of security issues are reported for this port, they might not all be accurate.
- it doesn't response in a reasonable amount of time to various HTTP requests sent by this VT. In order to keep the scan total time to a reasonable amount, the remote web server might not be tested. If the remote server should be tested it has to be fixed to have it reply to the scanners requests in a reasonable amount of time.
Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.

Log Method
Details: `Response Time / No 404 Error Code Check`
OID:1.3.6.1.4.1.25623.1.0.10386
Version used: `2025-04-11T15:45:04Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port`

Solution:

. . . continues on next page . . .

... continued from previous page ...

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`An HTTP proxy is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)

... continues on next page ...

... continued from previous page ...

- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Hostname/IP "u77w41.github.io" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
http://u77w41.github.io/
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
```

Solution:

Log Method

Details: Web Application Scanning Consolidation / Info Reporting
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: 2026-02-24T05:57:09Z

References

url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 185.199.110.153]

2.2.4 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Hostname determination for IP 185.199.110.153:
Hostname|Source
u77w41.github.io|Forward-DNS
```

Solution:

Log Method
Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: nginx Detection Consolidation

Summary
Consolidation of Nginx detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Detected Nginx
Version:       unknown
Location:      80/tcp
CPE:           cpe:/a:nginx:nginx
Concluded from version/product identification result:
<hr><center>nginx</center>
Concluded from version/product identification location:
http://u77w41.github.io/
```

Solution:

Log Method
Details: `nginx Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.113787
Version used: `2026-06-18T07:15:20Z`

... continues on next page ...

... continued from previous page ...

References
url: https://nginx.org
url: https://www.f5.com/products/nginx

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Best matching OS:
OS:           Linux Kernel
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.102002 (Operating System (OS) Detection (ICM
↪P))
Concluded from ICMP based OS fingerprint
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method
Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-10-20T05:48:09Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: SSL/TLS: Hostname discovery from server certificate

Summary
It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.

Quality of Detection (QoD): 98%

... continues on next page ...

... continued from previous page ...

Vulnerability Detection Result

```
The following additional and resolvable hostnames pointing to a different host i
↪p were detected:
github.com
github.io
The following additional but not resolvable hostnames were detected:
githubusercontent.com
```

Solution:

Log Method

Details: `SSL/TLS: Hostname discovery from server certificate`
OID:1.3.6.1.4.1.25623.1.0.111010
Version used: `2021-11-22T15:32:39Z`

Log (CVSS: 0.0)
NVT: Traceroute

Summary

Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Network route from scanner (172.18.0.8) to target (185.199.110.153):
172.18.0.8
10.0.2.1
10.204.5.191
10.204.35.54
10.204.64.37
74.207.239.105
23.203.144.38
23.192.0.106
23.192.0.115
140.248.126.226
185.199.110.153
Network distance between scanner and target: 11
```

Solution:

Vulnerability Insight

... continues on next page ...

... continued from previous page ...

For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `2022-10-17T11:13:19Z`

Log (CVSS: 0.0)
NVT: Unknown OS and Service Banner Reporting

Summary
This VT consolidates and reports the information collected by the following VTs:
- Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154)
- Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286)
- Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525)
- OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937)
If you know any of the information reported here, please send the full output to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Unknown banners have been collected which might help to identify the OS running
↪on this host. If these banners containing information about the host OS please
↪ report the following information to https://forum.greenbone.net/c/vulnerabili
↪ty-tests/7:
Banner: Server: GitHub.com
Identified from: HTTP Server banner on port 443/tcp
Banner: Server: GitHub.com
Identified from: HTTP Server banner on port 80/tcp
```

Solution:

Log Method
Details: `Unknown OS and Service Banner Reporting`
OID:1.3.6.1.4.1.25623.1.0.108441
Version used: `2023-06-22T10:34:15Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

[return to 185.199.110.153]

2.2.5 Log general/CPE-T

Log (CVSS: 0.0) NVT: CPE Inventory
Summary This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan. Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.
Quality of Detection (QoD): 80%
Vulnerability Detection Result 185.199.110.153|cpe:/a:f5:nginx 185.199.110.153|cpe:/a:ietf:transport_layer_security:1.2 185.199.110.153|cpe:/a:ietf:transport_layer_security:1.3 185.199.110.153|cpe:/a:nginx:nginx 185.199.110.153|cpe:/o:linux:kernel
Solution:
Log Method Details: CPE Inventory OID:1.3.6.1.4.1.25623.1.0.810002 Version used: 2022-07-27T10:11:28Z
References url: https://nvd.nist.gov/products/cpe

[return to 185.199.110.153]

2.2.6 Log 443/tcp

Log (CVSS: 0.0) NVT: HTTP Security Headers Detection
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.
Quality of Detection (QoD): 80%

. . . continues on next page . . .

... continued from previous page ...

Vulnerability Detection Result

```
Header Name                | Header Value
-----------------------------------------
Strict-Transport-Security | max-age=31556952
Missing Headers                    | More Information
-------------------------------------------------------------------------------
↪-------------------------------------------------------------------------------
↪-------------------------------------------------------------------------------
↪----------
Content-Security-Policy            | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy       | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy         | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy       | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                    | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Expect-CT                          | https://owasp.org/www-project-secure-headers
↪/#expect-ct, Note: This is an upcoming header
Feature-Policy                     | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                 | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Public-Key-Pins                    | Please check the output of the VTs including
↪ 'SSL/TLS:' and 'HPKP' in their name for more information and configuration he
↪lp. Note: Most major browsers have dropped / deprecated support for this heade
↪r in 2020.
Referrer-Policy                    | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                     | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                     | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                     | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                     | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options             | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
```

... continues on next page ...

... continued from previous page ...

```
X-Frame-Options                    | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                   | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

Log Method
Details: HTTP Security Headers Detection
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: 2025-03-21T15:40:43Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-secure-headers/#div-headers
url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner   | Enumeration technique
-------------------------------------------------------------------------------
Server: Varnish | Valid HTTP 1.1 GET request (with extended headers) to '/'
```

Solution:

Log Method
Details: HTTP Server Banner Enumeration
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote HTTP Server banner is:
Server: GitHub.com
```

Solution:

Log Method
Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: HTTP TRACE Method Enabled

Summary
Transparent or reverse HTTP proxies may be implement on some sites.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
```
The GET method revealed those proxies on the way to this web server :
HTTP/1.1     varnish
```

Solution:

Log Method
Details: `HTTP TRACE Method Enabled`
OID:1.3.6.1.4.1.25623.1.0.11040
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

. . . continues on next page . . .

... continued from previous page ...

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A TLScustom server answered on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port through SSL`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`An HTTP proxy is running on this port through SSL`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: SSL/TLS: ‘includeSubDomains‘ Missing in HSTS Header

Summary
The remote web server is missing the ’includeSubDomains’ attribute in the HTTP Strict Transport Security (HSTS) header.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote web server is missing the "includeSubDomains" attribute in the HSTS h
↪eader.
HSTS Header:
Strict-Transport-Security: max-age=31556952
```

Solution:
Solution type: Workaround
Add the ’includeSubDomains’ attribute to the HSTS header.

Log Method
Details: `SSL/TLS: ‘includeSubDomains‘ Missing in HSTS Header`
OID:1.3.6.1.4.1.25623.1.0.105877

. . . continues on next page . . .

... continued from previous page ...

Version used: 2024-02-08T05:05:59Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transpor
↪t_Security_Cheat_Sheet.html
url: https://owasp.org/www-project-secure-headers/#http-strict-transport-securit
↪y-hsts
url: https://tools.ietf.org/html/rfc6797
url: https://securityheaders.io/

Log (CVSS: 0.0)
NVT: SSL/TLS: 'preload' Missing in HSTS Header

Summary
The remote web server is missing the 'preload' attribute in the HTTP Strict Transport Security (HSTS) header.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The remote web server is missing the "preload" attribute in the HSTS header.
HSTS Header:
Strict-Transport-Security: max-age=31556952

Solution:
Solution type: Workaround
Submit the domain to the 'HSTS preload list' and add the 'preload' attribute to the HSTS header.

Log Method
Details: SSL/TLS: 'preload' Missing in HSTS Header
OID:1.3.6.1.4.1.25623.1.0.105878
Version used: 2024-02-08T05:05:59Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transpor
↪t_Security_Cheat_Sheet.html
url: https://owasp.org/www-project-secure-headers/#http-strict-transport-securit
↪y-hsts
url: https://tools.ietf.org/html/rfc6797
url: https://hstspreload.appspot.com/
url: https://securityheaders.io/

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details

Summary
This script collects and reports the details of all SSL/TLS certificates.
This data will be used by other tests to verify server certificates.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
The following certificate details of the remote service were collected.
Certificate details:
fingerprint (SHA-1)             | 142D52A3ECDBFE52FFF89966A8A744D171998BCB
fingerprint (SHA-256)           | F2F9A159CE50A0A168B3EAEAF2FCED5ADDD49BA38E2BF6
↪3248F057A139FC7856
issued by                       | CN=YR1,O=Let's Encrypt,C=US
public key algorithm            | RSA
public key size (bits)          | 2048
serial                          | 06A65E5D3279BA564A4DE74EB5D64478DBB8
signature algorithm             | sha256WithRSAEncryption
subject                         | CN=*.github.io
subject alternative names (SAN) | *.github.com, *.github.io, *.githubusercontent
↪.com, github.com, github.io, githubusercontent.com
valid from                      | 2026-09-30 23:44:46 UTC
valid until                     | 2026-12-29 23:44:45 UTC
```

Solution:

Log Method
Details: SSL/TLS: Collect and Report Certificate Details
OID:1.3.6.1.4.1.25623.1.0.103692
Version used: 2026-04-17T15:51:27Z

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing

Summary
The remote web server is not enforcing HTTP Public Key Pinning (HPKP).
Note: Most major browsers have dropped / deprecated support for this header in 2020.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote web server is not enforcing HPKP.
HTTP-Banner:
HTTP/1.1 200 OK
```

. . . continues on next page . . .

... continued from previous page ...

```
Connection: close
Content-Length: ***replaced***
Server: GitHub.com
Content-Type: text/html; charset=utf-8
Last-Modified: ***replaced***
Access-Control-Allow-Origin: *
Strict-Transport-Security: max-age=31556952
ETag: "***replaced***"
expires: ***replaced***
Cache-Control: max-age=600
x-proxy-cache: MISS
X-GitHub-Request-Id: CBFA:1E0307:122C94:13BE99:6AE0408F
x-github-edge-region: iad
Accept-Ranges: bytes
Date: ***replaced***
Via: 1.1 varnish
Age: 12
X-Served-By: cache-pdk-katl1840020-PDK
X-Cache: HIT
X-Cache-Hits: 1
X-Timer: S1793081500.493116,VS0,VE4
Vary: Accept-Encoding
X-Fastly-Request-ID: 6da8902feda44c56b26a15909791a2eec2e4c852
```

Solution:
Solution type: Workaround
Enable HPKP or add / configure the required directives correctly following the guides linked in the references.
Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code.
- Apache: Use 'Header always set' instead of 'Header set'.
- nginx: Append the 'always' keyword to each 'add_header' directive.
For different applications or web severs please refer to the related documentation for a similar configuration possibility.

Log Method
Details: `SSL/TLS: HTTP Public Key Pinning (HPKP) Missing`
OID:1.3.6.1.4.1.25623.1.0.108247
Version used: `2025-03-21T15:40:43Z`

References
`url: https://owasp.org/www-project-secure-headers/`
`url: https://owasp.org/www-project-secure-headers/#public-key-pinning-extension-for-http-hpkp`
`url: https://tools.ietf.org/html/rfc7469`

... continues on next page ...

... continued from previous page ...

url: https://securityheaders.io/
url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header
url: https://nginx.org/en/docs/http/ngx_http_headers_module.html#add_header

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Strict Transport Security (HSTS) Detection

Summary
Checks if the remote web server has HTTP Strict Transport Security (HSTS) enabled.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The remote web server is sending the "HTTP Strict-Transport-Security" header.
HSTS-Header:
Strict-Transport-Security: max-age=31556952

Solution:

Log Method
Details: SSL/TLS: HTTP Strict Transport Security (HSTS) Detection
OID:1.3.6.1.4.1.25623.1.0.105876
Version used: 2024-09-27T05:05:23Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transpor
↪t_Security_Cheat_Sheet.html
url: https://owasp.org/www-project-secure-headers/#http-strict-transport-securit
↪y-hsts
url: https://tools.ietf.org/html/rfc6797
url: https://securityheaders.io/

Log (CVSS: 0.0)
NVT: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection

Summary
This routine identifies services supporting the following extensions to TLS:
- Application-Layer Protocol Negotiation (ALPN)
- Next Protocol Negotiation (NPN).
Based on the availability of this extensions the supported Network Protocols by this service are gathered and reported.

Quality of Detection (QoD): 80%

... continues on next page ...

... continued from previous page ...

Vulnerability Detection Result
The remote service advertises support for the following Network Protocol(s) via
↪the ALPN extension:
SSL/TLS Protocol:Network Protocol
TLSv1.2:HTTP/1.1
TLSv1.2:HTTP/2

Solution:

Log Method
Details: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection
OID:1.3.6.1.4.1.25623.1.0.108099
Version used: 2024-09-27T05:05:23Z

References
url: https://tools.ietf.org/html/rfc7301
url: https://tools.ietf.org/html/draft-agl-tls-nextprotoneg-04

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary
This routine reports all Medium SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_GCM_SHA256
'Medium' cipher suites accepted by this service via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256

Solution:

... continues on next page ...

... continued from previous page ...

Vulnerability Insight
Any cipher suite considered to be secure for only the next 10 years is considered as medium.

Log Method
Details: SSL/TLS: Report Medium Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.902816
Version used: 2024-09-27T05:05:23Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary
This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result
'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256
'Non Weak' cipher suites accepted by this service via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256
TLS_AES_256_GCM_SHA384
TLS_CHACHA20_POLY1305_SHA256

Solution:

Log Method
Details: SSL/TLS: Report Non Weak Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.103441
Version used: 2024-09-27T05:05:23Z

... continues on next page ...

... continued from previous page ...

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary
This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).

Quality of Detection (QoD): 98%

Vulnerability Detection Result
Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv
↪ice via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256
Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv
↪ice via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256
TLS_AES_256_GCM_SHA384
TLS_CHACHA20_POLY1305_SHA256

Solution:

Log Method
Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.105018
Version used: 2026-03-13T05:54:58Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites

Summary
This routine reports all SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
'Strong' cipher suites accepted by this service via the TLSv1.2 protocol:
KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), x25519
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_GCM_SHA256
No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol.
'Strong' cipher suites accepted by this service via the TLSv1.3 protocol:
KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), x25519, X25519MLKEM7
↪68 (PQC)
PQC KEX groups: X25519MLKEM768
TLS_AES_256_GCM_SHA384
TLS_CHACHA20_POLY1305_SHA256
'Medium' cipher suites accepted by this service via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256
No 'Weak' cipher suites accepted by this service via the TLSv1.3 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.3 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.3 protocol.
Server Key Exchange Group(s):
TLSv1.3  128 bits  secp256r1 (NIST P-256)
TLSv1.3  192 bits  secp384r1 (NIST P-384)
TLSv1.3  128 bits  x25519
TLSv1.3  192 bits  X25519MLKEM768
TLSv1.2  128 bits  secp256r1 (NIST P-256)
TLSv1.2  192 bits  secp384r1 (NIST P-384)
TLSv1.2  128 bits  x25519
PQC KEX group(s): TLSv1.3 X25519MLKEM768
Post Quantum Key Exchange algorithms:
TLSv1.3  192 bits  X25519MLKEM768
```

Solution:

Vulnerability Insight
Notes:

. . . continues on next page . . .

... continued from previous page ...

- As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead.
- SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.

Log Method
Details: SSL/TLS: Report Supported Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.802067
Version used: 2026-03-13T05:54:58Z

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status

Summary
Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
Protocol Version | Safe/Secure Renegotiation Support Status
-------------------------------------------------------------------------------
↪-------------------------------------------------------------------------------
↪-------------------------------------
SSLv3            | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.0          | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.1          | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.2          | Enabled, Note: While the remote service announces the support
↪ of safe/secure renegotiation it still might not support / accept renegotiatio
↪n at all.
TLSv1.3          | Disabled (The TLSv1.3 protocol generally doesn't support rene
↪gotiation so this is always reported as 'Disabled')
```

Solution:

Log Method
Details: SSL/TLS: Safe/Secure Renegotiation Support Status
OID:1.3.6.1.4.1.25623.1.0.117757
Version used: 2026-03-13T05:54:58Z

... continues on next page ...

... continued from previous page ...

References
url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html
url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation
url: https://datatracker.ietf.org/doc/html/rfc5746

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection

Summary
Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The remote SSL/TLS service supports the following SSL/TLS protocol version(s):
TLSv1.2
TLSv1.3

Solution:

Log Method
Sends multiple SSL/TLS client hello messages to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the received SSL/TLS server hello message.
Notes:
- The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers.
- Additional debug logging can be enabled by setting the preferences 'Log verbosity' to 'Debug' and 'Debug level' to '1' within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288). The relevant logs will end up in the scanner log file.
Details: SSL/TLS: Version Detection
OID:1.3.6.1.4.1.25623.1.0.105782
Version used: 2026-05-22T06:54:41Z

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)

... continues on next page ...

... continued from previous page ...

- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Hostname/IP "u77w41.github.io" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
https://u77w41.github.io/
https://u77w41.github.io/anurup
https://u77w41.github.io/anurup/background-removal
https://u77w41.github.io/anurup/crop-rotate
https://u77w41.github.io/anurup/format-converter
https://u77w41.github.io/anurup/passport-photo
https://u77w41.github.io/anurup/pdf-compressor
https://u77w41.github.io/anurup/pdf-merger
https://u77w41.github.io/anurup/pdf-page-manager
https://u77w41.github.io/anurup/pdf-sign
https://u77w41.github.io/anurup/pdf-splitter
https://u77w41.github.io/anurup/pdf-stamp
https://u77w41.github.io/anurup/pdf-to-images
https://u77w41.github.io/anurup/pdf-unlock
https://u77w41.github.io/anurup/pdf-viewer
https://u77w41.github.io/anurup/signature-cleaner
https://u77w41.github.io/anurup/size-targeter
https://u77w41.github.io/archives
https://u77w41.github.io/categories/data-mining
https://u77w41.github.io/categories/deep-learning
https://u77w41.github.io/categories/machine-learning
https://u77w41.github.io/categories/open-source
```

... continues on next page ...

... continued from previous page ...

```
https://u77w41.github.io/categories/power-bi
https://u77w41.github.io/categories/web-tools
https://u77w41.github.io/certificates
https://u77w41.github.io/links
https://u77w41.github.io/p/analysis-on-complete-works-of-swami-vivekananda
https://u77w41.github.io/p/anurup
https://u77w41.github.io/p/brain-tumour-classification
https://u77w41.github.io/p/forecasting-and-anomaly-detection
https://u77w41.github.io/p/nsescraper
https://u77w41.github.io/p/paris-summer-olympic-games-2024-dashboard
https://u77w41.github.io/p/starbucks-drinks-dashboard
https://u77w41.github.io/p/visualizing-microsoft-adventureworks-data
https://u77w41.github.io/page
https://u77w41.github.io/publications
https://u77w41.github.io/resume
https://u77w41.github.io/scss
https://u77w41.github.io/search
https://u77w41.github.io/support-my-work
https://u77w41.github.io/support-my-work/assets
https://u77w41.github.io/tags/anomaly-detection
https://u77w41.github.io/tags/computer-vision
https://u77w41.github.io/tags/dashboard
https://u77w41.github.io/tags/data-analytics
https://u77w41.github.io/tags/data-mining
https://u77w41.github.io/tags/data-visualization
https://u77w41.github.io/tags/deep-learning
https://u77w41.github.io/tags/eda
https://u77w41.github.io/tags/machine-learning
https://u77w41.github.io/tags/pdf
https://u77w41.github.io/tags/power-bi
https://u77w41.github.io/tags/privacy
https://u77w41.github.io/tags/pwa
https://u77w41.github.io/tags/react
https://u77w41.github.io/tags/regression
https://u77w41.github.io/tags/statistics
https://u77w41.github.io/tags/stock-market
https://u77w41.github.io/tags/text-analysis
https://u77w41.github.io/tags/text-mining
https://u77w41.github.io/tags/time-series
https://u77w41.github.io/tags/web-scraping
https://u77w41.github.io/tags/webassembly
https://u77w41.github.io/ts
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following directories were excluded from web application scanning because th
↪e "Regex pattern to exclude directories from CGI scanning" setting of the VT "
```

... continues on next page ...

... continued from previous page ...

```
↪Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was
↪: "/(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graph
↪ic|grafik|picture|bilder|thumbnail|media/|skins?/)"
https://u77w41.github.io/anurup/image-compressor
https://u77w41.github.io/anurup/image-to-pdf
https://u77w41.github.io/img
https://u77w41.github.io/tags/image-classification
https://u77w41.github.io/tags/image-processing
The following CGIs were discovered:
Syntax : cginame (arguments [default value])
https://u77w41.github.io/anurup/ (c [photo] )
```

Solution:

Log Method
Details: `Web Application Scanning Consolidation / Info Reporting`
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: `2026-02-24T05:57:09Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

[return to 185.199.110.153]

2.3 185.199.111.153

Host scan start	Tue Oct 27 06:10:56 2026 UTC
Host scan end	Tue Oct 27 07:54:04 2026 UTC

Service (Port)	Threat Level
general/tcp	Low
general/icmp	Low
443/tcp	Log
80/tcp	Log
general/tcp	Log
general/CPE-T	Log

2.3.1 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

... continues on next page ...

... continued from previous page ...

Quality of Detection (QoD): 80%

Vulnerability Detection Result
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 2218331830
Packet 2: 1052559042

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: TCP Timestamps Information Disclosure
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: 2023-12-15T16:10:08Z

References
url: https://datatracker.ietf.org/doc/html/rfc1323
url: https://datatracker.ietf.org/doc/html/rfc7323
url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d
↪ownload/details.aspx?id=9152
url: https://www.fortiguard.com/psirt/FG-IR-16-090

[return to 185.199.111.153]

2.3.2 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

References
```
cve: CVE-1999-0524
url: https://datatracker.ietf.org/doc/html/rfc792
url: https://datatracker.ietf.org/doc/html/rfc2780
cert-bund: CB-K15/1514
cert-bund: CB-K14/0632
dfn-cert: DFN-CERT-2014-0658
```

[return to 185.199.111.153]

2.3.3 Log 443/tcp

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Header Name              | Header Value
-----------------------------------------
Strict-Transport-Security | max-age=31556952
Missing Headers                   | More Information
-------------------------------------------------------------------------------
↪-------------------------------------------------------------------------------
↪-------------------------------------------------------------------------------
↪----------
Content-Security-Policy           | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy        | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                   | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Expect-CT                         | https://owasp.org/www-project-secure-headers
↪/#expect-ct, Note: This is an upcoming header
Feature-Policy                    | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Public-Key-Pins                   | Please check the output of the VTs including
↪ 'SSL/TLS:' and 'HPKP' in their name for more information and configuration he
↪lp. Note: Most major browsers have dropped / deprecated support for this heade
↪r in 2020.
Referrer-Policy                   | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
```

... continues on next page ...

... continued from previous page ...

```
Sec-Fetch-Site                  | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                  | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options          | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options                 | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

Log Method
Details: HTTP Security Headers Detection
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: 2025-03-21T15:40:43Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-secure-headers/#div-headers
url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result
It was possible to enumerate the following HTTP server banner(s):

```
Server banner   | Enumeration technique
--------------------------------------------------------------------------------
Server: Varnish | Valid HTTP 1.1 GET request (with extended headers) to '/'
```

Solution:

... continues on next page ...

... continued from previous page ...

Log Method
Details: `HTTP Server Banner Enumeration`
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote HTTP Server banner is:
Server: GitHub.com
```

Solution:

Log Method
Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: HTTP TRACE Method Enabled

Summary
Transparent or reverse HTTP proxies may be implement on some sites.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
```
The GET method revealed those proxies on the way to this web server :
HTTP/1.1     varnish
```

Solution:

Log Method
Details: `HTTP TRACE Method Enabled`
OID:1.3.6.1.4.1.25623.1.0.11040

... continues on next page ...

... continued from previous page ...

Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
A TLScustom server answered on this port

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: Services
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
A web server is running on this port through SSL

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

... continues on next page ...

... continued from previous page ...

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`An HTTP proxy is running on this port through SSL`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: SSL/TLS: 'includeSubDomains' Missing in HSTS Header

Summary
The remote web server is missing the 'includeSubDomains' attribute in the HTTP Strict Transport Security (HSTS) header.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote web server is missing the "includeSubDomains" attribute in the HSTS h
↪eader.
HSTS Header:
Strict-Transport-Security: max-age=31556952
```

Solution:

... continues on next page ...

... continued from previous page ...

Solution type: Workaround
Add the 'includeSubDomains' attribute to the HSTS header.

Log Method
Details: SSL/TLS: ‘includeSubDomains‘ Missing in HSTS Header
OID:1.3.6.1.4.1.25623.1.0.105877
Version used: 2024-02-08T05:05:59Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transpor
↪t_Security_Cheat_Sheet.html
url: https://owasp.org/www-project-secure-headers/#http-strict-transport-securit
↪y-hsts
url: https://tools.ietf.org/html/rfc6797
url: https://securityheaders.io/

Log (CVSS: 0.0)
NVT: SSL/TLS: ‘preload‘ Missing in HSTS Header

Summary
The remote web server is missing the 'preload' attribute in the HTTP Strict Transport Security (HSTS) header.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The remote web server is missing the "preload" attribute in the HSTS header.
HSTS Header:
Strict-Transport-Security: max-age=31556952

Solution:
Solution type: Workaround
Submit the domain to the 'HSTS preload list' and add the 'preload' attribute to the HSTS header.

Log Method
Details: SSL/TLS: ‘preload‘ Missing in HSTS Header
OID:1.3.6.1.4.1.25623.1.0.105878
Version used: 2024-02-08T05:05:59Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transpor

... continues on next page ...

... continued from previous page ...

```
↪t_Security_Cheat_Sheet.html
url: https://owasp.org/www-project-secure-headers/#http-strict-transport-securit
↪y-hsts
url: https://tools.ietf.org/html/rfc6797
url: https://hstspreload.appspot.com/
url: https://securityheaders.io/
```

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details

Summary
This script collects and reports the details of all SSL/TLS certificates.
This data will be used by other tests to verify server certificates.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
The following certificate details of the remote service were collected.
Certificate details:
fingerprint (SHA-1)             | 142D52A3ECDBFE52FFF89966A8A744D171998BCB
fingerprint (SHA-256)           | F2F9A159CE50A0A168B3EAEAF2FCED5ADDD49BA38E2BF6
↪3248F057A139FC7856
issued by                       | CN=YR1,O=Let's Encrypt,C=US
public key algorithm            | RSA
public key size (bits)          | 2048
serial                          | 06A65E5D3279BA564A4DE74EB5D64478DBB8
signature algorithm             | sha256WithRSAEncryption
subject                         | CN=*.github.io
subject alternative names (SAN) | *.github.com, *.github.io, *.githubusercontent
↪.com, github.com, github.io, githubusercontent.com
valid from                      | 2026-09-30 23:44:46 UTC
valid until                     | 2026-12-29 23:44:45 UTC
```

Solution:

Log Method
Details: SSL/TLS: Collect and Report Certificate Details
OID:1.3.6.1.4.1.25623.1.0.103692
Version used: 2026-04-17T15:51:27Z

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing

Summary

... continues on next page ...

... continued from previous page ...

The remote web server is not enforcing HTTP Public Key Pinning (HPKP).
Note: Most major browsers have dropped / deprecated support for this header in 2020.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote web server is not enforcing HPKP.
HTTP-Banner:
HTTP/1.1 200 OK
Connection: close
Content-Length: ***replaced***
Server: GitHub.com
Content-Type: text/html; charset=utf-8
Last-Modified: ***replaced***
Access-Control-Allow-Origin: *
Strict-Transport-Security: max-age=31556952
ETag: "***replaced***"
expires: ***replaced***
Cache-Control: max-age=600
x-proxy-cache: MISS
X-GitHub-Request-Id: CBFA:1E0307:122C94:13BE99:6AE0408F
x-github-edge-region: iad
Accept-Ranges: bytes
Date: ***replaced***
Via: 1.1 varnish
Age: 17
X-Served-By: cache-pdk-kfty8610035-PDK
X-Cache: HIT
X-Cache-Hits: 1
X-Timer: S1793081505.815338,VS0,VE2
Vary: Accept-Encoding
X-Fastly-Request-ID: 89b4bd03bb13cfc643667f19c2496c1f08493856
```

Solution:
Solution type: Workaround
Enable HPKP or add / configure the required directives correctly following the guides linked in the references.
Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code.
- Apache: Use 'Header always set' instead of 'Header set'.
- nginx: Append the 'always' keyword to each 'add_header' directive.
For different applications or web severs please refer to the related documentation for a similar configuration possibility.

Log Method

... continues on next page ...

... continued from previous page ...

Details: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing
OID:1.3.6.1.4.1.25623.1.0.108247
Version used: 2025-03-21T15:40:43Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-secure-headers/#public-key-pinning-extension-
↪for-http-hpkp
url: https://tools.ietf.org/html/rfc7469
url: https://securityheaders.io/
url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header
url: https://nginx.org/en/docs/http/ngx_http_headers_module.html#add_header

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Strict Transport Security (HSTS) Detection

Summary
Checks if the remote web server has HTTP Strict Transport Security (HSTS) enabled.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The remote web server is sending the "HTTP Strict-Transport-Security" header.
HSTS-Header:
Strict-Transport-Security: max-age=31556952

Solution:

Log Method
Details: SSL/TLS: HTTP Strict Transport Security (HSTS) Detection
OID:1.3.6.1.4.1.25623.1.0.105876
Version used: 2024-09-27T05:05:23Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transpor
↪t_Security_Cheat_Sheet.html
url: https://owasp.org/www-project-secure-headers/#http-strict-transport-securit
↪y-hsts
url: https://tools.ietf.org/html/rfc6797
url: https://securityheaders.io/

Log (CVSS: 0.0)
NVT: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection

Summary
This routine identifies services supporting the following extensions to TLS:
- Application-Layer Protocol Negotiation (ALPN)
- Next Protocol Negotiation (NPN).
Based on the availability of this extensions the supported Network Protocols by this service are gathered and reported.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote service advertises support for the following Network Protocol(s) via
↪the ALPN extension:
SSL/TLS Protocol:Network Protocol
TLSv1.2:HTTP/1.1
TLSv1.2:HTTP/2
```

Solution:

Log Method
Details: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection
OID:1.3.6.1.4.1.25623.1.0.108099
Version used: 2024-09-27T05:05:23Z

References
```
url: https://tools.ietf.org/html/rfc7301
url: https://tools.ietf.org/html/draft-agl-tls-nextprotoneg-04
```

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites

Product detection result
```
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)
```

Summary
This routine reports all Medium SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result
```
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:
```

... continues on next page ...

... continued from previous page ...

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_GCM_SHA256
'Medium' cipher suites accepted by this service via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256

Solution:

Vulnerability Insight
Any cipher suite considered to be secure for only the next 10 years is considered as medium.

Log Method
Details: SSL/TLS: Report Medium Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.902816
Version used: 2024-09-27T05:05:23Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary
This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result
'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256
'Non Weak' cipher suites accepted by this service via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256

... continues on next page ...

... continued from previous page ...

TLS_AES_256_GCM_SHA384
TLS_CHACHA20_POLY1305_SHA256

Solution:

Log Method
Details: SSL/TLS: Report Non Weak Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.103441
Version used: 2024-09-27T05:05:23Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary
This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).

Quality of Detection (QoD): 98%

Vulnerability Detection Result
Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv
↪ice via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256
Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv
↪ice via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256
TLS_AES_256_GCM_SHA384
TLS_CHACHA20_POLY1305_SHA256

Solution:

... continues on next page ...

... continued from previous page ...

Log Method
Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.105018
Version used: 2026-03-13T05:54:58Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites

Summary
This routine reports all SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
'Strong' cipher suites accepted by this service via the TLSv1.2 protocol:
KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), x25519
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_GCM_SHA256
No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol.
'Strong' cipher suites accepted by this service via the TLSv1.3 protocol:
KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), x25519, X25519MLKEM7
↪68 (PQC)
PQC KEX groups: X25519MLKEM768
TLS_AES_256_GCM_SHA384
TLS_CHACHA20_POLY1305_SHA256
'Medium' cipher suites accepted by this service via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256
No 'Weak' cipher suites accepted by this service via the TLSv1.3 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.3 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.3 protocol.
Server Key Exchange Group(s):
TLSv1.3  128 bits  secp256r1 (NIST P-256)
TLSv1.3  192 bits  secp384r1 (NIST P-384)
TLSv1.3  128 bits  x25519
TLSv1.3  192 bits  X25519MLKEM768
```

... continues on next page ...

... continued from previous page ...

```
TLSv1.2  128 bits  secp256r1 (NIST P-256)
TLSv1.2  192 bits  secp384r1 (NIST P-384)
TLSv1.2  128 bits  x25519
PQC KEX group(s): TLSv1.3 X25519MLKEM768
Post Quantum Key Exchange algorithms:
TLSv1.3  192 bits  X25519MLKEM768
```

Solution:

Vulnerability Insight
Notes:
- As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead.
- SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.

Log Method
Details: `SSL/TLS: Report Supported Cipher Suites`
OID:1.3.6.1.4.1.25623.1.0.802067
Version used: `2026-03-13T05:54:58Z`

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status

Summary
Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
Protocol Version | Safe/Secure Renegotiation Support Status
-------------------------------------------------------------------------------
↪-------------------------------------------------------------------------------
↪-----------------------------------
SSLv3            | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.0          | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.1          | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.2          | Enabled, Note: While the remote service announces the support
↪ of safe/secure renegotiation it still might not support / accept renegotiatio
```

... continues on next page ...

... continued from previous page ...

```
↪n at all.
TLSv1.3          | Disabled (The TLSv1.3 protocol generally doesn't support rene
↪gotiation so this is always reported as 'Disabled')
```

Solution:

Log Method
Details: `SSL/TLS: Safe/Secure Renegotiation Support Status`
OID:1.3.6.1.4.1.25623.1.0.117757
Version used: `2026-03-13T05:54:58Z`

References
`url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html`
`url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation`
`url: https://datatracker.ietf.org/doc/html/rfc5746`

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection

Summary
Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote SSL/TLS service supports the following SSL/TLS protocol version(s):
TLSv1.2
TLSv1.3
```

Solution:

Log Method
Sends multiple SSL/TLS client hello messages to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the received SSL/TLS server hello message.
Notes:
- The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers.
- Additional debug logging can be enabled by setting the preferences 'Log verbosity' to 'Debug' and 'Debug level' to '1' within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288). The relevant logs will end up in the scanner log file.
Details: `SSL/TLS: Version Detection`
OID:1.3.6.1.4.1.25623.1.0.105782
Version used: `2026-05-22T06:54:41Z`

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The Hostname/IP "u77w41.github.io" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
https://u77w41.github.io/
https://u77w41.github.io/anurup
https://u77w41.github.io/anurup/background-removal
https://u77w41.github.io/anurup/crop-rotate
https://u77w41.github.io/anurup/format-converter
https://u77w41.github.io/anurup/passport-photo
https://u77w41.github.io/anurup/pdf-compressor
https://u77w41.github.io/anurup/pdf-merger
https://u77w41.github.io/anurup/pdf-page-manager
https://u77w41.github.io/anurup/pdf-sign
https://u77w41.github.io/anurup/pdf-splitter
https://u77w41.github.io/anurup/pdf-stamp
https://u77w41.github.io/anurup/pdf-to-images
https://u77w41.github.io/anurup/pdf-unlock
```

... continues on next page ...

... continued from previous page ...

https://u77w41.github.io/anurup/pdf-viewer
https://u77w41.github.io/anurup/signature-cleaner
https://u77w41.github.io/anurup/size-targeter
https://u77w41.github.io/archives
https://u77w41.github.io/categories/data-mining
https://u77w41.github.io/categories/deep-learning
https://u77w41.github.io/categories/machine-learning
https://u77w41.github.io/categories/open-source
https://u77w41.github.io/categories/power-bi
https://u77w41.github.io/categories/web-tools
https://u77w41.github.io/certificates
https://u77w41.github.io/links
https://u77w41.github.io/p/analysis-on-complete-works-of-swami-vivekananda
https://u77w41.github.io/p/anurup
https://u77w41.github.io/p/brain-tumour-classification
https://u77w41.github.io/p/forecasting-and-anomaly-detection
https://u77w41.github.io/p/nsescraper
https://u77w41.github.io/p/paris-summer-olympic-games-2024-dashboard
https://u77w41.github.io/p/starbucks-drinks-dashboard
https://u77w41.github.io/p/visualizing-microsoft-adventureworks-data
https://u77w41.github.io/page
https://u77w41.github.io/publications
https://u77w41.github.io/resume
https://u77w41.github.io/scss
https://u77w41.github.io/search
https://u77w41.github.io/support-my-work
https://u77w41.github.io/support-my-work/assets
https://u77w41.github.io/tags/anomaly-detection
https://u77w41.github.io/tags/computer-vision
https://u77w41.github.io/tags/dashboard
https://u77w41.github.io/tags/data-analytics
https://u77w41.github.io/tags/data-mining
https://u77w41.github.io/tags/data-visualization
https://u77w41.github.io/tags/deep-learning
https://u77w41.github.io/tags/eda
https://u77w41.github.io/tags/machine-learning
https://u77w41.github.io/tags/pdf
https://u77w41.github.io/tags/power-bi
https://u77w41.github.io/tags/privacy
https://u77w41.github.io/tags/pwa
https://u77w41.github.io/tags/react
https://u77w41.github.io/tags/regression
https://u77w41.github.io/tags/statistics
https://u77w41.github.io/tags/stock-market
https://u77w41.github.io/tags/text-analysis
https://u77w41.github.io/tags/text-mining
https://u77w41.github.io/tags/time-series

... continues on next page ...

... continued from previous page ...

```
https://u77w41.github.io/tags/web-scraping
https://u77w41.github.io/tags/webassembly
https://u77w41.github.io/ts
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following directories were excluded from web application scanning because th
↪e "Regex pattern to exclude directories from CGI scanning" setting of the VT "
↪Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was
↪: "/(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graph
↪ic|grafik|picture|bilder|thumbnail|media/|skins?/)"
https://u77w41.github.io/anurup/image-compressor
https://u77w41.github.io/anurup/image-to-pdf
https://u77w41.github.io/img
https://u77w41.github.io/tags/image-classification
https://u77w41.github.io/tags/image-processing
The following CGIs were discovered:
Syntax : cginame (arguments [default value])
https://u77w41.github.io/anurup/ (c [photo] )
```

Solution:

Log Method
Details: `Web Application Scanning Consolidation / Info Reporting`
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: `2026-02-24T05:57:09Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

[return to 185.199.111.153]

2.3.4 Log 80/tcp

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`It was possible to enumerate the following HTTP server banner(s):`

... continues on next page ...

... continued from previous page ...

```
Server banner   | Enumeration technique
--------------------------------------------------------------------------------
Server: Varnish | Valid HTTP 1.1 GET request (with extended headers) to '/'
```

Solution:

Log Method
Details: `HTTP Server Banner Enumeration`
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: HTTP TRACE Method Enabled

Summary
Transparent or reverse HTTP proxies may be implement on some sites.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The GET method revealed those proxies on the way to this web server :
HTTP/1.1      varnish
```

Solution:

Log Method
Details: `HTTP TRACE Method Enabled`
OID:1.3.6.1.4.1.25623.1.0.11040
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: Response Time / No 404 Error Code Check

Summary
This VT tests if the remote web server does not reply with a 404 error code and checks if it is replying to the scanners requests in a reasonable amount of time.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The host returns a 30x (e.g. 301) error code when a non-existent file is request
↪ed. Some HTTP-related checks have been disabled.
```

... continues on next page ...

... continued from previous page ...

Solution:

Vulnerability Insight
This web server might show the following issues:
- it is [mis]configured in that it does not return '404 Not Found' error codes when a non-existent file is requested, perhaps returning a site map, search page, authentication page or redirect instead.
The Scanner might enabled some counter measures for that, however they might be insufficient. If a great number of security issues are reported for this port, they might not all be accurate.
- it doesn't response in a reasonable amount of time to various HTTP requests sent by this VT. In order to keep the scan total time to a reasonable amount, the remote web server might not be tested. If the remote server should be tested it has to be fixed to have it reply to the scanners requests in a reasonable amount of time.
Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.

Log Method
Details: `Response Time / No 404 Error Code Check`
OID:1.3.6.1.4.1.25623.1.0.10386
Version used: `2025-04-11T15:45:04Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`An HTTP proxy is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The Hostname/IP "u77w41.github.io" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
```

... continues on next page ...

... continued from previous page ...

```
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
http://u77w41.github.io/
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
```

Solution:

Log Method
Details: Web Application Scanning Consolidation / Info Reporting
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: 2026-02-24T05:57:09Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 185.199.111.153]

2.3.5 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Hostname determination for IP 185.199.111.153:
Hostname|Source
u77w41.github.io|Forward-DNS
```

Solution:

... continues on next page ...

... continued from previous page ...

Log Method
Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: nginx Detection Consolidation

Summary
Consolidation of Nginx detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Detected Nginx
Version:       unknown
Location:      80/tcp
CPE:           cpe:/a:nginx:nginx
Concluded from version/product identification result:
<hr><center>nginx</center>
Concluded from version/product identification location:
http://u77w41.github.io/
```

Solution:

Log Method
Details: `nginx Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.113787
Version used: `2026-06-18T07:15:20Z`

References
`url: https://nginx.org`
`url: https://www.f5.com/products/nginx`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.

... continues on next page ...

... continued from previous page ...

If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Linux Kernel
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.102002 (Operating System (OS) Detection (ICM
↪P))
Concluded from ICMP based OS fingerprint
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method

Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-10-20T05:48:09Z

References

url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: SSL/TLS: Hostname discovery from server certificate

Summary

It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
The following additional and resolvable hostnames were detected:
github.io
The following additional and resolvable hostnames pointing to a different host i
↪p were detected:
github.com
The following additional but not resolvable hostnames were detected:
githubusercontent.com
```

Solution:

... continues on next page ...

... continued from previous page ...

Log Method
Details: `SSL/TLS: Hostname discovery from server certificate`
OID:1.3.6.1.4.1.25623.1.0.111010
Version used: `2021-11-22T15:32:39Z`

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Network route from scanner (172.18.0.8) to target (185.199.111.153):
172.18.0.8
10.0.2.1
10.204.5.191
10.204.35.54
10.204.64.37
74.207.239.105
23.203.144.38
23.192.0.106
23.192.0.115
140.248.126.226
185.199.111.153
Network distance between scanner and target: 11
```

Solution:

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `2022-10-17T11:13:19Z`

Log (CVSS: 0.0)
NVT: Unknown OS and Service Banner Reporting

Summary
This VT consolidates and reports the information collected by the following VTs:
- Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154)
- Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286)
- Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525)
- OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937)
If you know any of the information reported here, please send the full output to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Unknown banners have been collected which might help to identify the OS running
↪on this host. If these banners containing information about the host OS please
↪ report the following information to https://forum.greenbone.net/c/vulnerabili
↪ty-tests/7:
Banner: Server: GitHub.com
Identified from: HTTP Server banner on port 443/tcp
Banner: Server: GitHub.com
Identified from: HTTP Server banner on port 80/tcp
```

Solution:

Log Method
Details: Unknown OS and Service Banner Reporting
OID:1.3.6.1.4.1.25623.1.0.108441
Version used: 2023-06-22T10:34:15Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 185.199.111.153]

2.3.6 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background:

. . . continues on next page . . .

... continued from previous page ...

After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
185.199.111.153|cpe:/a:f5:nginx
185.199.111.153|cpe:/a:ietf:transport_layer_security:1.2
185.199.111.153|cpe:/a:ietf:transport_layer_security:1.3
185.199.111.153|cpe:/a:nginx:nginx
185.199.111.153|cpe:/o:linux:kernel

Solution:

Log Method
Details: CPE Inventory
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: 2022-07-27T10:11:28Z

References
url: https://nvd.nist.gov/products/cpe

[return to 185.199.111.153]

2.4 185.199.109.153

Host scan start Tue Oct 27 06:10:56 2026 UTC
Host scan end Tue Oct 27 07:48:16 2026 UTC

Service (Port)	Threat Level
general/icmp	Low
general/tcp	Low
80/tcp	Log
general/CPE-T	Log
general/tcp	Log
443/tcp	Log

2.4.1 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

... continues on next page ...

... continued from previous page ...

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

References
```
cve: CVE-1999-0524
url: https://datatracker.ietf.org/doc/html/rfc792
url: https://datatracker.ietf.org/doc/html/rfc2780
cert-bund: CB-K15/1514
cert-bund: CB-K14/0632
dfn-cert: DFN-CERT-2014-0658
```

[return to 185.199.109.153]

2.4.2 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 3284849058
Packet 2: 881168972
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled'
Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
```
url: https://datatracker.ietf.org/doc/html/rfc1323
url: https://datatracker.ietf.org/doc/html/rfc7323
url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d
↪ownload/details.aspx?id=9152
url: https://www.fortiguard.com/psirt/FG-IR-16-090
```

[return to 185.199.109.153]

2.4.3 Log 80/tcp

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner   | Enumeration technique
--------------------------------------------------------------------------------
Server: Varnish | Valid HTTP 1.1 GET request (with extended headers) to '/'
```

Solution:

Log Method
Details: HTTP Server Banner Enumeration
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: HTTP TRACE Method Enabled

Summary
Transparent or reverse HTTP proxies may be implement on some sites.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The GET method revealed those proxies on the way to this web server :
HTTP/1.1     varnish
```

Solution:

Log Method
Details: HTTP TRACE Method Enabled
OID:1.3.6.1.4.1.25623.1.0.11040
Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: Response Time / No 404 Error Code Check

Summary
This VT tests if the remote web server does not reply with a 404 error code and checks if it is replying to the scanners requests in a reasonable amount of time.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`The host returns a 30x (e.g. 301) error code when a non-existent file is request ↪ed. Some HTTP-related checks have been disabled.`

Solution:

Vulnerability Insight
This web server might show the following issues:
- it is [mis]configured in that it does not return '404 Not Found' error codes when a non-existent file is requested, perhaps returning a site map, search page, authentication page or redirect instead.
The Scanner might enabled some counter measures for that, however they might be insufficient. If a great number of security issues are reported for this port, they might not all be accurate.
- it doesn't response in a reasonable amount of time to various HTTP requests sent by this VT. In order to keep the scan total time to a reasonable amount, the remote web server might not be tested. If the remote server should be tested it has to be fixed to have it reply to the scanners requests in a reasonable amount of time.
Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.

Log Method
Details: `Response Time / No 404 Error Code Check`
OID:1.3.6.1.4.1.25623.1.0.10386
Version used: `2025-04-11T15:45:04Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port`

Solution:

. . . continues on next page . . .

... continued from previous page ...

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`An HTTP proxy is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)

... continues on next page ...

... continued from previous page ...

- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Hostname/IP "u77w41.github.io" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
http://u77w41.github.io/
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
```

Solution:

Log Method

Details: Web Application Scanning Consolidation / Info Reporting
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: 2026-02-24T05:57:09Z

References

url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 185.199.109.153]

2.4.4 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
185.199.109.153|cpe:/a:f5:nginx
185.199.109.153|cpe:/a:ietf:transport_layer_security:1.2
185.199.109.153|cpe:/a:ietf:transport_layer_security:1.3
185.199.109.153|cpe:/a:nginx:nginx
185.199.109.153|cpe:/o:linux:kernel

Solution:

Log Method
Details: CPE Inventory
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: 2022-07-27T10:11:28Z

References
url: https://nvd.nist.gov/products/cpe

[return to 185.199.109.153]

2.4.5 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Hostname determination for IP 185.199.109.153:
Hostname|Source
u77w41.github.io|Forward-DNS

... continues on next page ...

... continued from previous page ...

Solution:

Log Method
Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: nginx Detection Consolidation

Summary
Consolidation of Nginx detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Detected Nginx
Version:       unknown
Location:      80/tcp
CPE:           cpe:/a:nginx:nginx
Concluded from version/product identification result:
<hr><center>nginx</center>
Concluded from version/product identification location:
http://u77w41.github.io/
```

Solution:

Log Method
Details: `nginx Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.113787
Version used: `2026-06-18T07:15:20Z`

References
`url: https://nginx.org`
`url: https://www.f5.com/products/nginx`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.

... continues on next page ...

... continued from previous page ...

Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Linux Kernel
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.102002 (Operating System (OS) Detection (ICM
↪P))
Concluded from ICMP based OS fingerprint
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method
Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-10-20T05:48:09Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: SSL/TLS: Hostname discovery from server certificate

Summary
It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
The following additional and resolvable hostnames pointing to a different host i
↪p were detected:
github.com
github.io
The following additional but not resolvable hostnames were detected:
githubusercontent.com
```

Solution:

... continues on next page ...

... continued from previous page ...

Log Method
Details: SSL/TLS: Hostname discovery from server certificate
OID:1.3.6.1.4.1.25623.1.0.111010
Version used: 2021-11-22T15:32:39Z

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Network route from scanner (172.18.0.8) to target (185.199.109.153):
172.18.0.8
10.0.2.1
10.204.5.191
10.204.35.53
10.204.64.37
74.207.239.106
23.203.144.38
23.192.0.88
23.192.0.95
140.248.126.108
185.199.109.153
Network distance between scanner and target: 11

Solution:

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: Traceroute
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: 2022-10-17T11:13:19Z

Log (CVSS: 0.0)
NVT: Unknown OS and Service Banner Reporting

Summary
This VT consolidates and reports the information collected by the following VTs:
- Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154)
- Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286)
- Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525)
- OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937)
If you know any of the information reported here, please send the full output to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Unknown banners have been collected which might help to identify the OS running
↪on this host. If these banners containing information about the host OS please
↪ report the following information to https://forum.greenbone.net/c/vulnerabili
↪ty-tests/7:
Banner: Server: GitHub.com
Identified from: HTTP Server banner on port 443/tcp
Banner: Server: GitHub.com
Identified from: HTTP Server banner on port 80/tcp
```

Solution:

Log Method
Details: `Unknown OS and Service Banner Reporting`
OID:1.3.6.1.4.1.25623.1.0.108441
Version used: `2023-06-22T10:34:15Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

[return to 185.199.109.153]

2.4.6 Log 443/tcp

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

. . . continues on next page . . .

... continued from previous page ...

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Header Name                | Header Value
-----------------------------------------
Strict-Transport-Security | max-age=31556952
Missing Headers                    | More Information
-------------------------------------------------------------------------------
↪-------------------------------------------------------------------------------
↪-------------------------------------------------------------------------------
↪----------
Content-Security-Policy            | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy       | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy         | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy       | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                    | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Expect-CT                          | https://owasp.org/www-project-secure-headers
↪/#expect-ct, Note: This is an upcoming header
Feature-Policy                     | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                 | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Public-Key-Pins                    | Please check the output of the VTs including
↪ 'SSL/TLS:' and 'HPKP' in their name for more information and configuration he
↪lp. Note: Most major browsers have dropped / deprecated support for this heade
↪r in 2020.
Referrer-Policy                    | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                     | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                     | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                     | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                     | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
```

... continues on next page ...

... continued from previous page ...

```
X-Content-Type-Options            | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options                   | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                  | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

Log Method
Details: HTTP Security Headers Detection
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: 2025-03-21T15:40:43Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-secure-headers/#div-headers
url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner   | Enumeration technique
--------------------------------------------------------------------------------
Server: Varnish | Valid HTTP 1.1 GET request (with extended headers) to '/'
```

Solution:

Log Method
Details: HTTP Server Banner Enumeration
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote HTTP Server banner is:
Server: GitHub.com
```

Solution:

Log Method
Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: HTTP TRACE Method Enabled

Summary
Transparent or reverse HTTP proxies may be implement on some sites.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
```
The GET method revealed those proxies on the way to this web server :
HTTP/1.1     varnish
```

Solution:

Log Method
Details: `HTTP TRACE Method Enabled`
OID:1.3.6.1.4.1.25623.1.0.11040
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

. . . continues on next page . . .

... continued from previous page ...

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A TLScustom server answered on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port through SSL`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`An HTTP proxy is running on this port through SSL`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: SSL/TLS: ‘includeSubDomains‘ Missing in HSTS Header

Summary
The remote web server is missing the ’includeSubDomains’ attribute in the HTTP Strict Transport Security (HSTS) header.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote web server is missing the "includeSubDomains" attribute in the HSTS h
↪eader.
HSTS Header:
Strict-Transport-Security: max-age=31556952
```

Solution:
Solution type: Workaround
Add the ’includeSubDomains’ attribute to the HSTS header.

Log Method
Details: `SSL/TLS: ‘includeSubDomains‘ Missing in HSTS Header`
OID:1.3.6.1.4.1.25623.1.0.105877

. . . continues on next page . . .

... continued from previous page ...

Version used: 2024-02-08T05:05:59Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transpor
↪t_Security_Cheat_Sheet.html
url: https://owasp.org/www-project-secure-headers/#http-strict-transport-securit
↪y-hsts
url: https://tools.ietf.org/html/rfc6797
url: https://securityheaders.io/

Log (CVSS: 0.0)
NVT: SSL/TLS: 'preload' Missing in HSTS Header

Summary
The remote web server is missing the 'preload' attribute in the HTTP Strict Transport Security (HSTS) header.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The remote web server is missing the "preload" attribute in the HSTS header.
HSTS Header:
Strict-Transport-Security: max-age=31556952

Solution:
Solution type: Workaround
Submit the domain to the 'HSTS preload list' and add the 'preload' attribute to the HSTS header.

Log Method
Details: SSL/TLS: 'preload' Missing in HSTS Header
OID:1.3.6.1.4.1.25623.1.0.105878
Version used: 2024-02-08T05:05:59Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transpor
↪t_Security_Cheat_Sheet.html
url: https://owasp.org/www-project-secure-headers/#http-strict-transport-securit
↪y-hsts
url: https://tools.ietf.org/html/rfc6797
url: https://hstspreload.appspot.com/
url: https://securityheaders.io/

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details

Summary
This script collects and reports the details of all SSL/TLS certificates.
This data will be used by other tests to verify server certificates.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
The following certificate details of the remote service were collected.
Certificate details:
fingerprint (SHA-1)              | 142D52A3ECDBFE52FFF89966A8A744D171998BCB
fingerprint (SHA-256)            | F2F9A159CE50A0A168B3EAEAF2FCED5ADDD49BA38E2BF6
↪3248F057A139FC7856
issued by                        | CN=YR1,O=Let's Encrypt,C=US
public key algorithm             | RSA
public key size (bits)           | 2048
serial                           | 06A65E5D3279BA564A4DE74EB5D64478DBB8
signature algorithm              | sha256WithRSAEncryption
subject                          | CN=*.github.io
subject alternative names (SAN)  | *.github.com, *.github.io, *.githubusercontent
↪.com, github.com, github.io, githubusercontent.com
valid from                       | 2026-09-30 23:44:46 UTC
valid until                      | 2026-12-29 23:44:45 UTC
```

Solution:

Log Method
Details: SSL/TLS: Collect and Report Certificate Details
OID:1.3.6.1.4.1.25623.1.0.103692
Version used: 2026-04-17T15:51:27Z

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing

Summary
The remote web server is not enforcing HTTP Public Key Pinning (HPKP).
Note: Most major browsers have dropped / deprecated support for this header in 2020.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote web server is not enforcing HPKP.
HTTP-Banner:
HTTP/1.1 200 OK
```

. . . continues on next page . . .

... continued from previous page ...

```
Connection: close
Content-Length: ***replaced***
Server: GitHub.com
Content-Type: text/html; charset=utf-8
Last-Modified: ***replaced***
Access-Control-Allow-Origin: *
Strict-Transport-Security: max-age=31556952
ETag: "***replaced***"
expires: ***replaced***
Cache-Control: max-age=600
x-proxy-cache: MISS
X-GitHub-Request-Id: CBFA:1E0307:122C94:13BE99:6AE0408F
x-github-edge-region: iad
Accept-Ranges: bytes
Date: ***replaced***
Via: 1.1 varnish
Age: 17
X-Served-By: cache-pdk-kfty8610034-PDK
X-Cache: HIT
X-Cache-Hits: 5
X-Timer: S1793081505.280202,VS0,VE0
Vary: Accept-Encoding
X-Fastly-Request-ID: 622534c3cba0588e6fda8013b6666a27ae6059dd
```

Solution:
Solution type: Workaround
Enable HPKP or add / configure the required directives correctly following the guides linked in the references.
Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code.
- Apache: Use 'Header always set' instead of 'Header set'.
- nginx: Append the 'always' keyword to each 'add_header' directive.
For different applications or web severs please refer to the related documentation for a similar configuration possibility.

Log Method
Details: `SSL/TLS: HTTP Public Key Pinning (HPKP) Missing`
OID:1.3.6.1.4.1.25623.1.0.108247
Version used: `2025-03-21T15:40:43Z`

References
`url: https://owasp.org/www-project-secure-headers/`
`url: https://owasp.org/www-project-secure-headers/#public-key-pinning-extension-for-http-hpkp`
`url: https://tools.ietf.org/html/rfc7469`

... continues on next page ...

... continued from previous page ...

url: https://securityheaders.io/
url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header
url: https://nginx.org/en/docs/http/ngx_http_headers_module.html#add_header

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Strict Transport Security (HSTS) Detection

Summary
Checks if the remote web server has HTTP Strict Transport Security (HSTS) enabled.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The remote web server is sending the "HTTP Strict-Transport-Security" header.
HSTS-Header:
Strict-Transport-Security: max-age=31556952

Solution:

Log Method
Details: SSL/TLS: HTTP Strict Transport Security (HSTS) Detection
OID:1.3.6.1.4.1.25623.1.0.105876
Version used: 2024-09-27T05:05:23Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transpor
↪t_Security_Cheat_Sheet.html
url: https://owasp.org/www-project-secure-headers/#http-strict-transport-securit
↪y-hsts
url: https://tools.ietf.org/html/rfc6797
url: https://securityheaders.io/

Log (CVSS: 0.0)
NVT: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection

Summary
This routine identifies services supporting the following extensions to TLS:
- Application-Layer Protocol Negotiation (ALPN)
- Next Protocol Negotiation (NPN).
Based on the availability of this extensions the supported Network Protocols by this service are gathered and reported.

Quality of Detection (QoD): 80%

... continues on next page ...

... continued from previous page ...

Vulnerability Detection Result
The remote service advertises support for the following Network Protocol(s) via
↪the ALPN extension:
SSL/TLS Protocol:Network Protocol
TLSv1.2:HTTP/1.1
TLSv1.2:HTTP/2

Solution:

Log Method
Details: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection
OID:1.3.6.1.4.1.25623.1.0.108099
Version used: 2024-09-27T05:05:23Z

References
url: https://tools.ietf.org/html/rfc7301
url: https://tools.ietf.org/html/draft-agl-tls-nextprotoneg-04

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary
This routine reports all Medium SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_GCM_SHA256
'Medium' cipher suites accepted by this service via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256

Solution:

... continues on next page ...

... continued from previous page ...

Vulnerability Insight
Any cipher suite considered to be secure for only the next 10 years is considered as medium.

Log Method
Details: SSL/TLS: Report Medium Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.902816
Version used: 2024-09-27T05:05:23Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary
This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result
'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256
'Non Weak' cipher suites accepted by this service via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256
TLS_AES_256_GCM_SHA384
TLS_CHACHA20_POLY1305_SHA256

Solution:

Log Method
Details: SSL/TLS: Report Non Weak Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.103441
Version used: 2024-09-27T05:05:23Z

... continues on next page ...

... continued from previous page ...

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary
This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).

Quality of Detection (QoD): 98%

Vulnerability Detection Result
Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv
↪ice via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256
Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv
↪ice via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256
TLS_AES_256_GCM_SHA384
TLS_CHACHA20_POLY1305_SHA256

Solution:

Log Method
Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.105018
Version used: 2026-03-13T05:54:58Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security
Method: SSL/TLS: Report Supported Cipher Suites
OID: 1.3.6.1.4.1.25623.1.0.802067

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites

Summary
This routine reports all SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
'Strong' cipher suites accepted by this service via the TLSv1.2 protocol:
KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), x25519
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_GCM_SHA256
No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol.
'Strong' cipher suites accepted by this service via the TLSv1.3 protocol:
KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), x25519, X25519MLKEM7
↪68 (PQC)
PQC KEX groups: X25519MLKEM768
TLS_AES_256_GCM_SHA384
TLS_CHACHA20_POLY1305_SHA256
'Medium' cipher suites accepted by this service via the TLSv1.3 protocol:
TLS_AES_128_GCM_SHA256
No 'Weak' cipher suites accepted by this service via the TLSv1.3 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.3 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.3 protocol.
Server Key Exchange Group(s):
TLSv1.3  128 bits  secp256r1 (NIST P-256)
TLSv1.3  192 bits  secp384r1 (NIST P-384)
TLSv1.3  128 bits  x25519
TLSv1.3  192 bits  X25519MLKEM768
TLSv1.2  128 bits  secp256r1 (NIST P-256)
TLSv1.2  192 bits  secp384r1 (NIST P-384)
TLSv1.2  128 bits  x25519
PQC KEX group(s): TLSv1.3 X25519MLKEM768
Post Quantum Key Exchange algorithms:
TLSv1.3  192 bits  X25519MLKEM768
```

Solution:

Vulnerability Insight
Notes:

. . . continues on next page . . .

... continued from previous page ...

- As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead.
- SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.

Log Method
Details: SSL/TLS: Report Supported Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.802067
Version used: 2026-03-13T05:54:58Z

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status

Summary
Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

```
Protocol Version | Safe/Secure Renegotiation Support Status
-------------------------------------------------------------------------------
↪-------------------------------------------------------------------------------
↪-------------------------------------
SSLv3            | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.0          | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.1          | Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne
↪ction (Either the scanner or the remote host is probably not supporting / acce
↪pting this SSL/TLS protocol version).
TLSv1.2          | Enabled, Note: While the remote service announces the support
↪ of safe/secure renegotiation it still might not support / accept renegotiatio
↪n at all.
TLSv1.3          | Disabled (The TLSv1.3 protocol generally doesn't support rene
↪gotiation so this is always reported as 'Disabled')
```

Solution:

Log Method
Details: SSL/TLS: Safe/Secure Renegotiation Support Status
OID:1.3.6.1.4.1.25623.1.0.117757
Version used: 2026-03-13T05:54:58Z

... continues on next page ...

... continued from previous page ...

References
url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html
url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation
url: https://datatracker.ietf.org/doc/html/rfc5746

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection

Summary
Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The remote SSL/TLS service supports the following SSL/TLS protocol version(s):
TLSv1.2
TLSv1.3

Solution:

Log Method
Sends multiple SSL/TLS client hello messages to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the received SSL/TLS server hello message.
Notes:
- The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers.
- Additional debug logging can be enabled by setting the preferences 'Log verbosity' to 'Debug' and 'Debug level' to '1' within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288). The relevant logs will end up in the scanner log file.
Details: SSL/TLS: Version Detection
OID:1.3.6.1.4.1.25623.1.0.105782
Version used: 2026-05-22T06:54:41Z

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)

... continues on next page ...

... continued from previous page ...

- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Hostname/IP "u77w41.github.io" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
https://u77w41.github.io/
https://u77w41.github.io/anurup
https://u77w41.github.io/anurup/background-removal
https://u77w41.github.io/anurup/crop-rotate
https://u77w41.github.io/anurup/format-converter
https://u77w41.github.io/anurup/passport-photo
https://u77w41.github.io/anurup/pdf-compressor
https://u77w41.github.io/anurup/pdf-merger
https://u77w41.github.io/anurup/pdf-page-manager
https://u77w41.github.io/anurup/pdf-sign
https://u77w41.github.io/anurup/pdf-splitter
https://u77w41.github.io/anurup/pdf-stamp
https://u77w41.github.io/anurup/pdf-to-images
https://u77w41.github.io/anurup/pdf-unlock
https://u77w41.github.io/anurup/pdf-viewer
https://u77w41.github.io/anurup/signature-cleaner
https://u77w41.github.io/anurup/size-targeter
https://u77w41.github.io/archives
https://u77w41.github.io/categories/data-mining
https://u77w41.github.io/categories/deep-learning
https://u77w41.github.io/categories/machine-learning
https://u77w41.github.io/categories/open-source
```

... continues on next page ...

... continued from previous page ...

```
https://u77w41.github.io/categories/power-bi
https://u77w41.github.io/categories/web-tools
https://u77w41.github.io/certificates
https://u77w41.github.io/links
https://u77w41.github.io/p/analysis-on-complete-works-of-swami-vivekananda
https://u77w41.github.io/p/anurup
https://u77w41.github.io/p/brain-tumour-classification
https://u77w41.github.io/p/forecasting-and-anomaly-detection
https://u77w41.github.io/p/nsescraper
https://u77w41.github.io/p/paris-summer-olympic-games-2024-dashboard
https://u77w41.github.io/p/starbucks-drinks-dashboard
https://u77w41.github.io/p/visualizing-microsoft-adventureworks-data
https://u77w41.github.io/page
https://u77w41.github.io/publications
https://u77w41.github.io/resume
https://u77w41.github.io/scss
https://u77w41.github.io/search
https://u77w41.github.io/support-my-work
https://u77w41.github.io/support-my-work/assets
https://u77w41.github.io/tags/anomaly-detection
https://u77w41.github.io/tags/computer-vision
https://u77w41.github.io/tags/dashboard
https://u77w41.github.io/tags/data-analytics
https://u77w41.github.io/tags/data-mining
https://u77w41.github.io/tags/data-visualization
https://u77w41.github.io/tags/deep-learning
https://u77w41.github.io/tags/eda
https://u77w41.github.io/tags/machine-learning
https://u77w41.github.io/tags/pdf
https://u77w41.github.io/tags/power-bi
https://u77w41.github.io/tags/privacy
https://u77w41.github.io/tags/pwa
https://u77w41.github.io/tags/react
https://u77w41.github.io/tags/regression
https://u77w41.github.io/tags/statistics
https://u77w41.github.io/tags/stock-market
https://u77w41.github.io/tags/text-analysis
https://u77w41.github.io/tags/text-mining
https://u77w41.github.io/tags/time-series
https://u77w41.github.io/tags/web-scraping
https://u77w41.github.io/tags/webassembly
https://u77w41.github.io/ts
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following directories were excluded from web application scanning because th
↪e "Regex pattern to exclude directories from CGI scanning" setting of the VT "
```

... continues on next page ...

... continued from previous page ...

```
↪Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was
↪: "/(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graph
↪ic|grafik|picture|bilder|thumbnail|media/|skins?/)"
https://u77w41.github.io/anurup/image-compressor
https://u77w41.github.io/anurup/image-to-pdf
https://u77w41.github.io/img
https://u77w41.github.io/tags/image-classification
https://u77w41.github.io/tags/image-processing
The following CGIs were discovered:
Syntax : cginame (arguments [default value])
https://u77w41.github.io/anurup/ (c [photo] )
```

Solution:

Log Method
Details: `Web Application Scanning Consolidation / Info Reporting`
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: `2026-02-24T05:57:09Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

[return to 185.199.109.153]

2.5 2606:50c0:8000::153

Host scan start	Tue Oct 27 06:10:56 2026 UTC
Host scan end	Tue Oct 27 06:21:33 2026 UTC

Service (Port)	Threat Level
general/tcp	Log

2.5.1 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`Hostname determination for IP 2606:50c0:8000::153:`

... continues on next page ...

... continued from previous page ...

Hostname	Source
u77w41.github.io	Forward-DNS

Solution:

Log Method
Details: Hostname Determination Reporting
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: 2022-07-27T10:11:28Z

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
No Best matching OS identified. Please see the VT 'Unknown OS and Service Banner Reporting' (OID: 1.3.6.1.4.1.25623.1.0.108441) for possible ways to identify this OS.

Solution:

Log Method
Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-10-20T05:48:09Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 2606:50c0:8000::153]

2.6 2606:50c0:8001::153

Host scan start	Tue Oct 27 06:10:56 2026 UTC
Host scan end	Tue Oct 27 06:21:29 2026 UTC

Service (Port)	Threat Level
general/tcp	Log

2.6.1 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Hostname determination for IP 2606:50c0:8001::153:
Hostname|Source
u77w41.github.io|Forward-DNS
```

Solution:

Log Method
Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
No Best matching OS identified. Please see the VT 'Unknown OS and Service Banner
↪ Reporting' (OID: 1.3.6.1.4.1.25623.1.0.108441) for possible ways to identify
↪this OS.
```

Solution:

. . . continues on next page . . .

... continued from previous page ...

Log Method
Details: `OS Detection Consolidation and Reporting`
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: `2026-10-20T05:48:09Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

[return to 2606:50c0:8001::153]

2.7 2606:50c0:8002::153

Host scan start Tue Oct 27 06:10:56 2026 UTC
Host scan end Tue Oct 27 06:19:40 2026 UTC

Service (Port)	Threat Level
general/tcp	Log

2.7.1 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`Hostname determination for IP 2606:50c0:8002::153:`
`Hostname|Source`
`u77w41.github.io|Forward-DNS`

Solution:

Log Method
Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`No Best matching OS identified. Please see the VT 'Unknown OS and Service Banner ↪ Reporting' (OID: 1.3.6.1.4.1.25623.1.0.108441) for possible ways to identify ↪this OS.`

Solution:

Log Method
Details: `OS Detection Consolidation and Reporting`
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: `2026-10-20T05:48:09Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

[return to 2606:50c0:8002::153]

2.8 2606:50c0:8003::153

Host scan start	Tue Oct 27 06:10:56 2026 UTC
Host scan end	Tue Oct 27 06:21:36 2026 UTC

Service (Port)	Threat Level
general/tcp	Log

2.8.1 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

. . . continues on next page . . .

... continued from previous page ...

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Hostname determination for IP 2606:50c0:8003::153:
Hostname|Source
u77w41.github.io|Forward-DNS

Solution:

Log Method
Details: Hostname Determination Reporting
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: 2022-07-27T10:11:28Z

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
No Best matching OS identified. Please see the VT 'Unknown OS and Service Banner Reporting' (OID: 1.3.6.1.4.1.25623.1.0.108441) for possible ways to identify this OS.

Solution:

Log Method
Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-10-20T05:48:09Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 2606:50c0:8003::153]

This file was automatically generated.

HostedScan Free Trial Report