Principles of Programming Languages Compilation

Andrei Arusoaie[1]

[1]Department of Computer Science

Outline

Outline

Outline

What are compilers?

- Programs that *translate* (usually) high-level code into low-level code

What are compilers?

- Programs that *translate* (usually) high-level code into low-level code
- *source* code $\rightarrow$ *target* code

What are compilers?

- Programs that *translate* (usually) high-level code into low-level code
- *source* code $\rightarrow$ *target* code
- Compilers facilitate the work of the programmer: programmers focus only on the task to be solved rather than dealing with cumbersome low-level programming

Compilers short history

- When symbolic languages and assemblers appeared the programs needed to be translated into machine code

Compilers short history

- When symbolic languages and assemblers appeared the programs needed to be translated into machine code
- 1957, IBM: the first complete compiler of FORTRAN; portable on IBM computers.

Compilers short history

- When symbolic languages and assemblers appeared the programs needed to be translated into machine code
- 1957, IBM: the first complete compiler of FORTRAN; portable on IBM computers.
- Later, COBOL was compiled on multiple architectures thanks to standard specifications and sustained efforts of various organisations

Compilers short history

- When symbolic languages and assemblers appeared the programs needed to be translated into machine code
- 1957, IBM: the first complete compiler of FORTRAN; portable on IBM computers.
- Later, COBOL was compiled on multiple architectures thanks to standard specifications and sustained efforts of various organisations
- 1962, MIT: compiler for Lisp (although Lisp is known to be an interpreted language)
- 1970s: compilers for a languages started to be implemented in the same language

What compilers do?

- preprocessing, lexical analysis, parsing (+ disambiguation)

What compilers do?

- preprocessing, lexical analysis, parsing (+ disambiguation)
- semantical analysis (type inference, type checking, object binding, initialisations for local variables)

What compilers do?

- preprocessing, lexical analysis, parsing (+ disambiguation)
- semantical analysis (type inference, type checking, object binding, initialisations for local variables)
- control flow graph and corresponding analysis (dependencies, alias analysis, pointer analysis)

What compilers do?

- preprocessing, lexical analysis, parsing (+ disambiguation)
- semantical analysis (type inference, type checking, object binding, initialisations for local variables)
- control flow graph and corresponding analysis (dependencies, alias analysis, pointer analysis)
- optimisations: inline expansions, macros, dead code elimination, constant propagation, loop transformation, automatic paralellisation

What compilers do?

- preprocessing, lexical analysis, parsing (+ disambiguation)
- semantical analysis (type inference, type checking, object binding, initialisations for local variables)
- control flow graph and corresponding analysis (dependencies, alias analysis, pointer analysis)
- optimisations: inline expansions, macros, dead code elimination, constant propagation, loop transformation, automatic paralellisation
- code generation

What compilers do?

- preprocessing, lexical analysis, parsing (+ disambiguation)
- semantical analysis (type inference, type checking, object binding, initialisations for local variables)
- control flow graph and corresponding analysis (dependencies, alias analysis, pointer analysis)
- optimisations: inline expansions, macros, dead code elimination, constant propagation, loop transformation, automatic paralellisation
- code generation
- others: error handling, generation of debug information, linking

Compilers complexity

- Compilers are very complex and hard to implement

Compilers complexity

- Compilers are very complex and hard to implement
- Challenge: make sure that compilers generate programs that are equivalent with the intended behaviour of the compiled programs

Compilers complexity

- Compilers are very complex and hard to implement
- Challenge: make sure that compilers generate programs that are equivalent with the intended behaviour of the compiled programs
- Compilers can have bugs!
  - `https://web.cs.ucdavis.edu/~su/publications/issta16-compiler-bug-study.pdf`
  - Year 2016, found 39890 bugs in GCC, 12842 in LLVM
  - Most buggy code: C++ component

Compilers bugs

- The expression `(x == c1) || (x < c2)` is equivalent to x < c2 if `c1` and `c2` are constants and `c1` $\leq$ `c2`

Compilers bugs

- The expression `(x == c1) || (x < c2)` is equivalent to x < c2 if `c1` and `c2` are constants and `c1` $\leq$ `c2`
- LLVM bug: `(x == 0) || (x < -3)` was transformed into `(x < -3)` due to an unsigned comparison

Source: `https://www.cs.cornell.edu/courses/cs6120/2019fa/blog/bug-finding/`

Compilers bugs

- GCC: `https://gcc.gnu.org/bugs/`

Compilers bugs

- GCC: `https://gcc.gnu.org/bugs/`
- Apple, the `goto fail` bug: `https://www.synopsys.com/blogs/software-security/understanding-apple-goto-fail-vulnerability-2.html`

Compilers bugs

- GCC: `https://gcc.gnu.org/bugs/`
- Apple, the `goto fail` bug:
  `https://www.synopsys.com/blogs/software-security/understanding-apple-goto-fail-vulnerability-2.html`
- Visual Studio 2007, floating point division bug:
  `https://stackoverflow.com/questions/4282217/visual-c-weird-behavior-after-enabling-floating-rq=3`

Can theorem provers help?

- Interactive theorem provers: Coq, Isabelle

Can theorem provers help?

- Interactive theorem provers: Coq, Isabelle
- Why?

Can theorem provers help?

- Interactive theorem provers: Coq, Isabelle
- Why?
  - Mathematical proofs are often big and lacking details

Can theorem provers help?

- Interactive theorem provers: Coq, Isabelle
- Why?
  - Mathematical proofs are often big and lacking details
  - Proofs can be developed using computers

Can theorem provers help?

- Interactive theorem provers: Coq, Isabelle
- Why?
  - Mathematical proofs are often big and lacking details
  - Proofs can be developed using computers
  - Use a tool for handling all proof details

Can theorem provers help?

- Interactive theorem provers: Coq, Isabelle
- Why?
  - Mathematical proofs are often big and lacking details
  - Proofs can be developed using computers
  - Use a tool for handling all proof details
  - Make sure proofs are **exact** - computer checked

Can theorem provers help?

- Interactive theorem provers: Coq, Isabelle
- Why?
  - Mathematical proofs are often big and lacking details
  - Proofs can be developed using computers
  - Use a tool for handling all proof details
  - Make sure proofs are **exact** - computer checked
- These can be used to define compilers too and then prove properties about them!

Outline

Simple expressions in Coq

- Simple language of expressions - BNF:

```
Exp ::= Nat | Id | Exp "+" Exp | Exp "*" Exp
```

Simple expressions in Coq

- Simple language of expressions - BNF:

```
Exp ::= Nat | Id | Exp "+" Exp | Exp "*" Exp
```

- (Abstract) syntax can be defined using `Inductive`:

```
Inductive Exp :=
| const : nat -> Exp
| id : string -> Exp
| plus : Exp -> Exp -> Exp
| times : Exp -> Exp -> Exp.
```

Interpreter

- Expressions are interpreted in an environment, their interpretation being a value

Interpreter

- Expressions are interpreted in an environment, their interpretation being a value
- The interpretation function:

```
Fixpoint interpret (e : Exp)
           (sigma : Var -> nat) : nat :=
match e with
| const x => x
| id s => sigma s
| plus e1 e2=>(interpret e1 sigma)+(interpret e2 sigma)
| times e1 e2=>(interpret e1 sigma)*(interpret e2 sigma)
end.
```

Outline

Exercise: a stack machine

- Syntax:

```
Inductive Instruction :=
| push_const : nat -> Instruction
| push_var : Var -> Instruction
| add : Instruction
| mul : Instruction.
```

Exercise: a stack machine

- Semantics:

```
Fixpoint run_instruction (i : Instruction)
         (env : Var -> nat) (stack : list nat) :=
  match i with
  | push_const n => n :: stack
  | push_var v => (env v) :: stack
  | add => match stack with
           | n1 :: n2 :: s' => (n1 + n2) :: s'
           | _ => stack
           end
  | mul => match stack with
           | n1 :: n2 :: s' => (n1 * n2) :: s'
           | _ => stack
           end
  end.
```

Exercise: a stack machine

- Run instructions:

```
Fixpoint run (instr : list Instruction)
         (env : Var -> nat)
         (stack : list nat) : list nat :=
  match instr with
  | nil => stack
  | i :: is' => run is' env
                    (run_instruction i env stack)
  end.
```

Outline

Compile

- Compilation of `Exp` to the stack machine:

```
Fixpoint compile (e:Exp) : list Instruction :=
    match e with
    | const n => push_const n :: nil
    | id v => push_var v :: nil
    | plus e1 e2 => (compile e2) ++ (compile e1)
                    ++ (add :: nil)
    | times e1 e2 => (compile e2) ++ (compile e1)
                    ++ (mul :: nil)
    end.
```

Compilation results

- Compilation correct:

```
Theorem compilation_correct:
  forall e env,
    run (compile e) env nil =
    (interpret e env) :: nil.
```

Compilation results

- Compilation correct:

```
Theorem compilation_correct:
  forall e env,
    run (compile e) env nil =
    (interpret e env) :: nil.
```

- Invariant:

```
Lemma compilation_correct':
forall e env is' stack,
    run (compile e ++ is') env stack =
    run is' env (interpret e env :: stack).
```

Bottom line

- We have defined two languages in Coq: a language of expressions `Exp` and a stack machine
- We show how `Exp` can be compiled to the stack machine
- We **prove** compilation correct!

CompCert - I

- X. Leroy, S. Blazy, Z. Dargaye, J.B. Tristan; et al.
- Link: `http://compcert.inria.fr/`
- Project: develop and prove a realistic compiler, usable for critical embedded software
- Source language: a very large subset of C
- Target language: PowerPC/ARM/x86 assembly
- Generates compact and fast code; careful code generation + some optimizations
- Compiler written from scratch + proof

CompCert - II

- 50000 lines of Coq
- 4 person-years
- Trusted execution, certified compilation, static analysis (Verasco)
- Direct and indirect project partners: Airbus, AbsInt, etc.
- Airbus: flight control software of the A380
- MTU: critical control system in diesel engines that are deployed in nuclear power plants
- Institute of Flight System Dynamics at TUM: development of flight control and navigation algorithms

Resources

1. Chapter Small-Step Operational Semantics in Software Foundations - Volume 2, Benjamin C. Pierce, Arthur Azevedo de Amorim, Chris Casinghino, Marco Gaboardi, Michael Greenberg, Cătălin Hriţcu, Vilhelm Sjöberg, Andrew Tolmach, Brent Yorgey

   Section "*A Small-Step Stack Machine*":
   `https://softwarefoundations.cis.upenn.edu/plf-current/Smallstep.html#lab169`