



CPSC 100

Computational Thinking

Data Representation *Continued*

Instructor: Parsa Rajabi
Department of Computer Science
University of British Columbia



Agenda

- Course Admin
- Learning Goals
- Data Representation *Continued*
 - ASCII
 - Unicode

Course Admin



Course Admin

- **Lab 6 - Unicode in Snap!**
 - Due Thursday, March 6, 11:59pm
- **PC Quiz 4**
 - Due Sunday, March 9, 11:59pm
- **Midterms Grades**
 - Grading complete; reviewing and finalizing grades
- **Project Milestone 2**
 - Due Wednesday, March 12, 11:59pm
 - **[New!]** *AI Disclosure Form*
- **Final Exam**
 - Tuesday, April 22, 7pm; Location TBA

Learning Goals



Learning Goals

After this **today's lecture**, you should be able to:

- Explain what **ASCII** and **Unicode** are, including their historical context, purpose, and significance in computing.
- **Decode** an **ASCII** representation of a short text document
 - (with a list of ASCII codes provided)
- Articulate **why Unicode was created** and how it solved the problems of earlier encoding systems like ASCII
- **Compare and contrast Unicode with ASCII** in terms of character range, encoding length, and use cases



Data Representation in characters!

How do computer store letters and characters?

ASCII Table

Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char
0	0	[NULL]	32	20	[SPACE]	64	40	@	96	60	`
1	1	[START OF HEADING]	33	21	!	65	41	A	97	61	a
2	2	[START OF TEXT]	34	22	"	66	42	B	98	62	b
3	3	[END OF TEXT]	35	23	#	67	43	C	99	63	c
4	4	[END OF TRANSMISSION]	36	24	\$	68	44	D	100	64	d
5	5	[ENQUIRY]	37	25	%	69	45	E	101	65	e
6	6	[ACKNOWLEDGE]	38	26	&	70	46	F	102	66	f
7	7	[BELL]	39	27	'	71	47	G	103	67	g
8	8	[BACKSPACE]	40	28	(72	48	H	104	68	h
9	9	[HORIZONTAL TAB]	41	29)	73	49	I	105	69	i
10	A	[LINE FEED]	42	2A	*	74	4A	J	106	6A	j
11	B	[VERTICAL TAB]	43	2B	+	75	4B	K	107	6B	k
12	C	[FORM FEED]	44	2C	,	76	4C	L	108	6C	l
13	D	[CARRIAGE RETURN]	45	2D	-	77	4D	M	109	6D	m
14	E	[SHIFT OUT]	46	2E	.	78	4E	N	110	6E	n
15	F	[SHIFT IN]	47	2F	/	79	4F	O	111	6F	o
16	10	[DATA LINK ESCAPE]	48	30	0	80	50	P	112	70	p
17	11	[DEVICE CONTROL 1]	49	31	1	81	51	Q	113	71	q
18	12	[DEVICE CONTROL 2]	50	32	2	82	52	R	114	72	r
19	13	[DEVICE CONTROL 3]	51	33	3	83	53	S	115	73	s
20	14	[DEVICE CONTROL 4]	52	34	4	84	54	T	116	74	t
21	15	[NEGATIVE ACKNOWLEDGE]	53	35	5	85	55	U	117	75	u
22	16	[SYNCHRONOUS IDLE]	54	36	6	86	56	V	118	76	v
23	17	[ENG OF TRANS. BLOCK]	55	37	7	87	57	W	119	77	w
24	18	[CANCEL]	56	38	8	88	58	X	120	78	x
25	19	[END OF MEDIUM]	57	39	9	89	59	Y	121	79	y
26	1A	[SUBSTITUTE]	58	3A	:	90	5A	Z	122	7A	z
27	1B	[ESCAPE]	59	3B	;	91	5B	[123	7B	{
28	1C	[FILE SEPARATOR]	60	3C	<	92	5C	\	124	7C	
29	1D	[GROUP SEPARATOR]	61	3D	=	93	5D]	125	7D	}
30	1E	[RECORD SEPARATOR]	62	3E	>	94	5E	^	126	7E	~
31	1F	[UNIT SEPARATOR]	63	3F	?	95	5F	_	127	7F	[DEL]



ASCII: Overview

American Standard Code for Information Interchange (ASCII)

- Character encoding standard
- Allows computers and electronic devices to represent text
- Developed in 1960s
 - Standardize how computers represent characters



ASCII: Overview

- Punctuation, spaces and other special control characters are also encoded
 - each encoded item is sometimes called a **code point**
- ASCII uses **7 bits** to represent each character, which allows for 128 (2^7) unique characters (from 0 to 127)
 - **Why 7 bits?**
 - An extra “check” bit to detect certain errors that might arise
- *Extended* ASCII uses **8 bits** (or one byte), allowing for characters with accents (Á, ë and others)



ASCII: Overview

ASCII uses **7 bits** to represent each character:

- **Control characters** (0–31): For managing hardware (like line breaks or bell sounds).
- **Printable characters** (32–126): Letters, digits, punctuation, and symbols.
- **Delete character** (127).

ASCII: Control characters (0-31)

Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char
0	0	[NULL]	32	20	[SPACE]	64	40	@	96	60	`
1	1	[START OF HEADING]	33	21	!	65	41	A	97	61	a
2	2	[START OF TEXT]	34	22	"	66	42	B	98	62	b
3	3	[END OF TEXT]	35	23	#	67	43	C	99	63	c
4	4	[END OF TRANSMISSION]	36	24	\$	68	44	D	100	64	d
5	5	[ENQUIRY]	37	25	%	69	45	E	101	65	e
6	6	[ACKNOWLEDGE]	38	26	&	70	46	F	102	66	f
7	7	[BELL]	39	27	'	71	47	G	103	67	g
8	8	[BACKSPACE]	40	28	(72	48	H	104	68	h
9	9	[HORIZONTAL TAB]	41	29)	73	49	I	105	69	i
10	A	[LINE FEED]	42	2A	*	74	4A	J	106	6A	j
11	B	[VERTICAL TAB]	43	2B	+	75	4B	K	107	6B	k
12	C	[FORM FEED]	44	2C	,	76	4C	L	108	6C	l
13	D	[CARRIAGE RETURN]	45	2D	-	77	4D	M	109	6D	m
14	E	[SHIFT OUT]	46	2E	.	78	4E	N	110	6E	n
15	F	[SHIFT IN]	47	2F	/	79	4F	O	111	6F	o
16	10	[DATA LINK ESCAPE]	48	30	0	80	50	P	112	70	p
17	11	[DEVICE CONTROL 1]	49	31	1	81	51	Q	113	71	q
18	12	[DEVICE CONTROL 2]	50	32	2	82	52	R	114	72	r
19	13	[DEVICE CONTROL 3]	51	33	3	83	53	S	115	73	s
20	14	[DEVICE CONTROL 4]	52	34	4	84	54	T	116	74	t
21	15	[NEGATIVE ACKNOWLEDGE]	53	35	5	85	55	U	117	75	u
22	16	[SYNCHRONOUS IDLE]	54	36	6	86	56	V	118	76	v
23	17	[ENG OF TRANS. BLOCK]	55	37	7	87	57	W	119	77	w
24	18	[CANCEL]	56	38	8	88	58	X	120	78	x
25	19	[END OF MEDIUM]	57	39	9	89	59	Y	121	79	y
26	1A	[SUBSTITUTE]	58	3A	:	90	5A	Z	122	7A	z
27	1B	[ESCAPE]	59	3B	;	91	5B	[123	7B	{
28	1C	[FILE SEPARATOR]	60	3C	<	92	5C	\	124	7C	
29	1D	[GROUP SEPARATOR]	61	3D	=	93	5D]	125	7D	}
30	1E	[RECORD SEPARATOR]	62	3E	>	94	5E	^	126	7E	~
31	1F	[UNIT SEPARATOR]	63	3F	?	95	5F	_	127	7F	[DEL]

ASCII: Printable characters (32-126)

Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char
0	0	[NULL]	32	20	[SPACE]	64	40	@	96	60	`
1	1	[START OF HEADING]	33	21	!	65	41	A	97	61	a
2	2	[START OF TEXT]	34	22	"	66	42	B	98	62	b
3	3	[END OF TEXT]	35	23	#	67	43	C	99	63	c
4	4	[END OF TRANSMISSION]	36	24	\$	68	44	D	100	64	d
5	5	[ENQUIRY]	37	25	%	69	45	E	101	65	e
6	6	[ACKNOWLEDGE]	38	26	&	70	46	F	102	66	f
7	7	[BELL]	39	27	'	71	47	G	103	67	g
8	8	[BACKSPACE]	40	28	(72	48	H	104	68	h
9	9	[HORIZONTAL TAB]	41	29)	73	49	I	105	69	i
10	A	[LINE FEED]	42	2A	*	74	4A	J	106	6A	j
11	B	[VERTICAL TAB]	43	2B	+	75	4B	K	107	6B	k
12	C	[FORM FEED]	44	2C	,	76	4C	L	108	6C	l
13	D	[CARRIAGE RETURN]	45	2D	-	77	4D	M	109	6D	m
14	E	[SHIFT OUT]	46	2E	.	78	4E	N	110	6E	n
15	F	[SHIFT IN]	47	2F	/	79	4F	O	111	6F	o
16	10	[DATA LINK ESCAPE]	48	30	0	80	50	P	112	70	p
17	11	[DEVICE CONTROL 1]	49	31	1	81	51	Q	113	71	q
18	12	[DEVICE CONTROL 2]	50	32	2	82	52	R	114	72	r
19	13	[DEVICE CONTROL 3]	51	33	3	83	53	S	115	73	s
20	14	[DEVICE CONTROL 4]	52	34	4	84	54	T	116	74	t
21	15	[NEGATIVE ACKNOWLEDGE]	53	35	5	85	55	U	117	75	u
22	16	[SYNCHRONOUS IDLE]	54	36	6	86	56	V	118	76	v
23	17	[ENG OF TRANS. BLOCK]	55	37	7	87	57	W	119	77	w
24	18	[CANCEL]	56	38	8	88	58	X	120	78	x
25	19	[END OF MEDIUM]	57	39	9	89	59	Y	121	79	y
26	1A	[SUBSTITUTE]	58	3A	:	90	5A	Z	122	7A	z
27	1B	[ESCAPE]	59	3B	;	91	5B	[123	7B	{
28	1C	[FILE SEPARATOR]	60	3C	<	92	5C	\	124	7C	
29	1D	[GROUP SEPARATOR]	61	3D	=	93	5D]	125	7D	}
30	1E	[RECORD SEPARATOR]	62	3E	>	94	5E	^	126	7E	~
31	1F	[UNIT SEPARATOR]	63	3F	?	95	5F	_	127	7F	[DEL]

ASCII: Delete character (127)

Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char
0	0	[NULL]	32	20	[SPACE]	64	40	@	96	60	`
1	1	[START OF HEADING]	33	21	!	65	41	A	97	61	a
2	2	[START OF TEXT]	34	22	"	66	42	B	98	62	b
3	3	[END OF TEXT]	35	23	#	67	43	C	99	63	c
4	4	[END OF TRANSMISSION]	36	24	\$	68	44	D	100	64	d
5	5	[ENQUIRY]	37	25	%	69	45	E	101	65	e
6	6	[ACKNOWLEDGE]	38	26	&	70	46	F	102	66	f
7	7	[BELL]	39	27	'	71	47	G	103	67	g
8	8	[BACKSPACE]	40	28	(72	48	H	104	68	h
9	9	[HORIZONTAL TAB]	41	29)	73	49	I	105	69	i
10	A	[LINE FEED]	42	2A	*	74	4A	J	106	6A	j
11	B	[VERTICAL TAB]	43	2B	+	75	4B	K	107	6B	k
12	C	[FORM FEED]	44	2C	,	76	4C	L	108	6C	l
13	D	[CARRIAGE RETURN]	45	2D	-	77	4D	M	109	6D	m
14	E	[SHIFT OUT]	46	2E	.	78	4E	N	110	6E	n
15	F	[SHIFT IN]	47	2F	/	79	4F	O	111	6F	o
16	10	[DATA LINK ESCAPE]	48	30	0	80	50	P	112	70	p
17	11	[DEVICE CONTROL 1]	49	31	1	81	51	Q	113	71	q
18	12	[DEVICE CONTROL 2]	50	32	2	82	52	R	114	72	r
19	13	[DEVICE CONTROL 3]	51	33	3	83	53	S	115	73	s
20	14	[DEVICE CONTROL 4]	52	34	4	84	54	T	116	74	t
21	15	[NEGATIVE ACKNOWLEDGE]	53	35	5	85	55	U	117	75	u
22	16	[SYNCHRONOUS IDLE]	54	36	6	86	56	V	118	76	v
23	17	[ENG OF TRANS. BLOCK]	55	37	7	87	57	W	119	77	w
24	18	[CANCEL]	56	38	8	88	58	X	120	78	x
25	19	[END OF MEDIUM]	57	39	9	89	59	Y	121	79	y
26	1A	[SUBSTITUTE]	58	3A	:	90	5A	Z	122	7A	z
27	1B	[ESCAPE]	59	3B	;	91	5B	[123	7B	{
28	1C	[FILE SEPARATOR]	60	3C	<	92	5C	\	124	7C	
29	1D	[GROUP SEPARATOR]	61	3D	=	93	5D]	125	7D	}
30	1E	[RECORD SEPARATOR]	62	3E	>	94	5E	^	126	7E	~
31	1F	[UNIT SEPARATOR]	63	3F	?	95	5F	_	127	7F	[DEL]





Q: Convert **Hi!** to ASCII

- A. 48, 69, 21
- B. 47, 68, 20
- C. 71, 104, 34
- D. 72, 105, 33
- E. None of the above



Q: Convert the following Hex to ASCII:

A. BADGE

B. *),/-

C. A@CFD

D.)(+.,

E. None of the above

Binary	01000010	01000001	01000100	01000111	01000101
Hex	42	41	44	47	45
ASCII					

**Can we do this
faster?**



Convert Text to ASCII

- You can use online hex editors to translate from hex to ASCII
 - <https://hexed.it/>

Mini-Activity

- Create a text file on your computer
- Write your name in the file as plaintext
- Open a file using *Open file* feature of hexed.it
- What do you notice?

Demo

Application of ASCII

The Martian


The Martian

- “Ridley Scott claimed that one of the most difficult scenes to direct was how to explain to the audience the hexadecimal system Watney uses as a code to communicate with Earth, which Scott admitted was hard for himself to understand.” [IMDb](#)
- Youtube Video:
 - [The Martian, Hexadecimal Scene](#)





The Martian



Decimal	Hex	Char
64	40	@
65	41	A
66	42	B
67	43	C
68	44	D
69	45	E
70	46	F
71	47	G
72	48	H
73	49	I
74	4A	J
75	4B	K
76	4C	L
77	4D	M
78	4E	N
79	4F	O
80	50	P
81	51	Q
82	52	R
83	53	S
84	54	T
85	55	U
86	56	V
87	57	W
88	58	X
89	59	Y
90	5A	Z
91	5B	[

What about other languages?

Arabic (ا-ي)

Chinese (汉字)

Emojis (😊, 🚀)

Unicode

Unicode



Unicode: Overview

Universal character **encoding** standard

- Designed to represent every character from every language in the world, as well as symbols, emojis, and special scripts, using a unified system.

Before unicode...

- Different encoding systems (like ASCII, ISO-8859-1, Shift-JIS)
 - Difficult to mix languages in one document
- Unicode solved this by creating **one global codebook**



How does Unicode Work?

- Unicode assigns a **unique number** called a “**code point**” to every character, regardless of platform, program, or language.
 - Code points are written like: U+0041 (which is ‘A’).
- Unicode itself is just a standard. To store the characters in files and transmit them over networks, you need **encoding formats**
 - There are different implementations, including UTF-8 and UTF-16 (UTF stands for **Unicode Transformation Format**)
 -

Encoding Formats

- UTF-8 and UTF-16 are variable length encodings
- They use 1 byte (8 bits) for ASCII, but more for other characters

character	encoding	bits
A	UTF-8	01000001
A	UTF-16	00000000 01000001
A	UTF-32	00000000 00000000 00000000 01000001
あ	UTF-8	11100011 10000001 10000010
あ	UTF-16	00110000 01000010
あ	UTF-32	00000000 00000000 00110000 01000010



Activity



Activity

How does Microsoft Word store its data?

- Open Microsoft Word
- Write your name in the file and save it
- Visit <https://hexed.it/>
- Open the file using *Open file* feature
- What do you notice?



How does Word store its data?

- Uploading a Word document into the online Hex editor suggests that the document is not in ASCII representation
- Most of the files that comprise a Word document are in **XML** (**Extensible Markup Language**) format; they describe metadata such as the font style and size, document creator, etc.
- The files may also contain information about tracked changes to the document, collaborators, privacy and security settings, and more



Take Home Activity

Convert your name into its ASCII values

Convert your name into its Hex format



Convert your name into its Binary format

Use <https://symbl.cc/> to find the unicode for the following characters:



Project AI Disclosure Form



What was your main takeaway from today's session?

