The TeXPower bundle

\stepwise Example: Fooling Around

Stephan Lehmke

mailto:Stephan.Lehmke@cs.uni-dortmund.de

July 3, 2000

Divisibility demo:

Divisibility demo:

Divisibility demo:

Divisibility demo:

1 2 **4**

Divisibility demo:

Divisibility demo:

1 2 3 **6**

Divisibility demo:

Divisibility demo:

1 2 4 8

Divisibility demo:

1 3 9

Divisibility demo:

1 2 5 **10**

Divisibility demo:

12

Divisibility demo:

1 2 3 4 6

Divisibility demo:

Divisibility demo:

1 2 7 **14**

Divisibility demo:

1 3 5

Divisibility demo:

1 2 4 8

Divisibility demo:

1

Divisibility demo:

1 2 3

6

9

Divisibility demo:

1

Divisibility demo:

1 2 4 5

20

1()

Divisibility demo:

1 3 7

Divisibility demo:

1 2 11

Divisibility demo:

1

Divisibility demo:

1 2 3 4 6 8

12

Divisibility demo:

1 5

Divisibility demo:

1 2

Divisibility demo:

1 3 9

Divisibility demo:

 $1 \quad 2 \quad 4 \quad 7 \qquad 14$

Divisibility demo:

1

Divisibility demo:

1 2 3 5 6

10

15

Divisibility demo:

1

Divisibility demo:

1 2 4 8

16

Divisibility demo:

1 3 11

Divisibility demo:

1 2

17

Divisibility demo:

 $1 \qquad \qquad 5 \qquad 7$

Divisibility demo:

1 2 3 4

Divisibility demo:

1

Divisibility demo:

1 2

19

Divisibility demo:

1 3 13

Divisibility demo:

1 2 4 5

8 10

20