

Future Contributors

Overview

Plotting results of Q15: “What would make you more likely to participate in OSS projects?”. This question was only visible to respondents who said they haven’t yet contributed to OS, but would like to do so in the future.

Import packages and utilities

```
project_root <- here::here() # requires that you be somewhere in the
# project directory (not above it)
# packages
suppressMessages(source(file.path(project_root, "scripts/packages.R")))
# functions and objects used across scripts
suppressMessages(source(file.path(project_root, "scripts/utils.R")))
```

Load data

```
future <- load_qualtrics_data("clean_data/future_contributors_Q15.tsv")
other_quant <- load_qualtrics_data("clean_data/other_quant.tsv")
status <- load_qualtrics_data("clean_data/contributor_status_Q3.tsv")
head(future)
```

	Conferences and hackathons	Computing environments	Educational materials
1	0	0	0
2	0	0	0
3	0	0	0

4		0		0		0
5		0		0		0
6		0		1		1
	A learning community	Sustainability grants	Industry networking			
1		0		0		0
2		0		0		0
3		0		0		0
4		0		0		0
5		0		0		0
6		1		0		0
	Academic job opportunities	Other	Help finding funding	Legal support		
1		0	0		0	0
2		0	0		0	0
3		0	0		0	0
4		0	0		0	0
5		0	0		0	0
6		0	0		0	0
	Mentoring programs					
1		0				
2		0				
3		0				
4		0				
5		0				
6		0				

At this point, we COULD remove rows from participants who never saw this question, but since we're just tallying up the 1s, not the 0s, there's really no need.

Prepare data for plotting

Sum up counts for each solution.

```
to_plot <- data.frame(
  Solution = names(future),
  Count = unname(apply(future, 2, function(x) round(sum(x, na.rm = TRUE))))
)
to_plot
```

	Solution	Count
1	Conferences and hackathons	25

2	Computing environments	40
3	Educational materials	35
4	A learning community	37
5	Sustainability grants	22
6	Industry networking	29
7	Academic job opportunities	22
8	Other	8
9	Help finding funding	21
10	Legal support	22
11	Mentoring programs	29

Plot

For visual clarity, let's remove the "Other" row.


```
to_plot <- to_plot %>% filter(Solution != "Other")
```

Reorder factor levels based on count.

```
to_plot <- to_plot %>%
  mutate(Solution = fct_reorder(Solution, Count, .desc = FALSE))
```

And make a plot, using a function in utils.R.

```
myplot <- basic_bar_chart(to_plot,
  x_var = "Solution",
  y_var = "Count",
  title = "What would help aspiring contributors get started?",
  horizontal = TRUE,
  show_bar_labels = TRUE,
  show_ticks_y = FALSE,
  color_index = 7,
  show_axis_title_x = TRUE,
  show_axis_title_y = FALSE,
  show_grid = TRUE
)
myplot
```



Save the plot if you wish.

```
save_plot("future_contributors.tiff", 13, 6, p=myplot)
```

Look at jobs of respondents

NOW let's remove rows where the participant never saw the question. Also, remove rows where we have no data on the participant's job.

```
future_and_job <- future
future_and_job$job_category <- other_quant$job_category

n <- ncol(future)
future_cols <- names(future_and_job)[1:n]
last_col <- names(future_and_job)[ncol(future_and_job)]

future_and_job <- future_and_job %>%
  filter(
```

```

# drop rows where all of the future columns are 0
!if_all(all_of(future_cols), ~ . == 0),
# drop rows where the job column is ""
.data[[last_col]] != ""
)

```

Combine postdocs and other research staff for better visual clarity.

```

future_and_job <- future_and_job %>%
  mutate(
    job_category = recode(
      job_category,
      "Post-Doc" = "Postdocs and\nStaff Researchers",
      "Other research staff" = "Postdocs and\nStaff Researchers"
    )
  )

```

At this point I'm not going to bother with additional wrangling because I'm just interested in the jobs of the people who answered this question. But we are poised to see which jobs voted for which solutions, if needed.

```

jobs <- data.frame(table(future_and_job$job_category))
names(jobs) <- c("Job", "Count")

```

Reorder factor levels based on count.

```

jobs <- jobs %>%
  mutate(Job = fct_reorder(Job, Count, .desc = TRUE))

```


And make a plot, using a function in utils.R.

```

jobs_plot <- basic_bar_chart(jobs,
  x_var = "Job",
  y_var = "Count",
  title = "Composition of aspiring contributors by job",
  horizontal = FALSE,
  show_bar_labels = TRUE,
  show_ticks_y = FALSE,
  color_index = 2,
  show_axis_title_y = TRUE,

```

```
show_grid = TRUE
)
jobs_plot
```



Save the plot if you wish.

```
save_plot("future_contributors_jobs.tiff", 12, 8, p=jobs_plot)
```

Plot by job, part 2

A request from Kirstie: what proportion of people in each job category were aspiring vs experienced?

```
status_campus_job <- cbind(other_quant, status)
status_campus_job <- status_campus_job %>%
  select(c(campus, job_category, Past, Future))
```

Remove non-UC people and people who are neither past nor future contributors.

```
status_campus_job <- status_campus_job %>%
  filter(!(campus=="I'm not affiliated with UC")) %>%
  filter(!(Past=="False" & Future=="False")) %>%
  select(!campus)
```

Replace Past and Future columns with a single status column

```
status_job <- status_campus_job %>%
  mutate(
    status = case_when(
      Past == "True" ~ "Experienced",
      Past == "False" ~ "Aspiring"
    )
  ) %>%
  select(-c("Past", "Future"))
head(status_job)
```

	job_category	status
1	Faculty	Experienced
2	Post-Doc	Experienced
3	Other research staff	Experienced
4	Faculty	Experienced
5	Faculty	Experienced
6	Other research staff	Aspiring

```
dim(status_job)
```

```
[1] 294  2
```

Inspect the data

```
ftable(xtabs(~ job_category + status, data = status_job))
```

	status Aspiring	Experienced
job_category		
Faculty	7	59
Grad Student	17	26
Non-research Staff	20	86
Other research staff	9	40
Post-Doc	2	15
Undergraduate	6	7

Prepare data for plotting

```
sj_counts <- status_job %>% group_by(job_category, status) %>% count()

# Reorder factor levels by the highest proportion of experienced contributors
ordered_jobs <- sj_counts %>%
  group_by(job_category) %>%
  summarise(
    Aspiring      = n[status=="Aspiring"],
    Experienced   = n[status=="Experienced"],
    .groups = "drop"
  ) %>%
  mutate(exp_to_asp = Experienced / Aspiring) %>%
  arrange(desc(exp_to_asp)) %>%
  pull(job_category)


sj_counts$job_category <- factor(sj_counts$job_category, levels = ordered_jobs)
```

Plot

```
stack <- stacked_bar_chart(
  df = sj_counts,
  x_var = "job_category",
  y_var = "n",
  fill = "status",
  title = "Composition of job categories by experience")

stack
```



Composition of job categories by experience



```
save_plot("future_contribs_stack.tiff", 12, 9, p=stack)
```

```
stack_prop <- stacked_bar_chart(  
  df = sj_counts,  
  x_var = "job_category",  
  y_var = "n",  
  fill = "status",  
  title = "Composition of job categories by experience",  
  proportional = TRUE)
```

```
stack_prop
```



```
save_plot("future_contribs_stack_prop.tiff", 12, 9, p=stack_prop)
```