

# A Moment of Caution

## WARNING

Node and Express servers and routing are two of the most important concepts in the entire program.

### Forewarning: This Is the Challenging Stuff

The topics we'll cover over the next three weeks will be challenging at times, but it's also some of the most important material. This is when you'll go from humble HTML/CSS hackers to employable full-stack engineers. Bring your A game!



### **Tips for Success**

01

**Form a study group.** Get in the habit of explaining in-class exercises to one another, and work together on homework assignments.

02

**Take notes!** Jot down key concepts and ideas that come out of the in-class activities to help you keep things straight!

(03)

**Ask "conceptual" questions.** It's important to understand the big picture, so if a key concept is confusing, be sure to ask about it!

04

**Come to office hours.** Seeking help during office hours will be increasingly valuable as the material becomes more complex. Come to these sessions and ask questions! We're here to help you.

### **Be Confident!**

Remember: If you've made it this far, you've proven that you have what it takes to succeed. Keep going!






# Remember Our Mantra: When it comes to web development...

# I know nothing.





### Remind Me Again


What is a **server**?



11

### What Is a Server?


A server is the **machine** and **code** that handles client requests and responds to them.




Intro to Node Servers

### Remind Me Again

What are some examples of **server-side** functions?



### Server-Side Code in Action!




### Remind Me Again

What is a **client**?




### What Is a Client?

A **client** is a user's personal machine which makes "requests" of the server.




### Remind Me Again

How do the client and server **communicate** with each other?




### HTTP/HTTPS

Clients and servers communicate with each other using a series of requests and responses defined by HTTP / HTTPS (Hypertext Transfer Protocol Secure).




### **Full-Stack Development**

In modern web applications, there is constant back-and-forth communication between the visuals displayed on the user's browser (front-end) and the data and logic stored on the server (back-end).



### **Full-Stack Development**

You can think of the server and the client as two distinct "machines."






### **Visualizing Servers**

Server hardware looks like large, ruggedized versions of desktop computers.



### **Visualizing Servers**

These machines and their code handle all requests coming in from the browsers accessing a website.



### **Visualizing Servers**

Where does the server live?




### Where Do Servers Live?



Servers live in dedicated hardware intended to handle the requests and responses from many clients.



Servers most often live on cloud platforms like AWS, Heroku, and Google Cloud.




### **Servers During Development**




During development, our personal computers will simulate both the client and the server.



We will create a local server (Localhost) on our computer and then use our browser to interact with it.





### **Building a Server**



For our purposes, "building a server" means writing code that handles what the server will do.



It's important to note that even though you pay for server-side hardware, you still need to write the code that goes inside.



This code enables functions such as:



Establishing connections to the database



Handling client-side URL requests



Performing server-side processes



Authenticating user requests



Logging client requests


### Your Server: A Big Box



Throughout this week, imagine your server as a **big, empty box**.




We will add **code** snippets and **modules** to give our big, empty box the power to do stuff in response to all the requests that come in.



### **Inside the Box: Connections**


How do we allow the client to connect to the server?

We'll add a listener to the server that allows it to **listen** for client requests.




### Inside the Box: Parsing

We give the server the ability to **parse**, or interpret, URLs that the user requests.




### Inside the Box: Routing

Then, based on a URL's keywords, the server will be able to **route**, or direct, the flow of logic to initiate other processes.




### Inside the Box: Sending Files

These "other processes" might be sending an HTML file to be rendered or sending a JSON file to be rendered.




### Inside the Box: Receiving Posts

We can also include a module to handle receiving a user's POST requests—the data they send the server.



### Inside the Box: Performing Logic

We can also have complex server-side logic that will initiate in response to users visiting a route endpoint or sending us data.



### Inside the Box: And More!




But it doesn't stop there!



We can add functionality for authentication, logging requests, connecting to databases, and so much more.




Always remember that we're coding out these functionalities into our box!











#### Comment #1



This is all so confusing.



**Comment #1:** "This is all so confusing."

**Response:** And it will be for your employer as well.



#### Comment #2

6 feel like I'm just copying and pasting.





## Comment #2: "I feel like I'm just copying and pasting."

#### Response:




Back-end code libraries mean you have to code less.



Often you are just copying and pasting "best practices" over and over again.








## Remind Me Again

What is **Express**?







# **Express.JS**

Express is a web framework for Node that makes creating server-side code much simpler.


## Remind Me Again

What is a **route**?






## Routes = Maps






Quick Example
<a href="mailto:nyt-mongo-scraper.herokuapp.com">nyt-mongo-scraper.herokuapp.com</a>


## **Client-Server Communication (GET)**



#### **Client-Server Communication (GET)**



#### **Client-Server Communication (POST)**



## **Client-Server Communication (POST)**

