

User stories

User story 1:

As a family-member, I need to be able to add items to a shopping list so that I can keep track of the items that has to be purchased.

Wireframe:

Name	Description	Author	Bought
Milk	1 gallon of milk	Test User	<input type="checkbox"/>
Apples	A dozen of green apples	Test User	<input type="checkbox"/>

Acceptance criteria:

I need to be able to add the items name, description, store where it should be bought from and the importance/urgency.

Items without a name can't be inputted.

An item can be added even if the shop or/and description is empty.

User story 2:

As a family-member I need to be able to delete the items that have been bought on the go so that I can keep track of which items I still need to buy.

Wireframe:

Name	Description	Author	Bought
Milk	1 gallon of milk	Test User	<input type="checkbox"/>
Apples	A dozen of green apples	Test User	<input type="checkbox"/>

Acceptance criteria:


When an item is bought it should disappear from the list.

When all the items of a list have been bought the list should disappear.

User story 3:

As a family-admin I'm able to add family-members or viewers to the family-group so that I can give access to the right people to the right features.

Wireframe:



A wireframe for a form to add a user. It consists of a central container with a grid background. Inside, there are four input fields: 'Name' and 'Last name' at the top, 'Username' and a 'Rol' dropdown menu below them, and a larger 'Password' field. At the bottom of the container is an 'Add user' button.

Acceptance criteria:

Empty fields are not allowed.


A Password should be strong (8 characters long, contains capital letters and symbols)

When the add user button is pressed a user is added to the database.

User story 4:

As a family-member I want to be able to optionally input the price of an item when buying it so that I can keep track of my monthly spendings and which items I bought throughout the month.

Wireframe:



A wireframe for an item tracking interface. It features a table with four columns: 'Name', 'Description', 'Author', and 'Bought'. The first row contains the text 'Milk', '1 gallon of milk', 'Test User', and a red dot. Below the table is a form with four fields: 'Name', 'Description', 'Price', and a 'Remove' button. A line connects the 'Remove' button to the 'Bought' column of the table.

Acceptance criteria:

When the bought button is pressed the Author field is replaced by price and the option to remove the item without adding a price appears as well.

When pressing the enter key while inputting the price the price is inputted, and the item is removed from the list.

No negative prices can be inputted.


The “.”, “,” marks are the same as a regular decimal separator.

Only numbers can be inputted in the price field.

User story 5:

As a family-member I want to be able to see my profile and modify my personal information so that I can make sure the info about me is right.

Wireframe:



Acceptance criteria:

Pressing the profile button redirects the user to the profile page.

Changing the personal information requires confirmation by entering the current password.

The new password must also be a strong password (8 characters long, contains capital letters and symbols).