Cobalt Ridge Health

Cobalt Ridge Facilities Response Policy

Emergency facilities response policy defining approved handling, isolation, and temporary relocation boundaries for Cobalt Ridge Health.

Details

Document Title	Cobalt Ridge Health Facilities Emergency Response Policy
Policy Number	CRH-FAC-ERP-204
Effective Date	January 1, 2025
Approved By	Director of Facilities and Safety
incident classification includes Level 1 localized water intrusion, Level 2 contained utility failure, and Level 3 major facilities emergency	
for active pipe leaks, first response requires shutting off water to the affected zone if safe to do so	
electrical isolation is required when water is within 10 feet of energized equipment or outlets	
approved temporary isolation boundary for a burst pipe is the affected room plus adjacent rooms sharing a wall or directly below the leak path	
temporary relocation boundary excludes ICU, emergency department, operating rooms, pharmacy clean storage, and behavioral health secure units unless specifically authorized by incident command	
non-clinical staff may be relocated to conference rooms or administrative swing space outside the isolation boundary	
patient relocation must remain within the same building when safe capacity exists, otherwise escalate to regional transfer coordination	
environmental services and facilities must document moisture mitigation actions within 2 hours of stabilization	
re-entry criteria require standing water removal, hazard clearance, and safety approval from Facilities and Infection Prevention	

Additional Information

a realistic 3-page healthcare facilities policy PDF using reportlab

a table or boxed subsection describing incident levels and response expectations

Page 3 include documentation requirements, re-entry/clearance criteria, exceptions/escalation guidance, and a signature/approval block in the footer area

This policy is confidential and intended for authorized recipients only.