

1.git diff

```
PS C:\Users\brand\Dev\ATC\git-playground> git diff
diff --git a/.gitignore b/.gitignore
index fcd649f..7179cab 100644
--- a/.gitignore
+++ b/.gitignore
@@ -7,3 +7,4 @@ __pycache__/
 .env
 scratch/
 scratch.py
+lorenz.py
diff --git a/hello_world.py b/hello_world.py
index 72aa858..5c94a03 100644
--- a/hello_world.py
+++ b/hello_world.py
@@ -10,7 +10,7 @@ def greet(name: str) -> str:

 def main() -> None:
     print(build_message())
-    print(greet("Rishi"))
+    print(greet("b3tron"))

 if __name__ == "__main__":
PS C:\Users\brand\Dev\ATC\git-playground> |
```

2.git status

```

PS C:\Users\brand\Dev\ATC\git-playground> git status
On branch brandon-branch
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   .gitignore
        modified:   hello_world.py

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\brand\Dev\ATC\git-playground> git status
On branch brandon-branch
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   .gitignore
        modified:   hello_world.py

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\brand\Dev\ATC\git-playground> |

```

3.git add, git commit

```

PS C:\Users\brand\Dev\ATC\git-playground> git add -A
PS C:\Users\brand\Dev\ATC\git-playground> git commit -m "refactor: edited hello_world.py, added .gitignore for local lorenz.py script"
[brandon-branch b954541] refactor: edited hello_world.py, added .gitignore for local lorenz.py script
2 files changed, 2 insertions(+), 1 deletion(-)

```

4.git push

```

PS C:\Users\brand\Dev\ATC\git-playground> git push origin HEAD
Enter passphrase for key '/c/Users/brand/.ssh/id_ed25519':
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 444 bytes | 444.00 KiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'brandon-branch' on GitHub by visiting:
remote:   https://github.com/UCSBAssistiveTech/git-playground/pull/new/brandon-branch
remote:
To github.com:UCSBAssistiveTech/git-playground.git
 * [new branch]      HEAD -> brandon-branch

```

5.git pull

```
PS C:\Users\brand\Dev\ATC\git-playground> git pull
Enter passphrase for key '/c/Users/brand/.ssh/id_ed25519':
Already up to date.
```

6.git init

```
PS C:\Users\brand\Dev\ATC> git init
Initialized empty Git repository in C:/Users/brand/Dev/ATC/.git/
```

7.git checkout

```
PS C:\Users\brand\Dev\ATC\git-playground> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\brand\Dev\ATC\git-playground> git checkout brandon-branch
Switched to branch 'brandon-branch'
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)
PS C:\Users\brand\Dev\ATC\git-playground> |
```

8.git rm

```

PS C:\Users\brand\Dev\ATC\git-playground> python3 .\hello_world.py
Hello, World!
Hey, b3tron! Can I get your WeChat?
PS C:\Users\brand\Dev\ATC\git-playground> git add hello_world.py
PS C:\Users\brand\Dev\ATC\git-playground> git status
On branch brandon-branch
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   hello_world.py

PS C:\Users\brand\Dev\ATC\git-playground> git rm .\hello_world.py
error: the following file has changes staged in the index:
    hello_world.py
(use --cached to keep the file, or -f to force removal)
PS C:\Users\brand\Dev\ATC\git-playground> git rm --cached .\hello_world.py
rm 'hello_world.py'
PS C:\Users\brand\Dev\ATC\git-playground> |

```

9.git stash

```

PS C:\Users\brand\Dev\ATC\git-playground> git add hello_world.py
PS C:\Users\brand\Dev\ATC\git-playground> git stash
Saved working directory and index state WIP on brandon-branch: b954541 refactor: edited hello_world.py, added .gitignore for local lorenz.py script
PS C:\Users\brand\Dev\ATC\git-playground> |

```