











Sheet: /
File: PASCAL_logic_11_4_26.kicad_sch


Title:

Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.8		Id: 1/6



Sheet: /Computer/		
File: computer.kicad_sch		
Title:		
Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.8		Id: 2/6



GND
+3V3
0.1 µF
C304
U302
MAX3232
C303
0.1 µF
C305
0.1 µF
C1+
C1−
VCC
C2+
C2−
VS+
VS−
GND
UART_TX
T1IN
T1OUT
RS232_TX
T2IN
T2OUT
UART_RX
R1OUT
R1IN
RS232_RX
R2OUT
R2IN
LOGIC
RS232
J301
DE9_Socket
RS232_TX
RS232_RX
J302
Conn_01x04
U301A
max3110eewi
R2IN
R2OUT
T2IN
T1IN
R1OUT
R1IN
T1OUT
T2OUT
C2−
C2+
C1−
C1+
*SHDN
*IRQ
*CS
SCLK
DOUT
DIN
+3V3
POPS_CS
SCLK
MISO
MOSI
C301
22 pF
Y301
1.8432 MHz
C302
22 pF
X2
X1
*CTS
*RTS
RX
TX
These values were taken
from the MAX3110E datasheet
for typical operation.
U301B
max3110eewi
C306
1 µF
Sheet: /Comms/
File: comms.kicad_sch
Title:
Size: A4
Date:
Rev:
KiCad E.D.A. 10.0.8
Id: 3/6



Sheet: /RTD/
File: rtd.kicad_sch

Title:


Size: A4 | Date: | **Rev:**
KiCad E.D.A. 10.0.8 | Id: 4/6



Sheet: /Sensors/
File: sensors.kicad_sch

Title:

Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.8		Id: 5/6



Sheet: /Interfaces/		
File: interfaces.kicad_sch		
Title:		
Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.8		Id: 6/6