
title: Waklass SMS PRD status: final created: 2026-06-27 updated: 2026-07-29

Waklass SMS PRD

0. Document Purpose

This PRD defines the v1 product requirements for Waklass SMS, a web-based school management SaaS for Cameroonian schools. It is written for product, UX, architecture, and implementation planning. The PRD builds on the source product brief at `_bmad-output/planning-artifacts/briefs/brief-waklass_sms-2026-06-27/brief.md`; it does not repeat every brief detail unless that detail becomes a requirement.

Requirements are grouped by feature, with stable Functional Requirement IDs (`FR-1`, `FR-2`, etc.), cross-cutting non-functional requirements, open questions, and an assumptions index.

Change since finalization: This PRD was finalized on 2026-06-28, then reopened pre-launch on 2026-07-29 to add Support Ticketing (§5.12), WaklassSchoolConnect (§5.13), and Student Self-Service Access (§5.14) before ship. These additions reverse the prior "no student self-service" non-goal. Schedule/launch-sequencing impact - including WaklassSchoolConnect's dependency on waklass.com's own readiness to consume the new API - is not yet assessed and should be tracked outside this document as a launch-planning risk.

1. Vision

Waklass SMS helps Cameroonian primary and secondary schools run the core academic cycle from enrollment through report-card publication, with a v1 focus on bilingual secondary schools that need both anglophone and francophone academic support.

The sharp v1 promise is practical school control: principals and authorized staff can see enrollment status in real time, supervise marks through a large marksheet overview, generate report cards in French for francophone classes and English for anglophone classes, and notify parents as soon as the school makes results public.

Waklass should reduce the delay, stress, and errors around report-card periods while fitting local school realities: bilingual documents, configurable academic structures, class and subject coefficients, poor-connectivity data entry, discipline follow-up, school-fee visibility, and school-controlled parent access.

V1 also extends this control to students directly and to Waklass's own sister consumer app: a student can independently check their own results and prove enrollment through waklass.com via WaklassSchoolConnect, and any user can raise a support ticket straight to Waklass Support when something goes wrong.

2. Product Constraints and Working Assumptions

2.1 Product Concerns

- Bilingual academic operations: English and French UI/document output, with anglophone and francophone class differences.
- Report-card accuracy and speed: marks collection, weighting, ranking, validation, PDF generation, publication, and correction controls.

- Enrollment visibility: real-time student counts and enrollment composition without class-capacity blocking.
- Marksheet oversight: a broad view for school leaders to see marks completeness and issues across classes, subjects, teachers, and periods.
- Parent communication: notifications after the school explicitly publishes results.
- Tenant isolation: schools must not see or affect each other's data in the shared SaaS.
- Role and capability control: v1 uses predefined profiles, school-created custom profiles, and capability checks for sensitive actions.
- Auditability: sensitive academic, discipline, fee, and publication actions need traceability.
- Poor-connectivity tolerance: marks and data entry must avoid data loss and unnecessary blocking.
- Local fee workflows: fee setup, payments, receipts, balances, debtors, and accountant exports without becoming a full accounting product.
- Cross-product data bridging: waklass_sms exposes a narrow, tenant-isolated API/webhook surface to a separate sister app (waklass.com) rather than owning that app's experience.
- Direct student access: a student's own account is scoped strictly to their own data, independent of any parent account, and never grants fee, sibling, or other-student visibility.
- Cross-tenant support handling: Waklass Support needs one queue spanning all schools for bug/issue reports, a deliberate, audited exception to per-school tenant isolation.

2.2 Working Assumptions

- This PRD targets a serious launch/sellable SaaS unless corrected.
 - V1 is web-based and responsive for desktop and mobile browsers unless corrected.
 - The first ideal customer remains bilingual secondary schools in Cameroon unless corrected.
-

3. Target Users

3.1 Primary Customers

The first ideal paying customers are Cameroonian bilingual secondary schools that need both anglophone and francophone academic operations. These schools need a practical system for enrollment visibility, marks entry, report-card production, parent notification, discipline tracking, and school-fee visibility.

3.2 Primary School Users

- **Principal / Head of School** - Needs real-time enrollment visibility, confidence in marks/report-card readiness, controlled publication, parent communication, fee status, and auditability.
- **School Administrator / Secretariat** - Manages enrollment, student records, class setup, imports, exports, parent contact information, and school-year operations.
- **Teachers** - Enter marks for assigned subjects/classes, submit marks, and rely on clear locking/correction behavior.
- **Bursar / Fee Staff** - Configure class fees, record or review payment status, identify solvent/insolvent students, and export payment summaries.
- **Discipline Staff** - Record absence hours and major disciplinary reports, triggering parent visibility where needed.
- **Waklass Support** - Creates school tenants, configures school identity, and provides controlled support access.

3.3 Parent Users

Parents access school-published child information: report cards, discipline records, fee status, notifications, and profile information. One parent account can be linked to multiple children in the same school.

3.4 Student Users

Students hold a separate, school-managed account (FR-59) scoped to their own data only - independent in permissions and data access from any parent account, even when a parent's phone is used to help deliver the initial credential. Through waklass.com via WaklassSchoolConnect, a student can view their own published report cards, marks, and discipline records, and show proof of current enrollment. Students do not get a web-based portal, and cannot see fee information, siblings, or other students.

3.5 Jobs To Be Done

- As a principal, I need to know enrollment status, marks readiness, and publication state so I can run report-card periods without last-minute uncertainty.
- As a teacher, I need a fast and clear marks-entry workflow so I can submit assigned marks accurately.
- As an administrator, I need imports, setup reuse, and exports so school operations do not depend on repeated manual spreadsheet work.
- As fee staff, I need quick solvent/insolvent visibility so follow-up is faster and less error-prone.
- As a parent, I need timely access to published results, discipline information, and payment status so I can follow my child without waiting for paper communication.
- As a student, I need to check my own results and discipline record, and show proof that I'm enrolled, without depending on a parent's device or account.
- As Waklass Support, I need controlled tenant setup and audited support access so schools can be onboarded without mixing data.

3.6 Non-Users for V1

- Schools looking primarily for payroll, inventory, library, timetable, e-learning, or full accounting modules.
- Parents who need one account spanning multiple schools.
[ASSUMPTION]

- Students with an independent web login to waklass_sms directly - student self-service is scoped to waklass.com via WaklassSchoolConnect only (Section 3.4), not a separate web portal.

3.7 Key User Journeys

- **UJ-1. Marie checks whether the school year is filling correctly.**
 - **Persona + context:** Marie is the principal of a bilingual secondary school preparing for the active school year.
 - **Entry state:** Marie is signed in with a custom Principal profile that has enrollment visibility capability.
 - **Path:** She opens the enrollment view, selects the active school year, and reviews total students, boys/girls, new enrollments, and repeaters.
 - **Climax:** She can tell whether enrollment is progressing without asking the secretariat to consolidate spreadsheets.
 - **Resolution:** She uses the view to follow up with administration where counts look incomplete.
- **UJ-2. Alain submits marks for his assigned class.**
 - **Persona + context:** Alain is a teacher responsible for an assigned subject/class in an anglophone class.
 - **Entry state:** Alain is signed in with the Teacher profile.
 - **Path:** He opens marks entry for his assigned subject/class and academic period, enters marks, reviews them in the marksheet, and submits.
 - **Climax:** Submitted marks lock automatically, preventing accidental changes.
 - **Resolution:** Authorized staff can now see the marks in the marksheet overview before report-card validation.
- **UJ-3. Nadine publishes term results after validation.**
 - **Persona + context:** Nadine is a school administrator with report-card generation, validation, and publication

capabilities.

- **Entry state:** Marks have been submitted and locked for the reporting period.
 - **Path:** She generates report cards using the selected template, validates the output, and publishes the results.
 - **Climax:** Francophone classes receive French report cards, anglophone classes receive English report cards, and linked parents are notified automatically.
 - **Resolution:** Parents see the latest published report cards in their accounts; corrected versions can be republished if needed.
- **UJ-4. Patrice identifies students who still owe fees.**
 - **Persona + context:** Patrice is fee staff preparing payment follow-up for a class.
 - **Entry state:** Class fee structures and payments have been recorded for the school year.
 - **Path:** He opens fee summaries, filters by class and school year, and reviews solvent and insolvent students.
 - **Climax:** He gets the insolvent list without manually checking payment books.
 - **Resolution:** The school can follow up with parents using the recorded payment status.
 - **UJ-5. Chantal receives her child's published results.**
 - **Persona + context:** Chantal is a parent with one account linked to two children in the same school.
 - **Entry state:** Her account was activated by phone number and password sent through WhatsApp or SMS.
 - **Path:** After the school publishes results, she receives a notification, signs in, selects the child, and opens the published report card.
 - **Climax:** She sees the official published result only after the school has released it.
 - **Resolution:** She can also check discipline, fee status, notifications, and profile information for linked children.
 - **UJ-6. Junior checks his own results and proves he's a**

student.

- **Persona + context:** Junior is a student whose school activated his own student account using his matricule.
 - **Entry state:** His school printed his matricule and password for him, and separately generated a SchoolConnect connection credential verified against his mother's phone number on file; he connected once on waklass.com and changed his password.
 - **Path:** After results are published, he opens waklass.com to check his own report card and marks - on his own device, without going through his mother's account or session - and later shows his enrollment status on the app as proof he's a student at the school.
 - **Climax:** He sees his own results directly, from his own connected account, without needing his parent's account or session to view them.
 - **Resolution:** He cannot see fee information, siblings, or other students - only his own academic and discipline records and enrollment status.
- **UJ-7. Nadine issues and revokes a WaklassSchoolConnect connection.**
 - **Persona + context:** Nadine is a school administrator with the capability to manage SchoolConnect connections.
 - **Entry state:** A parent has asked at the school office to connect their waklass.com account to their child's records.
 - **Path:** Nadine looks up the parent's account, generates a SchoolConnect connection credential, and it is sent to the parent's phone via WhatsApp. Weeks later, the same parent reports their phone was lost; Nadine revokes the connection and regenerates a new credential once the parent has a new number on file.
 - **Climax:** The old, potentially compromised connection stops working immediately once revoked.
 - **Resolution:** The parent reconnects with the new credential and phone number; the prior credential can never be reused.
-

4. Glossary

- **Academic Year** - A school operating year, such as 2026–2027, containing terms, sequences/evaluations, enrollments, fees, marks, report cards, and historical records.
- **Annual Result** - The end-of-year result generated from configured academic-period calculations.
- **Anglophone Class** - A class assigned to the anglophone subsystem; its report cards use English document language.
- **Capability** - A permission attached to a profile that allows a protected action or workflow.
- **Class Fee Structure** - The set of fee items configured for a class in a school year.
- **Custom Profile** - A school-created staff profile such as Admin or Principal, with assigned capabilities.
- **Evaluation System** - The selected academic evaluation mode: automatic sequential, one control and one exam per term, or generic custom evaluations.
- **Francophone Class** - A class assigned to the francophone subsystem; its report cards use French document language.
- **Insolvent Student** - A student with outstanding required fees for the relevant class and school year.
- **Marksheet Overview** - A broad academic-results view showing marks, class averages, subject averages, and ranks.
- **Parent Account** - A phone-number-based account linked to one or more students in the same school.
- **Profile** - A named access role, either predefined by Waklass or created by a school, that receives capabilities.
- **Report Card** - A generated academic document for a sequence, term, or annual result, using the class subsystem language and selected template.
- **School Tenant** - An isolated school workspace created by Waklass support/staff.
- **Sequence** - An academic period inside a term.
- **Solvent Student** - A student whose required fees are fully paid for the relevant class and school year.
- **Student Account** - A matricule/ID-based account, separate from any parent account, giving a student self-service access to their

own data via WaklassSchoolConnect.

- **Subsystem** - The anglophone or francophone academic grouping assigned to a class.
- **Support Profile** - A predefined Waklass-controlled profile for tenant setup and support access.
- **Support Ticket** - A cross-tenant request from any user reporting a bug, issue, or incident to Waklass Support, handled outside school-internal workflows.
- **Teacher Profile** - A predefined profile for school staff who teach assigned subjects/classes.
- **waklass.com** - A separate, already-live Waklass consumer mobile and web application with its own independent user accounts, distinct from the waklass_sms parent-portal login.
- **WaklassSchoolConnect** - The bridge connecting a parent's or student's waklass.com account to their waklass_sms data, via a connection credential and an API/webhook exposed by waklass_sms. Referred to as "SchoolConnect" for short elsewhere in this document.

5. Features

5.1 Enrollment Visibility

Description: Waklass gives authorized school staff a real-time view of enrollment composition so they can understand the current student population without manually consolidating registers or spreadsheets. The view focuses on counts that matter for school administration: total students, boys/girls, new enrollments, and repeaters. V1 does not block enrollment based on class capacity and does not manage capacity limits.

Functional Requirements:

FR-1: Enrollment Summary View

Any profile with the required capability can view enrollment summaries

showing total students, boys/girls, new enrollments, and repeaters.

Consequences (testable):

- The system displays total student count for the selected academic year.
- The system displays boys and girls counts for the selected academic year.
- The system displays new enrollment count for the selected academic year.
- The system displays repeater count for the selected academic year.
- Users without the required capability cannot access the enrollment summary.

FR-2: No Enrollment Capacity Blocking

The system does not prevent enrollment because of class capacity in v1.

Consequences (testable):

- A student can be enrolled even if a class would exceed any informal school capacity expectation.
- No v1 workflow requires class capacity setup before enrollment.

Out of Scope:

- Class capacity limits.
- Enrollment blocking based on capacity.
- Capacity override approval workflows.

5.2 Marks Entry and Marksheet Overview

Description: Waklass provides web-based marks entry and a broad marksheet overview so teachers and authorized staff can enter, import, review, and supervise academic results before report cards are generated. The marksheet overview must make marks, class averages, subject averages, and ranks visible in one workflow. Teachers can edit marks only for assigned subjects, while other capable profiles can edit

according to school-granted permissions. Submitted marks lock automatically to protect validated results.

Functional Requirements:

FR-3: Web Marks Entry

Teachers can enter marks in the web UI only for the subjects and classes assigned to them. Profiles with the required capability can enter or edit marks according to their permissions.

Consequences (testable):

- A teacher cannot enter marks for a subject/class assignment they do not own unless another capability grants that access.
- A capable profile can enter or edit marks where the assigned capability allows it.
- Marks entry records the academic period, class, subject, student, mark value, and actor.

FR-4: Marksheet Overview

Authorized users can view a marksheet overview showing marks, class averages, subject averages, and ranks.

Consequences (testable):

- The overview displays entered marks for the selected class, subject, and academic period.
- The overview displays calculated class averages.
- The overview displays calculated subject averages.
- The overview displays calculated ranks where ranking rules apply.
- Users without the required capability cannot access the marksheet overview.

FR-5: Automatic Mark Locking After Submission

Submitted marks are locked automatically and cannot be edited afterward unless an authorized unlock or correction workflow allows it.

Consequences (testable):

- Submitting marks changes them to a locked state.
- Locked marks are read-only for normal teacher editing.
- Attempts to edit locked marks without the required capability are rejected.
- The system records the submitter and submission time.

FR-6: Strict Marks Import

Authorized users can import marks from Excel/CSV if the workflow can meet strict validation and reliability requirements.

Consequences (testable):

- The system rejects files with missing required columns.
- The system rejects rows that do not match known students, classes, subjects, or academic periods.
- The system rejects invalid mark values based on configured grading rules.
- The system reports row-level errors so the school can correct the file.
- The system does not partially accept invalid imports unless the user explicitly confirms a valid-row-only import mode.
[ASSUMPTION]

Notes:

- Marks import is desired, but it must be excluded or deferred if it creates report-card reliability risks.

5.3 Report Cards and Publication

Description: Waklass generates report cards from validated academic data and publishes them only when the school decides results are ready. Report-card language is determined by the class subsystem: francophone classes receive French report cards, and anglophone classes receive English report cards. V1 report cards cover sequences, terms, and annual results. Report-card templates control which sections

appear, including marks, coefficients, averages, ranks, class average, decision/pass-fail, and teacher comments. Discipline does not affect report-card output in v1.

Functional Requirements:

FR-7: Subsystem-Based Report-Card Language

The system generates report cards in French for francophone classes and English for anglophone classes.

Consequences (testable):

- A francophone class report card uses French labels and document text.
- An anglophone class report card uses English labels and document text.
- Report-card language is derived from the class subsystem, not manually selected per student.

FR-8: Report-Card Period Coverage

The system can generate report cards for sequence, term, and annual periods.

Consequences (testable):

- Authorized users can generate a sequence report card from sequence marks and calculations.
- Authorized users can generate a term report card from the configured term calculation rules.
- Authorized users can generate an annual report card from configured annual calculation rules.

FR-9: Template-Driven Report-Card Content

The system supports report-card templates that determine which sections and fields appear on the generated report card.

Consequences (testable):

- Templates can include marks, coefficients, averages, ranks, class average, decision/pass-fail, and teacher comments.
- The generated report card follows the selected template for the class or school configuration.
- The system can support multiple templates for different school or subsystem needs.

FR-10: Report-Card Generation, Validation, and Publication

Any profile with the required capability can generate, validate, and publish report cards.

Consequences (testable):

- Users without the required capability cannot generate report cards.
- Users without the required capability cannot validate report cards.
- Users without the required capability cannot publish report cards to parents.
- Publication is a deliberate school action and does not happen automatically after generation.

FR-11: Corrected Report-Card Republishing

After report cards have been published, the school can republish corrected versions.

Consequences (testable):

- A capable profile can generate and publish a corrected report-card version after corrections are made.
- Parents see the latest published version.
- The system retains internal audit traceability that a corrected version replaced a prior published version.
- Prior published versions do not need to remain visible to parents.

5.4 Parent Access and Notifications

Description: Waklass gives parents controlled access to school-published child information. In v1, parents can access published report cards, discipline information, fee information, notifications, and profile information. Parents are notified automatically when the school publishes results. One parent account can be linked to multiple students in the same school.

Functional Requirements:

FR-12: Parent Portal Access

Parents can access published report cards, discipline information, fee information, notifications, and profile information for their linked children.

Consequences (testable):

- Parents cannot view report cards until the school publishes them.
- Parents can view discipline information for linked children.
- Parents can view fee information for linked children.
- Parents can view notifications sent to them or related to linked children.
- Parents can view profile information for linked children.
- Parent access spans all prior school years for linked children, not only the current school year, consistent with FR-39's historical-retention commitment.

FR-13: Multi-Child Parent Account

A parent account can be linked to multiple students in the same school.

Consequences (testable):

- A parent can switch between linked children in the same account.
- A parent cannot view students who are not linked to their account.
- School staff with the required capability can manage parent-student links.

FR-14: Parent Account Activation

Parent accounts are activated using the parent's phone number, with the password sent through WhatsApp or SMS.

Consequences (testable):

- The system can create or activate a parent account using a school-provided phone number.
- The system sends the parent password through WhatsApp or SMS.
- The parent can sign in with phone number and password.
- A capable school profile can resend a new parent password with a simple click.

Notes:

- Password delivery by WhatsApp/SMS needs later security review before implementation.

FR-15: Automatic Result Publication Notification

When a school publishes report cards or results, the system automatically notifies linked parents.

Consequences (testable):

- Publication triggers parent notification without a separate manual send step.
- Notifications are sent only to parents linked to students whose results were published.
- Notification delivery follows the channel priority: WhatsApp, SMS, push notification, then email.
- Notifications are visible inside the parent app.
- Failed notification attempts are visible to an authorized school or Waklass user. [ASSUMPTION]

Notes:

- The push-notification step is delivered through WaklassSchoolConnect (see FR-58) for parents connected to

5.5 Discipline

Description: Waklass records discipline information that schools need to track and communicate to parents. V1 discipline covers absences measured in hours and major disciplinary reports, such as serious incidents or issues involving a student. Discipline incidents notify parents immediately and appear in the parent portal. Discipline does not affect report-card output in v1.

Functional Requirements:

FR-16: Discipline Record Management

Any staff member with the assigned capability profile can create and edit discipline records.

Consequences (testable):

- Users with the required capability can create absence records measured in hours.
- Users with the required capability can create major disciplinary reports.
- Users with the required capability can edit discipline records.
- Users without the required capability cannot create or edit discipline records.

FR-17: Immediate Parent Discipline Notification

When a discipline incident is recorded, the system immediately notifies linked parents and makes the incident visible in the parent portal.

Consequences (testable):

- Creating a major disciplinary report triggers parent notification.
- Discipline notifications are sent only to parents linked to the affected student.

- Discipline records appear in the parent portal for the affected student.
- Discipline notifications are visible inside the parent app.

FR-18: Discipline Excluded from Report Cards

Discipline records do not affect report-card output in v1.

Consequences (testable):

- Report-card generation does not include discipline incidents unless this requirement is changed.
- Report-card calculations do not use absences or disciplinary reports.
- Report-card templates do not require discipline fields in v1.

5.6 School-Fee Tracking

Description: Waklass tracks school fees by school year and class. Each class can have categorized fee items, such as registration, installment-based school fees, uniforms, and other school-defined charges. Fee items can be compulsory or optional. When a student is enrolled in a class for a school year, the student is bound to that class fee structure. School staff can see payment status, solvent and insolvent students, and payment summaries. Parents can see their child's payment status.

Functional Requirements:

FR-19: Class Fee Configuration

Any profile with the required capability can configure class fee structures for a school year.

Consequences (testable):

- The system supports fee categories such as registration, installment fees, uniforms, and school-defined categories.

- The system supports compulsory and optional fee items.
- Fee configuration is tied to a class and school year.
- Users without the required capability cannot create or modify fee structures.

FR-20: Student Fee Binding

When a student is enrolled in a class for a school year, the system binds the student to that class fee structure.

Consequences (testable):

- A student's expected fees are derived from the student's class and school year.
- Compulsory fee items apply automatically to the student.
- Optional fee items can be applied when selected or assigned by a capable profile. [ASSUMPTION]
- Changing a student's class updates or flags the student's fee structure for review. [ASSUMPTION]

FR-21: Payment Status and Summary Views

Authorized school staff can view solvent and insolvent students, payment summaries, and payment status.

Consequences (testable):

- The system identifies students whose required fees are fully paid as solvent.
- The system identifies students with outstanding required fees as insolvent.
- Authorized staff can view payment summaries by class, school year, and fee category.
- Users without the required capability cannot access payment summary views.

FR-22: Parent Fee Status View

Parents can view payment status for their linked children.

Consequences (testable):

- Parents can see paid and outstanding fee status for each linked child.
- Parents cannot view fee status for students not linked to their account.
- Parent-facing fee status reflects the school's recorded payments and configured fees.

FR-23: Fee Payment Recording and Receipts

Any profile with the required capability can record student fee payments and generate receipts.

Consequences (testable):

- The system records payment amount, payer/student, fee item or category, date, payment method, and actor. [ASSUMPTION]
- Recorded payments update solvent/insolvent status and payment summaries.
- The system can generate a receipt for a recorded payment.
- Payment corrections reverse the old payment.
- Payment reversals require the relevant capability and are audited.
- Users without the required capability cannot record, correct, reverse, or receipt payments.

5.7 Profiles and Capabilities

Description: Waklass controls access through profiles and capabilities. V1 includes predefined Support and Teacher profiles, while schools can create custom profiles such as Admin, Principal, and other local roles. Features that say "capable profile" depend on capability assignment rather than open access.

Functional Requirements:

FR-24: Predefined Support Profile

Waklass provides a predefined Support profile controlled by Waklass.

Consequences (testable):

- The Support profile exists by default.
- Only Waklass-controlled administration can assign or configure Support access. [ASSUMPTION]
- Support access is governed by capability checks for sensitive actions.

FR-25: Predefined Teacher Profile

Waklass provides a predefined Teacher profile for school staff who teach assigned subjects/classes.

Consequences (testable):

- The Teacher profile exists by default.
- Teachers can access teacher-specific workflows such as assigned-subject marks entry.
- Teacher access to non-teaching workflows requires explicit capability permission. [ASSUMPTION]

FR-26: School-Created Custom Profiles

Schools can create custom profiles such as Admin, Principal, and other local roles, then assign capabilities to those profiles.

Consequences (testable):

- A school can create a named custom profile.
- A school can assign capabilities to a custom profile.
- A school can assign staff members to a custom profile.
- Custom profile capabilities determine which protected workflows the assigned staff member can access.

FR-27: Capability Enforcement

The system enforces required capabilities before allowing sensitive

actions.

Consequences (testable):

- Enrollment summary access requires the relevant capability.
- Marks editing beyond assigned teacher scope requires the relevant capability.
- Report-card generation, validation, and publication require the relevant capabilities.
- Discipline creation/editing requires the relevant capability.
- Fee configuration, payment recording, receipt generation, and payment summary access require the relevant capabilities.

5.8 Academic Setup

Description: Waklass lets schools configure the academic structure that drives marks, report cards, and annual results. A school year contains terms, sequences inside terms, and an annual result. Schools choose an evaluation system, configure the number of terms and sequences or evaluations allowed by that system, assign classes to anglophone or francophone subsystems, and define subjects with coefficients. Schools should be able to reuse setup from a previous academic year to reduce annual onboarding work.

Functional Requirements:

FR-28: School Year, Term, Sequence, and Annual Structure

Any profile with the required capability can configure a school year with terms, sequences inside terms, and annual result calculation.

Consequences (testable):

- A school year can contain one or more terms.
- A term can contain one or more sequences.
- Annual results are generated from configured period results.
- Users without the required capability cannot modify academic-year structure.

FR-29: Evaluation System Selection

A school can choose one evaluation system to govern how evaluations and report-card periods work.

Consequences (testable):

- The system supports an automatic sequential evaluation mode where sequential exams are set automatically and report cards can be generated for sequences and terms.
- The system supports a mode with one control and one exam per term.
- The system supports a generic mode where schools can create custom evaluations and select evaluations for report-card generation.
- The selected evaluation system constrains the term, sequence, and evaluation configuration available to the school.

FR-30: Configurable Period Counts

Schools can configure the number of terms, sequences, or evaluations according to the selected evaluation system.

Consequences (testable):

- A school can configure term count where the selected evaluation system allows it.
- A school can configure sequence count where the selected evaluation system allows it.
- A school can configure custom evaluations in generic mode.
- Invalid configurations for the selected evaluation system are rejected.

FR-31: Class Subsystem Assignment

Each class belongs to either the anglophone or francophone subsystem.

Consequences (testable):

- A class cannot be created without a subsystem assignment.

- The class subsystem determines report-card language.
- The class subsystem can be used for subsystem-specific templates and academic rules. [ASSUMPTION]

FR-32: Subject Coefficients

Subjects always have coefficients.

Consequences (testable):

- A subject cannot be used for marks or report-card calculation without a coefficient.
- Coefficients are used in average calculations.
- The system prevents invalid coefficient values.

FR-33: Prior-Year Setup Reuse

A school can reuse academic setup from a previous year when opening a new academic year.

Consequences (testable):

- A capable profile can copy classes, subjects, coefficients, and academic structure from a prior year.
- Copied setup can be reviewed and adjusted for the new school year.
- Prior-year student results remain archived and are not overwritten by setup reuse.

5.9 Student Lifecycle

Description: Waklass manages student records across the academic year and from one year to the next. V1 supports new student enrollment, student matricule/ID generation, promotion to the next class, repeaters, transfers, withdrawals, inactive students, mid-year joiners, and access to historical records.

Functional Requirements:

FR-34: New Student Enrollment

Any profile with the required capability can create a new student record and enroll the student into a class for the active school year.

Consequences (testable):

- A student record captures identity information required by the school. [ASSUMPTION]
- A new student can be assigned to a class and school year.
- The enrollment updates enrollment summary counts.
- Users without the required capability cannot enroll new students.

FR-35: Student Matricule or ID Generation

The system can generate a student matricule or student ID.

Consequences (testable):

- A newly enrolled student receives a unique matricule or student ID within the school.
- The same matricule or student ID remains associated with the student across school years.
- The system prevents duplicate matricules or student IDs within the school.

FR-36: Promotion and Repeaters

Any profile with the required capability can promote students to the next class or mark students as repeaters for the next academic year.

Consequences (testable):

- A promoted student is assigned to the next class for the new academic year.
- A repeating student remains assigned to the repeated class for the new academic year.
- Promotion and repeater actions preserve prior-year academic records.
- Promotion and repeater decisions are manually controlled by the

school in v1.

FR-37: Transfer, Withdrawal, and Inactive Status

Any profile with the required capability can mark students as transferred, withdrawn, or inactive.

Consequences (testable):

- Transferred, withdrawn, and inactive students remain in historical records.
- Transferred, withdrawn, and inactive students are excluded from active enrollment counts unless the selected view includes them.
- Status changes record the actor and date. [ASSUMPTION]

FR-38: Mid-Year Student Joiners

Any profile with the required capability can enroll a student who joins during an active academic year.

Consequences (testable):

- A mid-year joiner can be assigned to the current class and school year.
- The system records the student's enrollment date.
- A mid-year joiner remains a student in the class and school year.
- A mid-year joiner is marked absent from exams that already passed before the student's enrollment date.

FR-39: Historical Student Records

Authorized users can access student historical records across school years.

Consequences (testable):

- Authorized users can view a student's prior-year enrollment history.
- Authorized users can view archived academic results where

available.

- Historical records remain accessible after promotion, repeat, transfer, withdrawal, or inactive status.
- Users without the required capability cannot access historical student records.

5.10 Imports and Exports

Description: Waklass supports Excel/CSV imports to make school onboarding and recurring setup faster. V1 must support imports for students with parent information, staff, classes, and subjects with coefficients. Teacher subject/class assignment import and marks import are desired only if they do not introduce reliability or setup complexity that would weaken v1. Exports remain focused on operational needs defined by the related features.

Functional Requirements:

FR-40: Student and Parent Import

Any profile with the required capability can import students with parent information from Excel/CSV.

Consequences (testable):

- The import validates required student fields.
- The import validates required parent/contact fields.
- The import reports row-level errors.
- Invalid rows do not silently create incomplete student or parent records.

FR-41: Staff Import

Any profile with the required capability can import staff from Excel/CSV.

Consequences (testable):

- The import validates required staff fields.

- The import reports row-level errors.
- Imported staff can later be assigned profiles and capabilities according to school setup. [ASSUMPTION]

FR-42: Class Import

Any profile with the required capability can import classes from Excel/CSV.

Consequences (testable):

- The import validates class name and subsystem assignment.
- The import rejects classes without anglophone or francophone subsystem assignment.
- The import reports row-level errors.

FR-43: Subject and Coefficient Import

Any profile with the required capability can import subjects with coefficients from Excel/CSV.

Consequences (testable):

- The import validates subject identity.
- The import validates coefficient values.
- The import rejects subject records without coefficients.
- The import reports row-level errors.

FR-44: Optional Teacher Assignment Import

Teacher subject/class assignment import is optional for v1 and should be included only if it can be made reliable without complicating onboarding.

Consequences (testable):

- If included, the import validates teacher, subject, class, and school-year references.
- If included, invalid assignment rows are rejected with row-level

errors.

- If excluded, teacher assignments can still be created through the web UI.

FR-45: Conditional Marks Import

Marks import is optional for v1 and should be included only if strict validation protects report-card accuracy.

Consequences (testable):

- If included, marks import satisfies FR-6.
- If excluded, marks can still be entered through the web UI.
- The product does not require marks import for report-card generation.

FR-46: Academic Exports

Authorized users can export academic documents and lists needed for school operations.

Consequences (testable):

- The system can export report-card PDFs.
- The system can export marksheets as Excel and PDF.
- The system can export student lists.
- The system can export annual results lists.
- Users without the required capability cannot export protected academic data.

FR-47: Parent Contact Export

Authorized users can export parent contact lists.

Consequences (testable):

- The system can export parent contact information for selected classes, school years, or students. [ASSUMPTION]
- The export includes only parent records the user is authorized to

access.

- Users without the required capability cannot export parent contact data.

FR-48: Fee Exports

Authorized users can export fee-related operational reports.

Consequences (testable):

- The system can export solvent and insolvent student lists.
- The system can export payment summaries.
- Fee exports can be filtered by class and school year.
[ASSUMPTION]
- Users without the required capability cannot export fee data.

FR-49: Discipline and Absence Export

Authorized users can export discipline and absence summaries.

Consequences (testable):

- The system can export absence summaries.
- The system can export major disciplinary report summaries.
- Discipline and absence exports can be filtered by class and school year. [ASSUMPTION]
- Users without the required capability cannot export discipline or absence data.

5.11 School Tenant Setup

Description: Waklass schools are created only by Waklass support or staff in v1. Tenant setup captures the school's identity, administrative information, logo, and initial school year, such as 2026–2027. This setup creates the isolated school workspace used for academic setup, enrollment, marks, report cards, discipline, fees, and parent access.

Functional Requirements:

FR-50: Waklass-Controlled School Creation

Only Waklass support or staff can create a school tenant.

Consequences (testable):

- School users cannot self-register a new school tenant in v1.
- School tenant creation requires Waklass-controlled access.
- A created school tenant is isolated from every other school tenant.

FR-51: School Identity Setup

Waklass support or staff can enter the school's identity information during tenant setup.

Consequences (testable):

- Tenant setup supports school name in French and English.
- Tenant setup supports initials.
- Tenant setup supports motto in French and English.
- Tenant setup supports school logo upload.
- Tenant setup supports immatriculation, creation order, and opening order fields.

FR-52: School Classification Setup

Waklass support or staff can configure school classification fields during tenant setup.

Consequences (testable):

- Tenant setup supports country, defaulting to Cameroon where applicable.
- Tenant setup supports category, such as private. [ASSUMPTION]
- Tenant setup supports type, such as secondary. [ASSUMPTION]
- Tenant setup supports language, such as French or English. [ASSUMPTION]
- Tenant setup supports education, such as general. [ASSUMPTION]
- Tenant setup supports group.

FR-53: School Contact and Location Setup

Waklass support or staff can enter school contact and location information during tenant setup.

Consequences (testable):

- Tenant setup supports founder.
- Tenant setup supports principal, provisor, or head-of-school name.
- Tenant setup supports email.
- Tenant setup supports region, division, town, and site.
- Tenant setup supports postal box.
- Tenant setup supports one or more phone numbers.

FR-54: Initial School Year Setup

Waklass support or staff can create the initial school year when setting up a school tenant.

Consequences (testable):

- Tenant setup captures an initial school year, such as 2026–2027.
- The initial school year becomes available for academic setup, enrollment, fees, marks, and report cards.
- A school cannot begin operational setup without at least one school year.

5.12 Support Ticketing

Description: Waklass gives every user of the system a direct way to report a problem to Waklass Support, independent of school-internal workflows. A ticket is a cross-tenant support request handled by Waklass Support, not by school staff, and is not part of any school's academic, discipline, or fee record.

Functional Requirements:

FR-55: Ticket Creation

Any authenticated user of the system - school staff of any role, a parent, or a Waklass Support user - can open a ticket to report a bug, issue, or incident.

Consequences (testable):

- Any authenticated user can create a ticket with a description of the problem.
- A ticket creator can assign a category to the ticket to support triage.
- A ticket creator can attach one or more files or screenshots to the ticket; attachment content is visible only to Waklass Support and the ticket's creator, with the same confidentiality expectation as any other sensitive tenant data Support can access.
- A created ticket records who created it, their school (if applicable), and when it was created.
- Ticket creation does not require any special capability.
- A connected parent or student account (via WaklassSchoolConnect, FR-58/FR-60) can also create a ticket through the API, so users who only ever use waklass.com - not the waklass_sms web portal - have a working way to report a problem.
- Waklass Support can also create a ticket on behalf of a school, such as during onboarding; that ticket is visible to capable school staff at that school, not only to the Support user who created it.

Notes:

- Exact category values are left to architecture/implementation at launch; Waklass Support can extend them later without a PRD change.

FR-56: Ticket Handling by Waklass Support

Waklass Support can view, triage, and resolve tickets from a single cross-tenant queue, and the ticket creator can see their ticket's status.

Consequences (testable):

- Waklass Support can see all open tickets across every school tenant in one queue, and can filter or sort by category.
- Waklass Support can change a ticket's status, such as open, in progress, or resolved.
- Waklass Support can respond to a ticket, including with file/screenshot attachments.
- The ticket's creator can view their own ticket's current status and any response.
- School staff and parents cannot see tickets created by other users or other schools, other than an on-behalf-of ticket as described in FR-55.
- Ticket viewing, triage, and response by Waklass Support is logged per Section 6.2, consistent with the auditing already required of Support access in Section 6.1.

5.13 WaklassSchoolConnect

Description: WaklassSchoolConnect is the bridge between waklass_sms and waklass.com, a separate, already-live consumer mobile and web application owned by Waklass with its own independent user accounts. It lets a parent who already uses waklass.com connect their waklass.com account to their child(ren)'s records in a school's waklass_sms tenant, so waklass.com can show that student's information and receive push-notification triggers. This PRD defines only the waklass_sms side of the bridge: how a connection credential is generated, and the API/webhook surface waklass.com consumes. The screens and experience inside waklass.com itself are out of scope for this PRD.

Functional Requirements:

FR-57: SchoolConnect Connection Credential

A capable school profile can generate a SchoolConnect connection credential for a parent account, tied to that parent account rather than to an individual student, and secured so that possessing the credential alone is not enough to connect.

Consequences (testable):

- A capable school profile generates the SchoolConnect connection credential on demand for an existing parent account, the same pattern as FR-14's password generation/resend - it is not self-service and not automatic.
- The system sends the connection credential to the parent through WhatsApp or SMS, the same delivery channel as FR-14's password delivery.
- The credential is tied to the parent account, not to a single student.
- Connecting in waklass.com requires both the credential and a phone number matching the one already on file for that parent account - the credential alone is not sufficient to connect.
- The credential expires after a set period if unused.
- A capable school profile can revoke an active connection or regenerate a new credential, invalidating the previous one.
- Once connected, all of that parent's currently-linked students are reachable through the connection.
- A student later linked to that same parent account becomes reachable through the existing connection without a new credential. [ASSUMPTION]
- Tenant isolation applies: a connection only ever exposes students linked to that parent's own school-tenant record.
- Credential generation, connection, revocation, and regeneration are logged per the audit-logging requirements in Section 6.2.
- If the parent's phone number on file changes before an issued credential is used, the credential becomes invalid; a capable school profile must regenerate a new one.
- Revoking a connection or letting a credential expire takes effect immediately for new API/webhook calls; already-delivered data already on waklass.com's own side is outside this PRD's scope.

Notes:

- Credential delivery reuses FR-14's WhatsApp/SMS channel; the same "needs later security review before implementation" caveat applies here, and arguably more, since this credential bridges to a separate account system outside waklass_sms's own tenant boundary rather than authenticating a single login.

FR-58: SchoolConnect Data and Notification API

Waklass_sms exposes an API/webhook that lets waklass.com retrieve a connected parent's linked-student data and receive events for push-notification triggers.

Consequences (testable):

- A connected waklass.com account can retrieve published report cards, marks, and discipline records for that parent's linked students.
- The set of "linked students" reachable through a connection is evaluated live on each API/webhook call against the parent's current links (FR-13), not cached from connection time - if school staff unlink a student from the parent, that student's data stops being retrievable through the connection immediately.
- Report cards and marks are only retrievable after the school publishes them, matching FR-12's publication gating.
- The data available through SchoolConnect matches the same historical scope already available in the web Parent Portal (FR-12) - not limited to the current school year.
- A parent retains access to a linked child's historical published records through both the web Parent Portal and SchoolConnect after that child transfers, withdraws, or otherwise leaves the school, consistent with FR-39's historical-retention commitment. This retention applies only to a link that was valid while the student was enrolled; if a parent-student link is instead removed because it was created in error, access ends immediately and is not retained.
- Each retrieval of a student's data through the API, not only connection lifecycle events, is logged per Section 6.2.
- One waklass.com account may hold independent SchoolConnect connections to more than one waklass_sms school tenant (for example, siblings at different schools, or after a transfer); each connection is isolated and exposes only that tenant's own linked students, per tenant isolation (Section 6.1).
- Discipline incidents are retrievable and trigger a notification event immediately, matching FR-17.
- Published-result and discipline events raised for a connected

parent satisfy the "push notification" step of FR-15's channel priority.

- A failed webhook delivery to waklass.com is visible to an authorized school or Waklass user, the same as FR-15's failed-notification visibility. [ASSUMPTION]
- The existing web Parent Portal (FR-12) is unaffected; SchoolConnect is an additional channel, not a replacement.
- A school or Waklass user with the required capability can see whether a parent account is connected via SchoolConnect. [ASSUMPTION]

Notes:

- Exact expiry duration is left to architecture/implementation unless specified later.

5.14 Student Self-Service Access

Description: V1 reverses the earlier working assumption that students would not be direct users (see Section 3.4 and 3.6). A student can independently view their own published report cards, marks, and discipline records, and show proof of current enrollment, through waklass.com via WaklassSchoolConnect - using a school-managed student account that is separate from any parent account. This does not add a separate web-based student portal; student self-service is delivered only through waklass.com.

Functional Requirements:

FR-59: Student Account and SchoolConnect Connection

A capable school profile can activate a student account identified by the student's existing matricule/ID (FR-35) with a school-managed password, and separately issue a SchoolConnect connection credential for that account, secured the same way as a parent's connection (FR-57) so that the password alone is not enough to connect on waklass.com.

Consequences (testable):

- A capable school profile can activate a student account using the student's matricule/ID together with the student's school tenant as the identifier - matricule uniqueness is only guaranteed within a school (FR-35), so identification is never by matricule alone.
- The system generates the student account's password; a capable school profile can reset it with a simple action, mirroring FR-14's parent-password resend, and resetting invalidates the previous password immediately.
- The student (or whoever receives the credential) must change the password on first successful login.
- A capable school profile separately generates a SchoolConnect connection credential for the student account, mirroring FR-57: connecting on waklass.com requires the connection credential and a phone number matching either a phone number on file for the student or one belonging to one of the student's linked parent accounts (FR-13) - the password and connection credential alone are not sufficient without this match.
- The connection credential expires after a set period if unused, and a capable school profile can revoke or regenerate it, invalidating the previous one, the same as FR-57.
- A capable school profile can choose to deliver the student's password and connection credential via WhatsApp/SMS to a linked parent's phone, or as a printed credential handed directly to the student.
- The student account is independent of any parent account: it does not grant access to sibling students, other students, or parent-only information such as fees. [ASSUMPTION]
- A student account's ability to connect/log in follows the student's enrollment lifecycle status (FR-37): while active, connecting or logging in is allowed; once transferred, withdrawn, or inactive, new connections are blocked, but an already-connected account retains access to the student's own historical published records, matching the retention FR-58 already guarantees for parents. Only the FR-60 "currently enrolled" indicator changes to reflect the exit.
- Account activation, password reset, connection credential generation, connection, revocation, and regeneration are all logged per Section 6.2.

Notes:

- Credential delivery reuses FR-14's WhatsApp/SMS channel where that option is chosen; the same "needs later security review before implementation" caveat applies here.

FR-60: Student Data and Enrollment-Proof Access via WaklassSchoolConnect

A connected student account can, through waklass.com, view their own published report cards, marks, and discipline records, and display proof of current enrollment.

Consequences (testable):

- A connected student account can retrieve their own published report cards and marks, matching the same publication gating and historical scope as FR-12/FR-58 - not limited to the current school year, and not lost after the student leaves the school.
- A connected student account can retrieve their own discipline records.
- A connected student account can display basic enrollment-proof information: name, photo, school, class, and current enrollment status; the enrollment status reflects "not currently enrolled" once the student transfers, withdraws, or becomes inactive (FR-37), even though the student's historical academic and discipline records remain retrievable.
- Publication makes a result visible to a connected student and to their linked parent(s) at the same time; v1 does not support sequencing one audience's visibility ahead of the other.
[ASSUMPTION]
- A student cannot access another student's data, or any parent-only information such as fees.
- Tenant isolation applies: a student account only ever exposes that student's own school-tenant record, scoped by school tenant and matricule together.
- Each retrieval of the student's own data, not only connection lifecycle events, is logged per Section 6.2, consistent with FR-59's SchoolConnect logging.

6. Cross-Cutting Non-Functional Requirements

6.1 Tenant Isolation

Waklass must strongly isolate school tenants.

Requirements:

- Users from one school must not access another school's students, staff, parents, marks, report cards, discipline records, fees, settings, exports, or notifications.
- Support access must be explicit, controlled, and audited.
- Tenant isolation applies to application workflows, imports, exports, reports, notifications, and generated PDFs.
- Waklass Support's cross-tenant Support Ticket queue (Section 5.12) is the one deliberate, audited exception to per-school isolation.
- A WaklassSchoolConnect connection (Section 5.13/5.14) never exposes data outside the connected parent's or student's own school-tenant record, even when one waklass.com account holds connections to multiple tenants.

6.2 Audit Logging

Waklass must audit sensitive actions.

Requirements:

- The system logs marks creation, editing, submission, locking, unlocking, and correction.
- The system logs report-card generation, validation, publication, and republishing.
- The system logs discipline creation and editing.
- The system logs fee configuration, payment changes, and payment corrections.
- The system logs profile and capability changes.

- The system logs Support access and sensitive Support actions.
- The system logs WaklassSchoolConnect credential generation, connection, revocation, and regeneration, for both parent (FR-57) and student (FR-59) connections, plus each data retrieval made through the connection (FR-58/FR-60).
- The system logs student-account activation, password reset, and connection activity (FR-59).
- The system logs Support Ticket viewing, triage, and response by Waklass Support (FR-56).
- Audit entries include actor, action, target record, timestamp, and relevant before/after state where applicable. [ASSUMPTION]

6.3 Backups and Restore

Waklass must have regular backups and a restore process coordinated with the hosting environment.

Requirements:

- Backups cover school tenant data and generated operational records.
- Restore procedures are documented and testable.
- Backup and restore responsibilities with the host are clear before launch.

6.4 Poor-Connectivity Tolerance

Waklass must tolerate poor connectivity for marks entry and key data entry.

Requirements:

- Marks entry preserves local drafts during temporary connectivity interruptions.
- Marks entry shows clear save, retry, and sync status.
- Users can retry syncing preserved marks when connectivity returns.
- Full offline mode is not required for v1.

- Key data-entry workflows should provide clear save, retry, or recovery behavior when connectivity is weak.
- The product must avoid silent data loss.

6.5 PDF Reliability

Waklass must reliably generate report-card PDFs.

Requirements:

- Generated report-card PDFs match the selected template.
- PDFs remain readable and printable for school use.
- PDF generation failures are visible to authorized users and do not silently publish incomplete documents.

6.6 Performance Target

Waklass v1 must support schools with up to 2,000 students under target operating conditions.

Requirements:

- Enrollment views, marksheet views, report-card generation, fee summaries, and exports should remain usable for a 2,000-student school.
- Peak report-card periods must be considered in performance planning.

6.7 Document Language

Official documents depend on the class subsystem language rather than a generic whole-product translation-quality target.

Requirements:

- Francophone class report cards use French document labels/text.
- Anglophone class report cards use English document labels/text.
- Document language follows subsystem rules defined in academic

setup and report-card template configuration.

6.8 Historical Data Retention

Waklass must retain historical data across school years.

Requirements:

- Prior-year student records remain accessible according to permissions.
- Prior-year academic results remain accessible according to permissions.
- Prior-year fee and discipline records remain accessible according to permissions.
- Opening a new school year does not overwrite prior-year records.

6.9 Responsive Web Experience

Responsive desktop and mobile browser support is desirable for v1 but is not a hard launch requirement.

Requirements:

- Core workflows should prioritize desktop usability where tradeoffs are required. [ASSUMPTION]
- Mobile browser usability should be supported where practical, especially for marks entry and parent access. [ASSUMPTION]

7. MVP Scope

7.1 In Scope

- Waklass-controlled school tenant creation and initial school-year setup.
- School identity, classification, contact, location, and logo setup.

- Academic-year setup with terms, sequences, annual result, evaluation-system selection, class subsystem assignment, subjects, and coefficients.
- Enrollment visibility showing total students, boys/girls, new enrollments, and repeaters.
- Student lifecycle management for new students, promotion, repeaters, transfers, withdrawals, inactive students, mid-year joiners, matricule/ID generation, and historical records.
- Profiles and capabilities, including predefined Support and Teacher profiles plus school-created custom profiles.
- Web marks entry for assigned teachers and capable profiles.
- Marksheet overview showing marks, class averages, subject averages, and ranks.
- Automatic mark locking after submission.
- Conditional marks import only if strict validation protects report-card reliability.
- Report-card generation for sequences, terms, and annual results.
- Report-card templates for subsystem-language output and selected content.
- Report-card validation, school-controlled publication, and corrected-version republishing.
- Parent access to published report cards, discipline, fees, notifications, and profile information.
- Automatic parent notifications for published results and immediate discipline incidents.
- Discipline records for absence hours and major disciplinary reports, without report-card impact.
- School-fee tracking with class-year fee structures, compulsory/optional fee items, payment recording, receipts, solvent/insolvent status, payment summaries, and parent fee status.
- Required Excel/CSV imports for students+parents, staff, classes, and subjects+coefficients.
- Operational exports for report cards, marksheets, student lists, parent contacts, fee reports, discipline/absence summaries, and annual results.
- Cross-cutting tenant isolation, audit logs, host-backed backups/restore, poor-connectivity tolerance, PDF reliability, historical retention, and performance for schools up to 2,000 students.
- Support ticketing for any user to report a bug, issue, or incident to Waklass Support.

- WaklassSchoolConnect: connection-credential generation and the API/webhook surface for waklass.com to retrieve linked-student data and receive push-notification events.
- Student self-service access via WaklassSchoolConnect: a school-managed student account (matricule + password) for viewing the student's own report cards, marks, and discipline records, and showing proof of current enrollment.

7.2 Out of Scope for MVP

- Staff payroll.
- Inventory or library management.
- E-learning, online content, or online tests.
- Full accounting beyond school-fee tracking, payment status, payment summaries, and operational fee exports.
- Timetable management.
- Attendance tracking beyond absence hours recorded under discipline.
- Multi-school parent accounts. [ASSUMPTION]
- A separate web-based student portal - student self-service is delivered only through waklass.com via WaklassSchoolConnect.
- The waklass.com app's own screens/UI - owned by that product's separate backlog, not this PRD.

8. Non-Goals

Waklass v1 will not include:

- Staff payroll.
 - Inventory or library management.
 - E-learning, online content, or online tests.
 - Full accounting beyond school-fee tracking, payment status, payment summaries, and operational fee exports.
 - Timetable management.
 - Attendance tracking beyond absence hours recorded under discipline.
-

9. Success Metrics

Primary

- **SM-1: Report-card preparation speed** - After marks submission closes, a school can prepare publishable report cards within 1 day for the relevant period. [ASSUMPTION] Validates FR-4, FR-5, FR-7, FR-8, FR-9, FR-10, FR-11.
- **SM-2: Report-card accuracy** - Schools report fewer mark and report-card errors compared with their prior manual or spreadsheet process. Validates FR-3, FR-4, FR-5, FR-6, FR-9, FR-10.
- **SM-3: Parent result access** - At least 80% of linked parent accounts view published results within 7 days of publication during pilot use. [ASSUMPTION] Validates FR-12, FR-13, FR-15.
- **SM-4: Locked-mark publication discipline** - 100% of published report cards are generated from submitted/locked marks or authorized corrected versions. Validates FR-5, FR-10, FR-11.

Secondary

- **SM-5: Marksheet oversight usage** - Authorized staff use the marksheet overview before report-card validation/publication for each reporting period. Validates FR-4, FR-10.
- **SM-6: Fee visibility** - Authorized staff can identify solvent and insolvent students in under 1 minute for a selected class and school year. [ASSUMPTION] Validates FR-19, FR-20, FR-21, FR-22, FR-23.
- **SM-7: Poor-connectivity resilience** - Marks entry and key data-entry workflows avoid silent data loss during temporary connectivity interruptions. Validates NFR 6.4.
- **SM-8: Support ticket responsiveness** - Waklass Support acknowledges a new ticket within a defined pilot window. [ASSUMPTION] Validates FR-55, FR-56.
- **SM-9: SchoolConnect adoption** - A meaningful share of activated parent accounts complete a SchoolConnect connection

during pilot use. [ASSUMPTION] Validates FR-57, FR-58.

- **SM-10: Student self-service adoption** - A meaningful share of students with an activated account connect via WaklassSchoolConnect and view their own results at least once per reporting period. [ASSUMPTION] Validates FR-59, FR-60.

Counter-Metrics

- **SM-C1: Speed must not bypass validation** - Report-card preparation speed should not be improved by publishing unsubmitted, unlocked, or unvalidated marks.
- **SM-C2: Parent notifications must not leak data** - Parent notification volume should not be optimized at the cost of sending results or discipline information to the wrong parent.
- **SM-C3: Import speed must not weaken accuracy** - Import convenience should not be optimized at the cost of accepting invalid student, subject, fee, or mark data.
- **SM-C4: SchoolConnect adoption must not come at the cost of data reaching the wrong account** - SchoolConnect connection volume (SM-9) or student self-service adoption (SM-10) should not be optimized at the cost of a connection exposing a student's data to the wrong waklass.com account or retaining access after a link is unlinked or corrected.

10. Open Questions

1. Should marks import allow an explicit valid-row-only mode, or should any invalid row reject the full import?
2. Who should see failed notification attempts, and what actions can they take afterward?
3. How should optional fee items be assigned to students?
4. What should happen to fees when a student changes class during the school year?
5. Which payment methods must be recorded at launch?
6. What exact permissions can Waklass-controlled Support users receive, and who can assign them?

7. Which non-teaching workflows should the predefined Teacher profile access by default, if any?
8. Which subsystem-specific academic rules are required beyond report-card language?
9. What student identity fields are mandatory at enrollment?
10. Which school classification dropdown values are required at launch?
11. What backup/restore expectations must be agreed with the hosting provider before launch?
12. Should the pilot targets in Success Metrics remain fixed or be adjusted after first-school testing?

11. Assumptions Index

- Section 3.6 - Parents who need one account spanning multiple schools are not v1 users.
- FR-57 - A student later linked to an already-connected parent account becomes reachable through the existing SchoolConnect connection without a new credential.
- FR-58 - A school or Waklass user with the required capability can see whether a parent account is connected via SchoolConnect.
- FR-58 - A failed webhook delivery to waklass.com is visible to an authorized school or Waklass user, the same as FR-15's failed-notification visibility.
- FR-59 - A student account does not grant access to sibling students, other students, or parent-only information such as fees.
- FR-60 - Publication makes a result visible to a connected student and their linked parent(s) at the same time; v1 does not support sequencing one audience ahead of the other.
- FR-6 - Valid-row-only marks import may be allowed only when the user explicitly confirms it.
- FR-15 - Failed notification attempts are visible to an authorized school or Waklass user.
- FR-20 - Optional fee items can be applied when selected or assigned by a capable profile.
- FR-20 - Changing a student's class updates or flags the student's fee structure for review.

- FR-23 - Fee payment records include amount, payer/student, fee item or category, date, payment method, and actor.
- FR-24 - Only Waklass-controlled administration can assign or configure Support access.
- FR-25 - Teacher access to non-teaching workflows requires explicit capability permission.
- FR-31 - Class subsystem can drive subsystem-specific templates and academic rules beyond document language.
- FR-34 - Student records capture identity information required by the school.
- FR-37 - Student status changes record actor and date.
- FR-41 - Imported staff can later be assigned profiles and capabilities according to school setup.
- FR-47 - Parent contact exports can be filtered by class, school year, or selected students.
- FR-48 - Fee exports can be filtered by class and school year.
- FR-49 - Discipline and absence exports can be filtered by class and school year.
- FR-52 - School classification setup includes values such as private, secondary, French/English, and general.
- NFR 6.2 - Audit entries include actor, action, target record, timestamp, and relevant before/after state where applicable.
- NFR 6.9 - Core workflows prioritize desktop usability where tradeoffs are required.
- NFR 6.9 - Mobile browser usability is supported where practical, especially marks entry and parent access.
- Section 7.2 - Multi-school parent accounts are out of MVP scope.
- SM-1 - Pilot target: report cards can be prepared within 1 day after marks submission closes.
- SM-3 - Pilot target: 80% of linked parent accounts view published results within 7 days.
- SM-8 - Pilot target: Waklass Support acknowledges a new ticket within a defined pilot window.
- SM-9 - Pilot target: a meaningful share of activated parent accounts complete a SchoolConnect connection during pilot use.
- SM-10 - Pilot target: a meaningful share of students with an activated account connect and view their own results at least once per reporting period.
- SM-6 - Pilot target: staff can identify solvent and insolvent students in under 1 minute for a selected class and school year.