


CN TASK[AUG-17]

UDAY CHIRRA

2303A510G2

Routed Corporate Web Portal



1. Test PC-A → Gateway

```
Laptop0
Physical Config Desktop Programming Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.1

Pinging 192.168.10.1 with 32 bytes of data:

Reply from 192.168.10.1: bytes=32 time<1ms TTL=255
Reply from 192.168.10.1: bytes=32 time<1ms TTL=255
Reply from 192.168.10.1: bytes=32 time<1ms TTL=255
Reply from 192.168.10.1: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.10.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>
```

2. Test PC-A → DNS Server

```
C:\>ping 192.168.20.10


Pinging 192.168.20.10 with 32 bytes of data:

Request timed out.
Reply from 192.168.20.10: bytes=32 time<1ms TTL=127
Reply from 192.168.20.10: bytes=32 time<1ms TTL=127
Reply from 192.168.20.10: bytes=32 time<1ms TTL=127

Ping statistics for 192.168.20.10:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>|
```

3. Test PC-A → WEB Server



The screenshot shows a Cisco Packet Tracer interface for Laptop1. The 'Desktop' tab is selected, and a Command Prompt window is open. The command prompt shows the execution of a ping command to 192.168.20.20. The output indicates that the first packet timed out, but the subsequent three packets were received successfully with very low latency. The ping statistics show a 25% loss rate.

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.20.20


Pinging 192.168.20.20 with 32 bytes of data:

Request timed out.
Reply from 192.168.20.20: bytes=32 time=2ms TTL=127
Reply from 192.168.20.20: bytes=32 time=1ms TTL=127
Reply from 192.168.20.20: bytes=32 time<1ms TTL=127


Ping statistics for 192.168.20.20:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 2ms, Average = 1ms

C:\>
```

Test Website Using Domain Name:



Tested from 2nd laptop for fetching website from server :



Tested completely from laptop 1 to server which stores the web browser with simulation using ARP , DNS , TCP, HTTP.

