Chapter 8: Control of Movement

General Principles of Motor Behavior

Skeletal Muscle Anatomy and Physiology


Proprioception and Reflexes

Control of Movement by the Brain

Movement Disorders

Proprioception.

- sensory receptor sensitive to position and/or movement of body part (joints, ligaments, muscles, or tendons)
- 2 classes of proprioceptors:
 - joint proprioceptors
 - muscle/tendon proprioceptors




type IV (fine unmyelinated fibers throughout joint)


type III (in ligaments)


type I and II (in fibrous joint capsule)

Proprioception.

- sensory receptor sensitive to position and/or movement of body part (joints, ligaments, muscles, or tendons)
- 2 classes of proprioceptors:
 - joint proprioceptors
 - muscle/tendon proprioceptors









Muscle Spindles.

- located in muscles
- stretch receptors that parallel muscle fibers
- respond to changes in muscle length, not muscle tension




Muscle Spindles.

- intrafusal muscle fibers connected to spindle afferent neurons and h-motor neurons
- extrafusal muscle fibers innervated by f -motor neurons, contraction supplies muscle force
- h motor neurons contract intrafusal fibers to regulate sensitivity of muscle spindles to contraction of surrounding extrafusal fibers




Muscle Spindles - The Monosynaptic Stretch Reflex.

- muscle spindle stretched (lengthened)
- spindle afferent neurons provide monosynaptic input to f-motor neuron at spinal cord
- f -motor neuron elicits reflexive contraction




Muscle Spindles - The Monosynaptic Stretch Reflex.

• only known monosynaptic reflex, very fast (≅ 50 msec)




Muscle Spindles - The Monosynaptic Stretch Reflex.

• spinal cord also sends message to inhibit f -motor neuron to antagonistic muscle and to higher CNS




Muscle Spindles - The Monosynaptic Stretch Reflex.

• the patellar reflex




Muscle Spindles - The Monosynaptic Stretch Reflex.


• the patellar reflex




Muscle Spindles - The Monosynaptic Stretch Reflex.

• important in regulation of variety of motor behaviors









Golgi Tendon Organs - A Polysynaptic Reflex.

- located in tendons
- responds to increases in muscle tension, not stretch/length
- provides information to CNS regarding load on muscle, and acts as brake to prevent overly vigourous contraction
- prevents damage to muscles
- tendon is pulled by muscle contraction, activating GTO






Golgi Tendon Organs - A Polysynaptic Reflex.

- sensory nerve excites spinal inhibitory interneuron
- interneuron inhibits f -motor neuron to diminish contractile force


2 synapses

- not as fast as monosynaptic reflex
- spinal cord also sends message to higher levels of CNS



Muscle Spindles and Golgi Tendon Organs.

• coordinated function of MSs and GTOs



Tests of Proprioception.

• field sobriety test



Image Credits

- slide 2: http://www.spinalphysio.co.uk/images/fckImages/bigstock-Human-knee-joint-29771306.jpg
- slide 3-7: Carlson, N.R. (2012). Physiology of Behavior, 11th ed. Pearson Publishing
- slide 7: http://www.edoctoronline.com/media/19/photos_6d35d6f0-4ead-46bb-a161-e961a93ab28b.jpg
- slide 8: http://athletewithstent.com/wp-content/uploads/2012/09/Opposing-muscle-reflex-arc.jpeg
- slide 9-10: Carlson, N.R. (2012). Physiology of Behavior, 11th ed. Pearson Publishing
- slide 10: Carlson, N.R. (2012). Physiology of Behavior, 11th ed. Pearson Publishing http://www.realmagick.com/muscle-spindle-stretch-reflex/
- slide 12-13: Breedlove, S.M., Watson, N.V. (2013). Biological Psychology: An Introduction to Behavioral, Cognitive, and Clinical Neuroscience, 7th ed. Sinauer Associates, Inc.
- slide 14: Carlson, N.R. (2012). Physiology of Behavior, 11th ed. Pearson Publishing